

## B. Summary of Bird Surveys

**Table B1: Conservation Status Categories of Bird Species**

| Code | Category                   | Brief Description                                                                                                                                                                                   | Source                        |
|------|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| GC   | Global Concern             | Habitat loss/ damage in Hong Kong would pose significant threat to global survival.                                                                                                                 | Fellowes <i>et al.</i> (2002) |
| RC   | Regional Concern           | Habitat loss/ damage in Hong Kong would pose significant threat to regional survival.                                                                                                               |                               |
| LC   | Local Concern              | Habitat loss/ damage in Hong Kong would pose significant threat to local survival.                                                                                                                  |                               |
| PGC  | Potential Global Concern   | Large, secure population in Hong Kong is of global significance.                                                                                                                                    |                               |
| PRC  | Potential Regional Concern | Large, secure population in Hong Kong is of regional significance.                                                                                                                                  |                               |
| CR   | Critically Endangered      | Best available evidence indicates that it meets any of the criteria A to E for Critically Endangered, and it is therefore considered to be facing an extremely high risk of extinction in the wild. | BirdLife International (2017) |
| EN   | Endangered                 | Best available evidence indicates that it meets any of the criteria A to E for Endangered, and it is therefore considered to be facing a high risk of extinction in the wild.                       |                               |
| VU   | Vulnerable                 | Best available evidence indicates that it meets any of the criteria A to E for Vulnerable, and it is therefore considered to be facing a high risk of extinction in the wild                        |                               |
| NT   | Near Threatened            | Does not qualify for Critically Endangered or Vulnerable now; but is close to qualifying for or is likely to qualify for a threatened category in the near future.                                  |                               |

**Table B2: Summary of bird monitoring data (for species of conservation importance and/or wetland-dependence) within the Survey Area (excluding the WRA)**

| Common Name               | Scientific Name <sup>(1)</sup> | Wetland Dependent | Conservation Status <sup>(2)</sup> | May 2021 Mean <sup>(3)</sup> | Jun 2021 Mean <sup>(3)</sup> | Jul 2021 Mean <sup>(3)</sup> | Aug 2021 Mean <sup>(3)</sup> | Sep 2021 Mean <sup>(3)</sup> | Oct 2021 Mean <sup>(3)</sup> |
|---------------------------|--------------------------------|-------------------|------------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|
| Little Grebe              | <i>Tachybaptus ruficollis</i>  | Y                 | LC                                 | 16.0                         | 12.6                         | 13.8                         | 11.0                         | 8.4                          | 13.8                         |
| Great Cormorant           | <i>Phalacrocorax carbo</i>     | Y                 | PRC                                | 0.0                          | 0.0                          | 0.0                          | 2.0                          | 1.4                          | 11.5                         |
| Grey Heron                | <i>Ardea cinerea</i>           | Y                 | PRC                                | 0.3                          | 0.4                          | 0.5                          | 3.5                          | 6.6                          | 8.3                          |
| Great Egret               | <i>Ardea alba</i>              | Y                 | PRC, (RC)                          | 9.5                          | 13.8                         | 10.8                         | 22.0                         | 18.0                         | 10.0                         |
| Intermediate Egret        | <i>Egretta intermedia</i>      | Y                 | RC                                 | 0.3                          | 0.0                          | 0.0                          | 0.0                          | 0.2                          | 0.0                          |
| Little Egret              | <i>Egretta garzetta</i>        | Y                 | PRC, (RC)                          | 24.5                         | 21.4                         | 28                           | 30.0                         | 25.4                         | 17.5                         |
| Eastern Cattle Egret      | <i>Bubulcus coromandus</i>     | Y                 | (LC)                               | 0.0                          | 0.0                          | 0.0                          | 1.5                          | 14.8                         | 12.8                         |
| Chinese Pond Heron        | <i>Ardeola bacchus</i>         | Y                 | PRC, (RC)                          | 14.5                         | 12.4                         | 21.3                         | 28.0                         | 25.6                         | 21.5                         |
| Yellow Bittern            | <i>Ixobrychus sinensis</i>     | Y                 | (LC)                               | 0.5                          | 1.0                          | 0.5                          | 0.8                          | 1.0                          | 1.3                          |
| Black-crowned Night Heron | <i>Nycticorax nycticorax</i>   | Y                 | (LC)                               | 5.3                          | 5.6                          | 4.8                          | 6.5                          | 4.6                          | 1.3                          |
| Black-winged Kite#        | <i>Elanus caeruleus</i>        | Y                 | Class II, LC                       | 0.0                          | 0.0                          | 0.3                          | 0.0                          | 0.0                          | 0.0                          |
| Black Kite#               | <i>Milvus migrans</i>          | Y                 | Class II, (RC)                     | 0.8                          | 0.2                          | 3.8                          | 0.8                          | 2.2                          | 3.5                          |
| White-breasted Waterhen   | <i>Amaurornis phoenicurus</i>  | Y                 | -                                  | 4.8                          | 5.8                          | 2.5                          | 3.8                          | 3.0                          | 1.0                          |
| Common Moorhen            | <i>Gallinula chloropus</i>     | Y                 | -                                  | 0.0                          | 0.4                          | 0.5                          | 1.0                          | 0.4                          | 0.0                          |
| Greater Painted-snipe     | <i>Rostratula benghalensis</i> | Y                 | LC                                 | 0.8                          | 0.0                          | 0.0                          | 0.0                          | 0.0                          | 0.0                          |
| Black-winged Stilt        | <i>Himantopus himantopus</i>   | Y                 | RC                                 | 2.8                          | 1.8                          | 2.3                          | 1.3                          | 0.0                          | 0.0                          |
| Little Ringed Plover      | <i>Charadrius dubius</i>       | Y                 | (LC)                               | 0.5                          | 0.0                          | 0.0                          | 0.0                          | 0.0                          | 0.8                          |
| Common Greenshank         | <i>Tringa nebularia</i>        | Y                 | RC                                 | 0.3                          | 0.0                          | 0.0                          | 0.0                          | 0.0                          | 0.0                          |

| Common Name                | Scientific Name <sup>(1)</sup>  | Wetland Dependent | Conservation Status <sup>(2)</sup> | May 2021 Mean <sup>(3)</sup> | Jun 2021 Mean <sup>(3)</sup> | Jul 2021 Mean <sup>(3)</sup> | Aug 2021 Mean <sup>(3)</sup> | Sep 2021 Mean <sup>(3)</sup> | Oct 2021 Mean <sup>(3)</sup> |
|----------------------------|---------------------------------|-------------------|------------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|
| Green Sandpiper            | <i>Tringa ochropus</i>          | Y                 | -                                  | 0.0                          | 0.0                          | 0.0                          | 0.0                          | 0.0                          | 0.8                          |
| Common Sandpiper           | <i>Actitis hypoleucos</i>       | Y                 | -                                  | 0.8                          | 0.0                          | 1.5                          | 2.0                          | 3.2                          | 1.8                          |
| Whiskered Tern             | <i>Chlidonias hybrida</i>       | Y                 | -                                  | 4.5                          | 0.0                          | 0.0                          | 0.0                          | 0.0                          | 0.8                          |
| White-winged Tern          | <i>Chlidonias leucopterus</i>   | Y                 | -                                  | 6.8                          | 0.0                          | 0.0                          | 0.0                          | 0.0                          | 0.0                          |
| Pacific Swift              | <i>Apus pacificus</i>           | N                 | (LC)                               | 0.5                          | 0.0                          | 0.0                          | 0.0                          | 0.0                          | 0.0                          |
| Pied Kingfisher            | <i>Ceryle rudis</i>             | Y                 | (LC)                               | 0.8                          | 0.6                          | 1.3                          | 1.3                          | 0.8                          | 2.5                          |
| White-throated Kingfisher# | <i>Halcyon smyrnensis</i>       | Y                 | Class II, (LC)                     | 0.0                          | 0.2                          | 0.0                          | 1.0                          | 0.6                          | 0.5                          |
| Common Kingfisher          | <i>Alcedo atthis</i>            | Y                 | -                                  | 1.0                          | 1.8                          | 2.0                          | 2.3                          | 2.2                          | 4.0                          |
| Eastern Yellow Wagtail     | <i>Motacilla tschutschensis</i> | Y                 | -                                  | 0.3                          | 0.0                          | 0.0                          | 0.0                          | 0.4                          | 2.0                          |
| Grey Wagtail               | <i>Motacilla cinerea</i>        | Y                 | -                                  | 0.0                          | 0.0                          | 0.0                          | 0.3                          | 0.0                          | 0.0                          |
| White Wagtail              | <i>Motacilla alba</i>           | Y                 | -                                  | 6.0                          | 4.2                          | 8.8                          | 9.5                          | 7.0                          | 9.0                          |
| Oriental Reed Warbler      | <i>Acrocephalus orientalis</i>  | Y                 | -                                  | 0.0                          | 0.0                          | 0.0                          | 0.0                          | 0.0                          | 0.3                          |
| Zitting Cisticola          | <i>Cisticola juncidis</i>       | Y                 | LC                                 | 0.0                          | 0.0                          | 0.0                          | 0.0                          | 0.4                          | 0.0                          |
| White-shouldered Starling  | <i>Sturnia sinensis</i>         | Y                 | (LC)                               | 5.3                          | 6.2                          | 6.3                          | 1.0                          | 3.0                          | 1.0                          |
| Collared Crow              | <i>Corvus torquatus</i>         | Y                 | LC, NT                             | 0.5                          | 1.0                          | 2.8                          | 1.3                          | 1.2                          | 1.0                          |
| No. of Species Recorded    |                                 |                   |                                    | 24                           | 17                           | 18                           | 21                           | 22                           | 23                           |

Notes:

- (1) Follows the List of Hong Kong Birds (ver. 2020-03-10)
- (2) Conservation status follows that of Fellowes et al. (2002) and BirdLife International listing (2017). See **Table B1** for the description of the codes.  
 Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and for roosting sites rather than in general occurrence. (Fellowes et al. 2002)
- (3) Refers to the mean number of individuals recorded in each survey in the Survey Area (excluding the WRA)
- (4) Birds tagged with '#' are Category II protected under terrestrial wildlife state protection. Birds tagged with '##' are Category I protected under terrestrial wildlife state protection

**Table B3: Summary of bird monitoring data (for species of conservation importance and/or wetland-dependence) in the WRA**

| Common Name               | Scientific Name <sup>(1)</sup> | Wetland Dependent | Conservation Status <sup>(2)</sup> | May 2021 Mean <sup>(3)</sup> | Jun 2021 Mean <sup>(3)</sup> | Jul 2021 Mean <sup>(3)</sup> | Aug 2021 Mean <sup>(3)</sup> | Sep 2021 Mean <sup>(3)</sup> | Oct 2021 Mean <sup>(3)</sup> |
|---------------------------|--------------------------------|-------------------|------------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|
| Little Grebe              | <i>Tachybaptus ruficollis</i>  | Y                 | LC                                 | 0.0                          | 0.0                          | 0.3                          | 0.5                          | 1.4                          | 2.0                          |
| Great Cormorant           | <i>Phalacrocorax carbo</i>     | Y                 | PRC                                | 0.0                          | 0.0                          | 0.0                          | 0.3                          | 0.2                          | 1.3                          |
| Grey Heron                | <i>Ardea cinerea</i>           | Y                 | PRC                                | 0.3                          | 0.4                          | 0.0                          | 0.5                          | 1.0                          | 0.5                          |
| Great Egret               | <i>Ardea alba</i>              | Y                 | PRC, (RC)                          | 0.8                          | 1.8                          | 0.8                          | 1.3                          | 1.8                          | 1.5                          |
| Intermediate Egret        | <i>Egretta intermedia</i>      | Y                 | RC                                 | 0.3                          | 0.0                          | 0.0                          | 0.0                          | 0.0                          | 0.5                          |
| Little Egret              | <i>Egretta garzetta</i>        | Y                 | PRC, (RC)                          | 4.5                          | 0.6                          | 0.8                          | 3.0                          | 2.0                          | 2.3                          |
| Eastern Cattle Egret      | <i>Bubulcus coromandus</i>     | Y                 | (LC)                               | 0.0                          | 0.0                          | 0.0                          | 0.3                          | 1.0                          | 0.5                          |
| Chinese Pond Heron        | <i>Ardeola bacchus</i>         | Y                 | PRC, (RC)                          | 2.0                          | 2.4                          | 2.3                          | 5.5                          | 2.6                          | 7.8                          |
| Yellow Bittern            | <i>Ixobrychus sinensis</i>     | Y                 | (LC)                               | 0.0                          | 0.2                          | 0.0                          | 1.0                          | 1.6                          | 0.8                          |
| Black-crowned Night Heron | <i>Nycticorax nycticorax</i>   | Y                 | (LC)                               | 1.8                          | 5.0                          | 2.8                          | 4.5                          | 6.0                          | 2.3                          |
| Black-winged Kite#        | <i>Elanus caeruleus</i>        | Y                 | Class II, LC                       | 0.0                          | 0.0                          | 0.5                          | 0.0                          | 0.0                          | V                            |
| Black Kite#               | <i>Milvus migrans</i>          | Y                 | Class II, (RC)                     | 0.3                          | 0.6                          | 0.5                          | 0.5                          | 0.8                          | 2.0                          |
| Eastern Buzzard#          | <i>Buteo japonicus</i>         | Y                 | Class II                           | 0.0                          | 0.0                          | 0.0                          | 0.0                          | 0.0                          | 0.3                          |
| Eurasian Hobby#           | <i>Falco subbuteo</i>          | Y                 | Class II, (LC)                     | 0.0                          | 0.0                          | 0.0                          | 0.0                          | 0.4                          | 0.0                          |
| White-breasted Waterhen   | <i>Amaurornis phoenicurus</i>  | Y                 | -                                  | 2.0                          | 1.4                          | 1.8                          | 0.0                          | 1.2                          | 1.0                          |
| Common Moorhen            | <i>Gallinula chloropus</i>     | Y                 | -                                  | 0.3                          | 0.4                          | 0.5                          | 2.0                          | 0.8                          | 0.0                          |
| Black-winged Stilt        | <i>Himantopus himantopus</i>   | Y                 | RC                                 | V                            | 0.0                          | 0.0                          | 0.0                          | 0.0                          | 0.0                          |
| Oriental Pratincole       | <i>Glareola maldivarum</i>     | Y                 | LC                                 | 0.0                          | 0.0                          | 0.0                          | 0.0                          | 0.2                          | 0.0                          |
| Pacific Golden Plover     | <i>Pluvialis fulva</i>         | Y                 | LC                                 | V                            | 0.0                          | 0.0                          | 0.0                          | 0.0                          | 0.0                          |
| Little Ringed Plover      | <i>Charadrius dubius</i>       | Y                 | (LC)                               | V                            | 0.0                          | 0.0                          | 0.0                          | 0.0                          | 0.8                          |
| Common Greenshank         | <i>Tringa nebularia</i>        | Y                 | RC                                 | V                            | 0.0                          | 0.0                          | 0.0                          | 0.0                          | 0.0                          |
| Green Sandpiper           | <i>Tringa ochropus</i>         | Y                 | -                                  | 0.0                          | 0.0                          | 0.0                          | 0.0                          | 0.2                          | 0.0                          |

| Common Name                    | Scientific Name <sup>(1)</sup>   | Wetland Dependent | Conservation Status <sup>(2)</sup> | May 2021 Mean <sup>(3)</sup> | Jun 2021 Mean <sup>(3)</sup> | Jul 2021 Mean <sup>(3)</sup> | Aug 2021 Mean <sup>(3)</sup> | Sep 2021 Mean <sup>(3)</sup> | Oct 2021 Mean <sup>(3)</sup> |
|--------------------------------|----------------------------------|-------------------|------------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|
| Common Sandpiper               | <i>Actitis hypoleucos</i>        | Y                 | -                                  | 0.3                          | 0.0                          | 0.3                          | 1.0                          | 0.6                          | 0.3                          |
| Common Snipe                   | <i>Gallinago gallinago</i>       | Y                 | -                                  | 0.0                          | 0.0                          | 0                            | 0.0                          | 0.2                          | 0.3                          |
| White-winged Tern              | <i>Chlidonias leucopterus</i>    | Y                 | -                                  | 0.3                          | 0.0                          | 0                            | 0.0                          | 0.0                          | 0.0                          |
| Pied Kingfisher                | <i>Ceryle rudis</i>              | Y                 | (LC)                               | 0.3                          | 0.2                          | 0.3                          | 0.5                          | 0.4                          | 0.3                          |
| White-throated Kingfisher#     | <i>Halcyon smyrnensis</i>        | Y                 | Class II, (LC)                     | 0.3                          | 0.0                          | 0                            | 0.0                          | 0.2                          | 0.0                          |
| Common Kingfisher              | <i>Alcedo atthis</i>             | Y                 | -                                  | 0.3                          | 1.2                          | 1.5                          | 1.0                          | 1.0                          | 0.5                          |
| Eastern Yellow Wagtail         | <i>Motacilla tschutschensis</i>  | Y                 | -                                  | 0.8                          | 0.0                          | 0                            | 0.0                          | 0.2                          | 0.5                          |
| White Wagtail                  | <i>Motacilla alba</i>            | Y                 | -                                  | 1.3                          | 0.4                          | 1.8                          | 0.5                          | 2.4                          | 2.8                          |
| Oriental Reed Warbler          | <i>Acrocephalus orientalis</i>   | Y                 | -                                  | 0.0                          | 0.0                          | 0                            | 0.0                          | 0.2                          | 0.0                          |
| Black-browed Reed Warbler      | <i>Acrocephalus bistrigiceps</i> | Y                 | -                                  | 0.0                          | 0.0                          | 0                            | 0.0                          | 0.2                          | 0.3                          |
| Zitting Cisticola              | <i>Cisticola juncidis</i>        | Y                 | LC                                 | 0.0                          | 0.0                          | 0                            | 0.0                          | 0.2                          | 0.0                          |
| White-shouldered Starling      | <i>Sturnia sinensis</i>          | Y                 | (LC)                               | 0.0                          | 1.6                          | 2.5                          | 0.0                          | 1.2                          | 0.0                          |
| Collared Crow                  | <i>Corvus torquatus</i>          | Y                 | LC, NT                             | 0.0                          | 0.0                          | 1.3                          | 0.5                          | 0.4                          | 0.0                          |
| <b>No. of Species Recorded</b> |                                  |                   |                                    | <b>20</b>                    | <b>13</b>                    | <b>15</b>                    | <b>16</b>                    | <b>27</b>                    | <b>22</b>                    |

Notes:

- (1) Follows the List of Hong Kong Birds (ver. 2020-03-10)
  - (2) Conservation status follows that of Fellows et al. (2002) and BirdLife international listing (2017). See **Table B1** for the description of the codes. Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and for roosting sites rather than in general occurrence. (Fellows et al. 2002).
  - (3) Refers to mean number of individuals recorded in each survey in the Survey Area (excluding the WRA).
  - (4) Birds tagged with '#' are Category II protected under terrestrial wildlife state protection. Birds tagged with '##' are Category I protected under terrestrial wildlife state protection
- V indicates the species is recorded outside regular surveys

**Table B4: Summary of Bird Species Recorded at WRA and their Respective Monthly Mean between September 2010 and October 2012**

| Common name               | Scientific name               | Wetland<br>Dependence | Conservation<br>status | Sep-<br>10 | Oct-<br>10 | Nov-<br>10 | Dec-<br>10 | Jan-<br>11 | Feb-<br>11 | Mar-<br>11 | Apr-<br>11 | May-<br>11 | Jun-<br>11 | Jul-<br>11 | Aug-<br>11 | Sep-<br>11 | Oct-<br>11 | Nov-<br>11 | Dec-<br>11 | Jan-<br>12 | Feb-<br>12 | Mar-<br>12 | Apr-<br>12 | May-<br>12 | Jun-<br>12 | Jul-<br>12 | Aug-<br>12 | Sep-<br>12 | Oct-<br>12 |
|---------------------------|-------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Little Grebe              | <i>Tachybaptus ruficollis</i> | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 3.8        | 0.8        | 0.5        | 0.5        | 0.0        | 0.6        | 0.0        | 1.4        | 1.6        | 0.8        | 1.0        | 1.3        | 0.2        | 0.0        | 0.2        |
| Great Cormorant           | <i>Phalacrocorax carbo</i>    | Y                     | PRC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.8        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.3        | 0.4        | 1.2        | 0.7        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Grey Heron                | <i>Ardea cinerea</i>          | Y                     | PRC                    | 0.0        | 0.0        | 1.0        | 1.6        | 2.0        | 2.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 2.5        | 1.8        | 0.8        | 2.3        | 0.8        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.4        |
| Purple Heron              | <i>Ardea purpurea</i>         | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Great Egret               | <i>Ardea alba</i>             | Y                     | PRC, (RC)              | 0.0        | 0.0        | 0.0        | 0.4        | 14.0       | 2.0        | 0.2        | 0.5        | 0.3        | 0.5        | 0.3        | 0.0        | 1.5        | 1.8        | 0.8        | 1.2        | 0.6        | 0.7        | 0.6        | 0.6        | 1.0        | 0.3        | 0.0        | 0.4        | 0.5        | 1.5        |
| Intermediate Egret        | <i>Egretta intermedia</i>     | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 1.7        | 0.8        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.5        | 1.5        | 1.5        | 1.0        | 0.6        | 0.7        | 0.6        | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.9        |
| Little Egret              | <i>Egretta garzetta</i>       | Y                     | PRC, (RC)              | 0.0        | 0.0        | 0.0        | 1.8        | 8.0        | 2.0        | 0.4        | 0.5        | 0.8        | 0.3        | 0.3        | 1.0        | 1.0        | 0.5        | 1.5        | 1.6        | 1.4        | 2.0        | 1.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.8        | 0.3        | 1.2        |
| Eastern Cattle Egret      | <i>Bubulcus coromandus</i>    | Y                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 11.8       | 0.0        | 1.3        | 0.3        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.2        | 0.0        | 0.0        |
| Chinese Pond Heron        | <i>Ardeola bacchus</i>        | Y                     | PRC, (RC)              | 0.0        | 0.0        | 1.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.3        | 0.3        | 0.3        | 1.5        | 4.2        | 7.8        | 4.5        | 5.3        | 2.4        | 0.3        | 2.3        | 2.6        | 1.4        | 0.8        | 1.0        | 0.8        | 2.0        | 1.8        | 3.6        |
| Yellow Bittern            | <i>Ixobrychus sinensis</i>    | Y                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Cinnamon Bittern          | <i>Ixobrychus cinnamomeus</i> | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-crowned Night Heron | <i>Nycticorax nycticorax</i>  | Y                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Spoonbill        | <i>Platalea leucorodia</i>    | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-faced Spoonbill     | <i>Platalea minor</i>         | Y                     | PGC, EN                | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 10.3       | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Mandarin Duck             | <i>Aix galericulata</i>       | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Wigeon           | <i>Anas penelope</i>          | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 1.6        | 2.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Teal             | <i>Anas crecca</i>            | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Northern Pintail          | <i>Anas acuta</i>             | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.2        | 7.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Northern Shoveler         | <i>Anas clypeata</i>          | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Tufted Duck               | <i>Aythya fuligula</i>        | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Garganey                  | <i>Anas querquedula</i>       | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Western Osprey            | <i>Pandion haliaetus</i>      | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |

| Common name             | Scientific name                 | Wetland<br>Dependence | Conservation<br>status | Sep-<br>10 | Oct-<br>10 | Nov-<br>10 | Dec-<br>10 | Jan-<br>11 | Feb-<br>11 | Mar-<br>11 | Apr-<br>11 | May-<br>11 | Jun-<br>11 | Jul-<br>11 | Aug-<br>11 | Sep-<br>11 | Oct-<br>11 | Nov-<br>11 | Dec-<br>11 | Jan-<br>12 | Feb-<br>12 | Mar-<br>12 | Apr-<br>12 | May-<br>12 | Jun-<br>12 | Jul-<br>12 | Aug-<br>12 | Sep-<br>12 | Oct-<br>12 |
|-------------------------|---------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Black-winged Kite       | <i>Elanus caeruleus</i>         | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black Kite              | <i>Milvus migrans</i>           | N                     | (RC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.8        | 0.3        | 0.2        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.2        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        |
| Crested Serpent Eagle   | <i>Spilornis cheela</i>         | N                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Buzzard         | <i>Buteo japonicus</i>          | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Kestrel          | <i>Falco tinnunculus</i>        | N                     | -                      | 0.0        | 0.0        | 1.0        | 0.4        | 1.0        | 0.3        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Hobby          | <i>Falco subbuteo</i>           | Y                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Peregrine Falcon        | <i>Falco peregrinus</i>         | N                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Greater Spotted Eagle   | <i>Clanga clanga</i>            | N                     | GC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Imperial Eagle  | <i>Aquila heliaca</i>           | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Japanese Quail          | <i>Coturnix japonica</i>        | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Baillon's Crake         | <i>Porzana pusilla</i>          | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White-breasted Waterhen | <i>Amaurornis phoenicurus</i>   | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 0.8        | 1.3        | 2.6        | 1.3        | 1.5        | 0.3        | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.5        | 1.0        | 0.5        | 0.0        | 0.0        |
| Watercock               | <i>Gallicrex cinerea</i>        | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Moorhen          | <i>Gallinula chloropus</i>      | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        |
| Pheasant-tailed Jacana  | <i>Hydrophasianus chirurgus</i> | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Greater Painted-snipe   | <i>Rostratula benghalensis</i>  | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-winged Stilt      | <i>Himantopus himantopus</i>    | Y                     | RC                     | 8.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pied Avocet             | <i>Recurvirostra avosetta</i>   | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental Pratincole     | <i>Glareola maldivarum</i>      | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 2.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Little Ringed Plover    | <i>Charadrius dubius</i>        | Y                     | (LC)                   | 3.0        | 0.0        | 24.5       | 7.4        | 3.8        | 9.0        | 6.8        | 10.5       | 5.5        | 0.5        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Kentish Plover          | <i>Charadrius alexandrinus</i>  | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Spotted Redshank        | <i>Tringa erythropus</i>        | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Redshank         | <i>Tringa totanus</i>           | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |

| Common name               | Scientific name                     | Wetland<br>Dependence | Conservation<br>status | Sep-<br>10 | Oct-<br>10 | Nov-<br>10 | Dec-<br>10 | Jan-<br>11 | Feb-<br>11 | Mar-<br>11 | Apr-<br>11 | May-<br>11 | Jun-<br>11 | Jul-<br>11 | Aug-<br>11 | Sep-<br>11 | Oct-<br>11 | Nov-<br>11 | Dec-<br>11 | Jan-<br>12 | Feb-<br>12 | Mar-<br>12 | Apr-<br>12 | May-<br>12 | Jun-<br>12 | Jul-<br>12 | Aug-<br>12 | Sep-<br>12 | Oct-<br>12 |
|---------------------------|-------------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Marsh Sandpiper           | <i>Tringa stagnatilis</i>           | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Greenshank         | <i>Tringa nebularia</i>             | Y                     | RC                     | 0.0        | 0.0        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.8        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Green Sandpiper           | <i>Tringa ochropus</i>              | Y                     | -                      | 0.0        | 0.0        | 1.0        | 0.4        | 0.5        | 0.5        | 0.4        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.2        | 0.4        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        |
| Wood Sandpiper            | <i>Tringa glareola</i>              | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 1.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.8        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.6        | 0.0        | 0.0        |
| Common Sandpiper          | <i>Actitis hypoleucos</i>           | Y                     | -                      | 1.0        | 0.0        | 0.5        | 1.0        | 0.0        | 0.5        | 0.6        | 1.0        | 0.3        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.9        |
| Eurasian Woodcock         | <i>Scolopax rusticola</i>           | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pintail/ Swinhoe's Snipe^ | <i>Gallinago stenura/ G. megala</i> | Y                     | LC                     | 0.0        | 0.0        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Snipe              | <i>Gallinago gallinago</i>          | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red-necked Stint          | <i>Calidris ruficollis</i>          | Y                     | LC                     | 3.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Temminck's Stint          | <i>Calidris temminckii</i>          | Y                     | LC                     | 0.0        | 0.0        | 0.5        | 0.0        | 0.0        | 2.5        | 0.4        | 1.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Long-toed Stint           | <i>Calidris subminuta</i>           | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Whiskered Tern            | <i>Chlidonias hybrida</i>           | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Domestic Pigeon           | <i>Columba livia</i>                | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Collared Dove    | <i>Streptopelia decaocto</i>        | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental Turtle Dove      | <i>Streptopelia orientalis</i>      | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red Turtle Dove           | <i>Streptopelia tranquebarica</i>   | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Spotted Dove              | <i>Spilopelia chinensis</i>         | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | DS         | DS         | 0.0        | DS         | 0.0        | 0.0        | DS         | 0.0        | 0.6        |
| Asian Koel                | <i>Eudynamys scolopaceus</i>        | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Greater Coucal#           | <i>Centropus sinensis</i>           | N                     |                        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Eagle Owl        | <i>Bubo bubo</i>                    | N                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Savanna Nightjar          | <i>Caprimulgus affinis</i>          | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pacific Swift             | <i>Apus pacificus</i>               | N                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |



| Common name               | Scientific name                 | Wetland<br>Dependence | Conservation<br>status | Sep-<br>10 | Oct-<br>10 | Nov-<br>10 | Dec-<br>10 | Jan-<br>11 | Feb-<br>11 | Mar-<br>11 | Apr-<br>11 | May-<br>11 | Jun-<br>11 | Jul-<br>11 | Aug-<br>11 | Sep-<br>11 | Oct-<br>11 | Nov-<br>11 | Dec-<br>11 | Jan-<br>12 | Feb-<br>12 | Mar-<br>12 | Apr-<br>12 | May-<br>12 | Jun-<br>12 | Jul-<br>12 | Aug-<br>12 | Sep-<br>12 | Oct-<br>12 |
|---------------------------|---------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| House Swift               | <i>Apus nipalensis</i>          | N                     | -                      | 10.0       | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | DS         | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pied Kingfisher           | <i>Ceryle rudis</i>             | Y                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.2        | 0.3        | 0.5        | 0.2        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.5        | 0.0        | 0.0        | 0.0        |
| Common Kingfisher         | <i>Alcedo atthis</i>            | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.4        | 0.5        | 0.3        | 0.0        | 0.3        | 0.5        | 1.0        | 0.3        | 1.0        | 0.8        | 0.5        | 0.8        | 1.0        | 0.4        | 0.0        | 0.8        | 0.0        | 0.0        | 0.0        | 0.0        | 0.6        | 0.0        | 0.4        |
| White-throated Kingfisher | <i>Halcyon smyrnensis</i>       | N                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        |
| Eurasian Hoopoe           | <i>Upupa epops</i>              | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Barn Swallow              | <i>Hirundo rustica</i>          | N                     | -                      | 25.0       | 0.0        | 0.0        | 0.0        | 0.0        | 1.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | DS         | 0.0        | DS         | 0.0        | DS         | DS         | 3.0        | 0.0        |
| Red-rumped Swallow        | <i>Hirundo daurica</i>          | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Yellow Wagtail    | <i>Motacilla tschutschensis</i> | Y                     | -                      | 0.0        | 0.0        | 14.5       | 10.2       | 15.0       | 23.5       | 8.2        | 11.8       | 1.8        | 0.0        | 0.0        | 0.2        | 0.8        | 1.5        | 2.0        | 1.2        | 0.6        | 0.0        | 4.0        | 1.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Grey Wagtail              | <i>Motacilla cinerea</i>        | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.3        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White Wagtail             | <i>Motacilla alba</i>           | Y                     | -                      | 3.0        | 0.0        | 0.0        | 1.8        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | DS         | DS         | DS         | DS         | DS         | 0.0        | 0.0        | 0.0        | DS         | 1.8        | 3.2        |
| Richard's Pipit           | <i>Anthus richardi</i>          | N                     | -                      | 0.0        | 0.0        | 1.5        | 0.8        | 0.5        | 1.0        | 1.0        | 1.8        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | DS         | 0.0        | DS         | DS         | DS         | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Olive-backed Pipit        | <i>Anthus hodgsoni</i>          | N                     | -                      | 0.0        | 0.0        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red-throated Pipit        | <i>Anthus cervinus</i>          | N                     | LC                     | 0.0        | 2.0        | 2.5        | 1.2        | 0.5        | 0.5        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.7        |
| Buff-bellied Pipit        | <i>Anthus rubescens</i>         | N                     | LC                     | 0.0        | 1.0        | 1.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red-whiskered Bulbul      | <i>Pycnonotus jocosus</i>       | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Chinese Bulbul            | <i>Pycnonotus sinensis</i>      | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | DS         | 0.0        | DS         | 0.0        | 0.0        | 0.0        | 0.0        |
| Bull-headed Shrike        | <i>Lanius bucephalus</i>        | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Brown Shrike              | <i>Lanius cristatus</i>         | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Long-tailed Shrike        | <i>Lanius schach</i>            | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | DS         | 0.0        | 0.0        | 0.0        | 0.0        | DS         | DS         | 0.0        | 0.0        |
| Oriental Magpie Robin     | <i>Copsychus saularis</i>       | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Daurian Redstart          | <i>Phoenicurus aureus</i>       | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Stejneger's Stonechat     | <i>Saxicola stejnegeri</i>      | N                     | -                      | 0.0        | 3.0        | 0.5        | 1.0        | 1.0        | 0.8        | 0.2        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 0.0        | DS         | DS         | 0.0        | DS         | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Masked Laughingthrush     | <i>Garrulax perspicillatus</i>  | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | 0.0        | 0.0        |

| Common name                  | Scientific name                  | Wetland<br>Dependence | Conservation<br>status | Sep-<br>10 | Oct-<br>10 | Nov-<br>10 | Dec-<br>10 | Jan-<br>11 | Feb-<br>11 | Mar-<br>11 | Apr-<br>11 | May-<br>11 | Jun-<br>11 | Jul-<br>11 | Aug-<br>11 | Sep-<br>11 | Oct-<br>11 | Nov-<br>11 | Dec-<br>11 | Jan-<br>12 | Feb-<br>12 | Mar-<br>12 | Apr-<br>12 | May-<br>12 | Jun-<br>12 | Jul-<br>12 | Aug-<br>12 | Sep-<br>12 | Oct-<br>12 |
|------------------------------|----------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Lanceolated Warbler          | <i>Locustella lanceolata</i>     | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pallas's Grasshopper Warbler | <i>Locustella certhiola</i>      | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental Reed Warbler        | <i>Acrocephalus orientalis</i>   | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Thick-billed Warbler         | <i>Acrocephalus aedon</i>        | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-browed Reed Warbler    | <i>Acrocephalus bistrigiceps</i> | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Tailorbird            | <i>Orthotomus sutorius</i>       | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Zitting Cisticola            | <i>Cisticola juncidis</i>        | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 1.5        | 2.5        | 2.5        | 1.0        | 0.4        | 0.0        | 0.3        | 0.8        | 1.8        | 0.2        | 0.3        | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        |
| Yellow-bellied Prinia        | <i>Prinia flaviventris</i>       | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | DS         | 0.0        | DS         | 0.0        | DS         | DS         | 0.8        | 0.4        |
| Plain Prinia                 | <i>Prinia inornata</i>           | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | DS         | 0.0        | DS         | DS         | 0.0        | 0.0        |            |
| Dusky Warbler                | <i>Phylloscopus fuscatus</i>     | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 0.0        | DS         | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pallas's Leaf Warbler        | <i>Phylloscopus proregulus</i>   | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Yellow-browed warbler        | <i>Phylloscopus inornatus</i>    | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.4        |
| Chinese Penduline-Tit        | <i>Remiz consobrinus</i>         | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.2        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Japanese White-eye           | <i>Zosterops japonica</i>        | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Little Bunting               | <i>Emberiza pusilla</i>          | N                     | -                      | 0.0        | 0.0        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-faced Bunting          | <i>Emberiza spodocephala</i>     | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Chinese Grosbeak             | <i>Eophona migratoria</i>        | N                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Scaly-breasted Munia         | <i>Lonchura punctulata</i>       | N                     | -                      | 20.0       | 0.0        | 0.0        | 0.0        | 2.5        | 0.0        | 15.0       | 7.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | DS         | DS         | 1.5        | 0.0        |
| Eurasian Tree Sparrow        | <i>Passer montanus</i>           | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | DS         | 0.0        | DS         | 0.0        | 0.0        | 0.0        |
| Red-billed Starling*         | <i>Spodiopsar sericeus</i>       | N                     | (RC)*                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.8        | 1.6        | 6.6        | 39.0       | 17.4       | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White-cheeked Starling       | <i>Spodiopsar cinereus</i>       | N                     | PRC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 6.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |

| Common name               | Scientific name                  | Wetland<br>Dependence | Conservation<br>status | Sep-<br>10 | Oct-<br>10 | Nov-<br>10 | Dec-<br>10 | Jan-<br>11 | Feb-<br>11 | Mar-<br>11 | Apr-<br>11 | May-<br>11 | Jun-<br>11 | Jul-<br>11 | Aug-<br>11 | Sep-<br>11 | Oct-<br>11 | Nov-<br>11 | Dec-<br>11 | Jan-<br>12 | Feb-<br>12 | Mar-<br>12 | Apr-<br>12 | May-<br>12 | Jun-<br>12 | Jul-<br>12 | Aug-<br>12 | Sep-<br>12 | Oct-<br>12 |     |
|---------------------------|----------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----|
| Black-collared Starling   | <i>Gracupica nigricollis</i>     | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | DS         | DS         | DS         | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | 0.0        |     |
| White-shouldered Starling | <i>Sturnia sinensis</i>          | N                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.5        | 2.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |     |
| Common Myna               | <i>Acridotheres tristis</i>      | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |     |
| Crested Myna              | <i>Acridotheres cristatellus</i> | N                     | –                      | 3.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | 0.0        | DS         | 0.0        | V          |     |
| Black-naped Oriole        | <i>Oriolus chinensis</i>         | N                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |     |
| Black Drongo              | <i>Dicrurus macrocercus</i>      | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | DS         | 0.0        | 0.0 |
| Azure-winged Magpie       | <i>Cyanopica cyanus</i>          | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |     |
| Eurasian Magpie           | <i>Pica pica</i>                 | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.0        | 0.0        | 0.0        | 0.0        | DS         | 0.3        | 0.0        |     |
| Large-billed Crow         | <i>Corvus macrorhynchos</i>      | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |     |
| Collared Crow             | <i>Corvus torquatus</i>          | N                     | LC, NT                 | 0.0        | 0.0        | 0.0        | 0.2        | 0.3        | 0.0        | 0.0        | 0.5        | 0.0        | 0.3        | 0.0        | 0.8        | 0.8        | 0.8        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.8        | 0.0        | 0.0        | 0.0        | 0.0        |     |

- Notes:
- (1) Conservation Status follows that of Fellows et. al. (2002) and BirdLife International listing (2017). See **Table B1** for the description of the codes. Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and for roosting sites rather than in general occurrence. (Fellowes et al. 2002)
- (2) Updated species names used in the report include Eurasian Magpie (*Pica serica*) as Oriental Magpie (*Pica pica*), Japanese White-eye (*Zosterops japonica*) as Swinhoe's White-eye (*Zosterops simplex*), Chinese Bulbul (*Pycnonotus sinensis*) as Light-vented Bulbul (*Pycnonotus sinensis*) and Pale Martin (*Riparia diluta*) as Sand Martin (*Riparia riparia*)
- ^ Pintail Snipe and Swinhoe's Snipe cannot be distinguished in field, conservation status refers to Swinhoe's Snipe.
- V Indicates the species is recorded outside regular surveys.
- DS Indicates species recorded during survey.
- # Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected terrestrial wildlife state protection (category II).
- \* Red-billed Starling is considered by Fellows et al (2002) to be of Global Concern. Since publication, however, the global population estimate has been revised and the species is now not considered globally threatened. A listing of Regional Concern (RC) based on the importance of the large roosts present near Deep Bay, is considered to be more appropriate. (Wetland Restoration Plan, Mott, 2008). Red-billed Starling is now listed as Least Concern by IUCN. (IUCN, 2016)

**Table B5: Summary of Bird Species Recorded at the WRA and their Respective Monthly Mean between November 2012 and October 2014**

| Common name               | Scientific name               | Wetland<br>Dependence | Conservation<br>status | Nov-<br>12 | Dec-<br>12 | Jan-<br>13 | Feb-<br>13 | Mar-<br>13 | Apr-<br>13 | May-<br>13 | Jun-<br>13 | Jul-<br>13 | Aug-<br>13 | Sep-<br>13 | Oct-<br>13 | Nov-<br>13 | Dec-<br>13 | Jan-<br>14 | Feb-<br>14 | Mar-<br>14 | Apr-<br>14 | May-<br>14 | Jun-<br>14 | Jul-<br>14 | Aug-<br>14 | Sep-<br>14 | Oct-<br>14 |
|---------------------------|-------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Little Grebe              | <i>Tachybaptus ruficollis</i> | Y                     | LC                     | 1.0        | 0.8        | 1.2        | 0.4        | 0.6        | 0.4        | 1.5        | 0.5        | 0.0        | 0.6        | 0.5        | 1.2        | 0.6        | 2.2        | 1.8        | 5.3        | 4.5        | 2.4        | 0.8        | 2.0        | 3.2        | 1.8        | 1.6        | 1.4        |
| Great Cormorant           | <i>Phalacrocorax carbo</i>    | Y                     | PRC                    | 0.8        | 3.8        | 0.8        | 1.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | V          | 0.4        | 0.6        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Grey Heron                | <i>Ardea cinerea</i>          | Y                     | PRC                    | 0.8        | 1.3        | 0.8        | 1.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 1.0        | 2.8        | 2.6        | 1.6        | 2.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 1.6        |
| Purple Heron              | <i>Ardea purpurea</i>         | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Great Egret               | <i>Ardea alba</i>             | Y                     | PRC, (RC)              | 1.4        | 0.5        | 1.0        | 0.8        | 0.2        | 0.6        | 0.0        | 0.8        | 0.6        | 0.0        | 0.0        | 0.6        | 0.6        | 2.4        | 1.2        | 1.8        | 0.8        | 0.2        | V          | 0.5        | V          | V          | 0.2        | V          |
| Intermediate Egret        | <i>Egretta intermedia</i>     | Y                     | RC                     | 0.2        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Little Egret              | <i>Egretta garzetta</i>       | Y                     | PRC, (RC)              | 0.8        | 1.8        | 2.2        | 1.4        | 0.6        | 1.2        | 0.6        | 1.8        | 0.4        | 3.4        | 0.5        | 2.2        | 1.4        | 2.4        | 4.4        | 4.0        | 3.8        | 3.2        | 1.2        | 3.3        | 1.8        | 1.3        | 2.6        | 1.6        |
| Eastern Cattle Egret      | <i>Bubulcus coromandus</i>    | Y                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.6        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Chinese Pond Heron        | <i>Ardeola bacchus</i>        | Y                     | PRC, (RC)              | 1.6        | 1.0        | 2.4        | 0.4        | V          | V          | 0.0        | 0.0        | 0.8        | 2.0        | 0.5        | 1.4        | 1.4        | 2.6        | 6.8        | 3.5        | 2.5        | 1.0        | 1.6        | 1.0        | 1.4        | 1.5        | 4.2        | 1.4        |
| Yellow Bittern            | <i>Ixobrychus sinensis</i>    | Y                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 1.0        | 2.5        | 0.2        | 1.4        | 1.3        | 0.8        | 0.4        | 0.2        | 0.0        | 0.0        | V          | V          | 0.4        | 1.3        | 1.0        | 0.8        | 0.2        | 0.2        |
| Cinnamon Bittern          | <i>Ixobrychus cinnamomeus</i> | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-crowned Night Heron | <i>Nycticorax nycticorax</i>  | Y                     | (LC)                   | V          | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Eurasian Spoonbill        | <i>Platalea leucorodia</i>    | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-faced Spoonbill     | <i>Platalea minor</i>         | Y                     | PGC, EN                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Mandarin Duck             | <i>Aix galericulata</i>       | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Wigeon           | <i>Anas penelope</i>          | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Teal             | <i>Anas crecca</i>            | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Northern Pintail          | <i>Anas acuta</i>             | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Northern Shoveler         | <i>Anas clypeata</i>          | Y                     | RC                     | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.2        | 7.0        | 5.5        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Tufted Duck               | <i>Aythya fuligula</i>        | Y                     | LC                     | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Garganey                  | <i>Anas querquedula</i>       | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Western Osprey            | <i>Pandion haliaetus</i>      | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |

| Common name             | Scientific name                 | Wetland<br>Dependence | Conservation<br>status | Nov-<br>12 | Dec-<br>12 | Jan-<br>13 | Feb-<br>13 | Mar-<br>13 | Apr-<br>13 | May-<br>13 | Jun-<br>13 | Jul-<br>13 | Aug-<br>13 | Sep-<br>13 | Oct-<br>13 | Nov-<br>13 | Dec-<br>13 | Jan-<br>14 | Feb-<br>14 | Mar-<br>14 | Apr-<br>14 | May-<br>14 | Jun-<br>14 | Jul-<br>14 | Aug-<br>14 | Sep-<br>14 | Oct-<br>14 |
|-------------------------|---------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Black-winged Kite       | <i>Elanus caeruleus</i>         | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black Kite              | <i>Milvus migrans</i>           | Y                     | (RC)                   | 0.0        | 0.3        | 0.0        | 0.0        | 0.6        | 0.0        | 0.2        | 0.3        | 0.0        | 1.2        | 0.8        | 0.2        | 0.2        | 0.0        | V          | 0.5        | 0.8        | 0.4        | 0.6        | 0.3        | 0.6        | 0.0        | 0.0        | 0.4        |
| Crested Serpent Eagle   | <i>Spilornis cheela</i>         | N                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Buzzard         | <i>Buteo japonicus</i>          | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Common Kestrel          | <i>Falco tinnunculus</i>        | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Hobby          | <i>Falco subbuteo</i>           | Y                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        |
| Peregrine Falcon        | <i>Falco peregrinus</i>         | N                     | (LC)                   | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Greater Spotted Eagle   | <i>Clanga clanga</i>            | N                     | GC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Imperial Eagle  | <i>Aquila heliaca</i>           | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Japanese Quail          | <i>Coturnix japonica</i>        | N                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Baillon's Crake         | <i>Porzana pusilla</i>          | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White-breasted Waterhen | <i>Amaurornis phoenicurus</i>   | Y                     | -                      | 0.2        | V          | 0.2        | v          | 0.4        | 0.2        | V          | 1.8        | 0.2        | 0.2        | V          | 0.8        | 0.4        | 0.0        | 0.0        | 0.0        | V          | 0.2        | 0.2        | V          | 1.4        | 0.5        | 0.5        | 0.2        |
| Watercock               | <i>Gallicrex cinerea</i>        | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Moorhen          | <i>Gallinula chloropus</i>      | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pheasant-tailed Jacana  | <i>Hydrophasianus chirurgus</i> | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Greater Painted-snipe   | <i>Rostratula benghalensis</i>  | Y                     | LC                     | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-winged Stilt      | <i>Himantopus himantopus</i>    | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.6        | V          | 0.2        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          |
| Pied Avocet             | <i>Recurvirostra avosetta</i>   | Y                     | RC                     | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental Pratincole     | <i>Glareola maldivarum</i>      | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Little Ringed Plover    | <i>Charadrius dubius</i>        | Y                     | (LC)                   | 0.0        | V          | 0.4        | 1.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.4        | 0.0        | V          | 0.5        | 0.8        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 1.2        |

| Common name                  | Scientific name                         | Wetland<br>Dependence | Conservation<br>status | Nov-<br>12 | Dec-<br>12 | Jan-<br>13 | Feb-<br>13 | Mar-<br>13 | Apr-<br>13 | May-<br>13 | Jun-<br>13 | Jul-<br>13 | Aug-<br>13 | Sep-<br>13 | Oct-<br>13 | Nov-<br>13 | Dec-<br>13 | Jan-<br>14 | Feb-<br>14 | Mar-<br>14 | Apr-<br>14 | May-<br>14 | Jun-<br>14 | Jul-<br>14 | Aug-<br>14 | Sep-<br>14 | Oct-<br>14 |
|------------------------------|-----------------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Kentish Plover               | <i>Charadrius alexandrinus</i>          | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.8        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Spotted Redshank             | <i>Tringa erythropus</i>                | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Redshank              | <i>Tringa totanus</i>                   | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Marsh Sandpiper              | <i>Tringa stagnatilis</i>               | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Greenshank            | <i>Tringa nebularia</i>                 | Y                     | RC                     | V          | V          | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Green Sandpiper              | <i>Tringa ochropus</i>                  | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 0.6        | V          | V          | 0.0        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        |
| Wood Sandpiper               | <i>Tringa glareola</i>                  | Y                     | LC                     | V          | V          | 0.0        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | V          | V          | V          | V          | 0.0        | 0.0        | 0.0        | 0.4        | 0.3        | 0.0        | 0.2        |
| Common Sandpiper             | <i>Actitis hypoleucos</i>               | Y                     | -                      | 0.2        | V          | V          | 0.0        | V          | 0.2        | 0.2        | 0.0        | V          | 0.6        | V          | 0.8        | 1.6        | 0.2        | V          | 0.3        | 1.3        | 0.2        | 0.4        | V          | V          | 0.3        | 2.6        | 4.4        |
| Eurasian Woodcock            | <i>Scolopax rusticola</i>               | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pintail/<br>Swinhoe's Snipe^ | <i>Gallinago stenura/<br/>G. megala</i> | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Snipe                 | <i>Gallinago gallinago</i>              | Y                     | -                      | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red-necked Stint             | <i>Calidris ruficollis</i>              | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Temminck's Stint             | <i>Calidris temminckii</i>              | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.6        |
| Long-toed Stint              | <i>Calidris subminuta</i>               | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Whiskered Tern               | <i>Chlidonias hybrida</i>               | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Domestic Pigeon              | <i>Columba livia</i>                    | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Collared Dove       | <i>Streptopelia decaocto</i>            | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Oriental Turtle Dove         | <i>Streptopelia orientalis</i>          | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red Turtle Dove              | <i>Streptopelia tranquebarica</i>       | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Spotted Dove                 | <i>Spilopelia chinensis</i>             | N                     | -                      | 0.4        | 1.2        | 0.4        | 0.0        | 0.2        | 0.2        | 0.4        | 0.5        | 0.8        | 2.8        | 2.0        | 2.6        | 2.6        | 3.0        | 6.2        | 2.3        | 2.0        | 1.0        | 0.6        | 1.6        | 1.2        | 1.3        | 2.2        | 3.6        |

| Common name               | Scientific name                 | Wetland<br>Dependence | Conservation<br>status | Nov-<br>12 | Dec-<br>12 | Jan-<br>13 | Feb-<br>13 | Mar-<br>13 | Apr-<br>13 | May-<br>13 | Jun-<br>13 | Jul-<br>13 | Aug-<br>13 | Sep-<br>13 | Oct-<br>13 | Nov-<br>13 | Dec-<br>13 | Jan-<br>14 | Feb-<br>14 | Mar-<br>14 | Apr-<br>14 | May-<br>14 | Jun-<br>14 | Jul-<br>14 | Aug-<br>14 | Sep-<br>14 | Oct-<br>14 |
|---------------------------|---------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Asian Koel                | <i>Eudynamis scolopaceus</i>    | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Greater Coucal#           | <i>Centropus sinensis</i>       | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.3        | 0.2        | 0.2        | 0.0        | 0.2        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.8        | 0.3        | 0.8        | 0.5        | 0.2        | 0.2        |
| Eurasian Eagle Owl        | <i>Bubo bubo</i>                | N                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Savanna Nightjar          | <i>Caprimulgus affinis</i>      | N                     | -                      | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pacific Swift             | <i>Apus pacificus</i>           | N                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| House Swift               | <i>Apus nipalensis</i>          | N                     | -                      | 0.0        | 0.4        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pied Kingfisher           | <i>Ceryle rudis</i>             | Y                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.4        | V          | 0.3        | V          | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        |
| Common Kingfisher         | <i>Alcedo atthis</i>            | Y                     | -                      | 0.2        | 0.3        | 0.5        | 0.4        | 0.2        | 0.2        | 0.6        | 0.3        | 0.4        | 0.4        | 0.8        | 1.0        | 2.0        | 1.6        | 1.2        | 2.3        | 0.8        | 1.0        | 1.2        | 1.8        | 0.6        | 1.3        | 1.4        | 1.8        |
| White-throated Kingfisher | <i>Halcyon smyrnensis</i>       | Y                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        |
| Eurasian Hoopoe           | <i>Upupa epops</i>              | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Barn Swallow              | <i>Hirundo rustica</i>          | N                     | -                      | 0.2        | 1.0        | 0.0        | 0.2        | 9.2        | 23.0       | 11.2       | 0.0        | 1.4        | 1.8        | 1.0        | 0.0        | V          | 0.0        | 0.0        | 0.5        | 7.8        | 15.4       | 18.0       | 1.5        | 1.0        | 1.5        | 0.4        | V          |
| Red-rumped Swallow        | <i>Hirundo daurica</i>          | N                     | -                      | 1.2        | 1.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Yellow Wagtail    | <i>Motacilla tschutschensis</i> | Y                     | -                      | 0.2        | 0.3        | 1.4        | 2.8        | 2.2        | 2.2        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.2        | 0.6        | 0.6        | 1.0        | 0.3        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.6        | 0.2        |
| Grey Wagtail              | <i>Motacilla cinerea</i>        | Y                     | -                      | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White Wagtail             | <i>Motacilla alba</i>           | Y                     | -                      | 2.6        | 1.3        | 0.8        | 3.0        | 4.8        | 2.0        | 1.0        | 0.0        | 1.2        | 0.4        | 3.5        | 2.8        | 3.6        | 2.6        | 1.2        | 1.3        | 2.5        | 1.6        | 0.6        | 1.2        | 0.8        | 1.8        | 1.8        | 3.2        |
| Richard's Pipit           | <i>Anthus richardi</i>          | N                     | -                      | 0.2        | 0.4        | 1.2        | 0.4        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.8        | 2.0        | 2.3        | 3.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Olive-backed Pipit        | <i>Anthus hodgsoni</i>          | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.6        | 1.2        | 1.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red-throated Pipit        | <i>Anthus cervinus</i>          | N                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Buff-bellied Pipit        | <i>Anthus rubescens</i>         | N                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red-whiskered Bulbul      | <i>Pycnonotus jocosus</i>       | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 2.0        | 0.3        | 0.0        | 0.2        | 0.0        | 0.0        | V          | 0.0        | 0.8        | 1.3        | 0.3        | 0.2        | 0.0        | 0.0        | 0.2        | 0.3        | 1.2        | 0.0        |
| Chinese Bulbul            | <i>Pycnonotus sinensis</i>      | N                     | -                      | 0.0        | 0.2        | 2.0        | 0.2        | 0.2        | 3.2        | 2.0        | 3.8        | 0.0        | 2.4        | 3.5        | 0.2        | 1.8        | 4.0        | 3.8        | 0.5        | 0.8        | 1.6        | 1.8        | 2.3        | 2.2        | 2.3        | 0.4        | 4.6        |

| Common name                  | Scientific name                  | Wetland<br>Dependence | Conservation<br>status | Nov-<br>12 | Dec-<br>12 | Jan-<br>13 | Feb-<br>13 | Mar-<br>13 | Apr-<br>13 | May-<br>13 | Jun-<br>13 | Jul-<br>13 | Aug-<br>13 | Sep-<br>13 | Oct-<br>13 | Nov-<br>13 | Dec-<br>13 | Jan-<br>14 | Feb-<br>14 | Mar-<br>14 | Apr-<br>14 | May-<br>14 | Jun-<br>14 | Jul-<br>14 | Aug-<br>14 | Sep-<br>14 | Oct-<br>14 |
|------------------------------|----------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Bull-headed Shrike           | <i>Lanius bucephalus</i>         | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Brown Shrike                 | <i>Lanius cristatus</i>          | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Long-tailed Shrike           | <i>Lanius schach</i>             | N                     | -                      | 0.2        | 0.0        | 0.4        | 0.0        | 0.0        | 0.2        | 0.0        | V          | 0.4        | 0.2        | 0.3        | 0.2        | 0.0        | 0.2        | V          | 0.3        | 0.0        | 0.0        | 0.2        | 0.3        | 0.4        | 0.5        | V          | 0.0        |
| Oriental Magpie Robin        | <i>Copsychus saularis</i>        | N                     | -                      | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.5        | 0.0        | 0.2        | 0.3        | V          | 0.2        | 0.2        | 0.4        | 0.0        | 0.0        | 0.2        | 0.0        | 0.3        | V          | V          | V          | 0.0        |
| Daurian Redstart             | <i>Phoenicurus aureus</i>        | N                     | -                      | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.2        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Stejneger's Stonechat        | <i>Saxicola stejnegeri</i>       | N                     | -                      | 0.4        | 0.4        | 0.8        | 0.0        | 0.0        | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.2        | 0.2        | 0.4        | 0.5        | 0.3        | V          | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        |
| Masked Laughingthrush        | <i>Garrulax perspicillatus</i>   | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.6        | 1.2        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 0.0        | 0.0        | 0.4        | 0.8        | V          | 0.5        | 0.2        | 0.2        | 0.5        | V          | 1.5        | 0.8        | 0.0        |
| Lanceolated Warbler          | <i>Locustella lanceolata</i>     | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pallas's Grasshopper Warbler | <i>Locustella certhiola</i>      | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental Reed Warbler        | <i>Acrocephalus orientalis</i>   | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        |
| Thick-billed Warbler         | <i>Acrocephalus aedon</i>        | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-browed Reed Warbler    | <i>Acrocephalus bistrigiceps</i> | Y                     | -                      | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Tailorbird            | <i>Orthotomus sutorius</i>       | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        |
| Zitting Cisticola            | <i>Cisticola juncidis</i>        | Y                     | LC                     | 0.0        | 0.3        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 0.3        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Yellow-bellied Prinia        | <i>Prinia flaviventris</i>       | N                     | -                      | 0.0        | 0.8        | 0.6        | 0.8        | 1.4        | 4.6        | 4.4        | 5.0        | 2.4        | 1.8        | 3.0        | 2.4        | 0.8        | 1.0        | 0.8        | 1.3        | 2.8        | 0.8        | 0.8        | 0.4        | 0.0        | 0.0        | 0.4        | 0.0        |
| Plain Prinia                 | <i>Prinia inornata</i>           | N                     | -                      | 1.2        | 0.4        | V          | 1.4        | 0.2        | 0.2        | 0.2        | 0.5        | 0.8        | 0.4        | 0.3        | 0.0        | 0.4        | 0.0        | 0.2        | V          | 0.8        | 2.0        | 1.0        | 0.0        | 2.6        | 4.3        | 3.4        | 0.0        |
| Dusky Warbler                | <i>Phylloscopus fuscatus</i>     | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.4        | 0.0        | 0.4        | 0.8        | 1.5        | V          | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          |
| Pallas's Leaf Warbler        | <i>Phylloscopus proregulus</i>   | N                     |                        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Yellow-browed warbler        | <i>Phylloscopus inornatus</i>    | N                     | -                      | 0.8        | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.8        | 0.5        | 0.0        | V          |
| Chinese Penduline-Tit        | <i>Remiz consobrinus</i>         | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 4.5        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |



| Common name               | Scientific name                  | Wetland<br>Dependence | Conservation<br>status | Nov-<br>12 | Dec-<br>12 | Jan-<br>13 | Feb-<br>13 | Mar-<br>13 | Apr-<br>13 | May-<br>13 | Jun-<br>13 | Jul-<br>13 | Aug-<br>13 | Sep-<br>13 | Oct-<br>13 | Nov-<br>13 | Dec-<br>13 | Jan-<br>14 | Feb-<br>14 | Mar-<br>14 | Apr-<br>14 | May-<br>14 | Jun-<br>14 | Jul-<br>14 | Aug-<br>14 | Sep-<br>14 | Oct-<br>14 |
|---------------------------|----------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Japanese White-eye        | <i>Zosterops japonica</i>        | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.6        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        |
| Little Bunting            | <i>Emberiza pusilla</i>          | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-faced Bunting       | <i>Emberiza spodocephala</i>     | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Chinese Grosbeak          | <i>Eophona migratoria</i>        | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Scaly-breasted Munia      | <i>Lonchura punctulata</i>       | N                     | -                      | 0.0        | 0.0        | 0.0        | 1.0        | 2.2        | 1.0        | 0.0        | 0.0        | 2.0        | 0.4        | 0.3        | 0.0        | 0.0        | 1.8        | 1.8        | V          | 1.8        | V          | 3.2        | 5.8        | 0.8        | 1.5        | 1.3        | 0.0        |
| Eurasian Tree Sparrow     | <i>Passer montanus</i>           | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.8        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 8.8        | 3.6        |
| Red-billed Starling       | <i>Spodiopsar sericeus</i>       | Y                     | (RC)*                  | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | 0.0        |
| White-cheeked Starling    | <i>Spodiopsar cineraceus</i>     | Y                     | PRC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-collared Starling   | <i>Gracupica nigricollis</i>     | N                     | -                      | 0.0        | 0.0        | 0.8        | 0.4        | 0.2        | 0.2        | 0.2        | 0.0        | 0.0        | 0.0        | 0.8        | 0.0        | 0.8        | 1.6        | 0.8        | 0.5        | 1.8        | 0.2        | 0.2        | V          | 1.0        | 1.0        | 1.2        | 1.4        |
| White-shouldered Starling | <i>Sturnia sinensis</i>          | Y                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | 0.0        | V          |
| Common Myna               | <i>Acridotheres tristis</i>      | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        |
| Crested Myna              | <i>Acridotheres cristatellus</i> | N                     | -                      | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.3        | 0.8        | 0.2        | 0.0        | 0.0        | 2.0        | 1.8        | 1.4        | 0.5        | 1.3        | 1.0        | 0.6        | 1.0        | 1.2        | 3.5        | 0.2        | 1.8        |
| Black-naped Oriole        | <i>Oriolus chinensis</i>         | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black Drongo              | <i>Dicrurus macrocercus</i>      | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.4        | V          | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 1.5        | 0.0        | 0.2        |
| Azure-winged Magpie       | <i>Cyanopica cyanus</i>          | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Magpie           | <i>Pica pica</i>                 | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.8        | V          | 0.3        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Large-billed Crow         | <i>Corvus macrorhynchos</i>      | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        |
| Collared Crow             | <i>Corvus torquatus</i>          | Y                     | LC, NT                 | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.2        | 0.0        | 0.0        | V          | 0.5        | 0.8        | 0.4        | 0.0        | 0.6        | 0.0        | 0.4        | V          |

Notes:

- (1) Conservation Status follows that of Fellows et. al. (2002) and BirdLife International listing (2017). See **Table B1** for the description of the codes. Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and for roosting sites rather than in general occurrence. (Fellowes et al. 2002)

- (2) Updated species names used in the report include Eurasian Magpie (*Pica serica*) as Oriental Magpie (*Pica pica*), Japanese White-eye (*Zosterops japonica*) as Swinhoe's White-eye (*Zosterops simplex*), Chinese Bulbul (*Pycnonotus sinensis*) as Light-vented Bulbul (*Pycnonotus sinensis*) and Pale Martin (*Riparia diluta*) as Sand Martin (*Riparia riparia*)
- ^ Pintail Snipe and Swinhoe's Snipe cannot be distinguished in field, conservation status refers to Swinhoe's Snipe.
- V Indicates the species is recorded outside regular surveys.
- DS Indicates species recorded during survey.
- # Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected terrestrial wildlife state protection (category II).
- \* Red-billed Starling is considered by Fellows *et al* (2002) to be of Global Concern. Since publication, however, the global population estimate has been revised and the species is now not considered globally threatened. A listing of Regional Concern (RC) based on the importance of the large roosts present near Deep Bay, is considered to be more appropriate. (Wetland Restoration Plan, Mott, 2008). Red-billed Starling is now listed as Least Concern by IUCN. (IUCN, 2016)

**Table B6: Summary of Bird Species Recorded at the WRA and their Respective Monthly Mean between November 2014 and October 2016**

| Common name               | Scientific name               | Wetland<br>Dependence | Conservation<br>status | Nov-<br>14 | Dec-<br>14 | Jan-<br>15 | Feb-<br>15 | Mar-<br>15 | Apr-<br>15 | May-<br>15 | Jun-<br>15 | Jul-<br>15 | Aug-<br>15 | Sep-<br>15 | Oct-<br>15 | Nov-<br>15 | Dec-<br>15 | Jan-<br>16 | Feb-<br>16 | Mar-<br>16 | Apr-<br>16 | May-<br>16 | Jun-<br>16 | Jul-<br>16 | Aug-<br>16 | Sep-<br>16 | Oct-<br>16 |
|---------------------------|-------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Little Grebe              | <i>Tachybaptus ruficollis</i> | Y                     | LC                     | 2.5        | 1.2        | 2.0        | 2.0        | 2.0        | 0.8        | 1.2        | 2.8        | 1.6        | 1.8        | 1.0        | 2.0        | 2.3        | 2.4        | 3.2        | 3.3        | 3.8        | 2.4        | 1.4        | 0.8        | 1.5        | 1.4        | 0.8        | V          |
| Great Cormorant           | <i>Phalacrocorax carbo</i>    | Y                     | PRC                    | 0.5        | 1.8        | 2.0        | 0.8        | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.6        | 0.2        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        |
| Grey Heron                | <i>Ardea cinerea</i>          | Y                     | PRC                    | 2.3        | 2.6        | 5.3        | 4.8        | 0.8        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 1.8        | 1.3        | 2.0        | 1.2        | 2.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.8        | 0.8        |
| Purple Heron              | <i>Ardea purpurea</i>         | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Great Egret               | <i>Ardea alba</i>             | Y                     | PRC, (RC)              | 0.5        | 1.6        | 0.8        | 0.3        | V          | 0.3        | V          | 0.0        | 0.2        | 0.3        | 1.8        | 1.0        | 0.3        | 0.4        | 0.8        | 0.3        | 0.6        | 0.2        | 0.2        | 0.2        | 0.3        | 0.6        | 1.0        | 0.8        |
| Intermediate Egret        | <i>Egretta intermedia</i>     | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Little Egret              | <i>Egretta garzetta</i>       | Y                     | PRC, (RC)              | 3.0        | 3.6        | 5.3        | 3.5        | 4.6        | 6.3        | 1.4        | 0.6        | 0.2        | 1.8        | 2.0        | 1.8        | 2.3        | 4.8        | 8.2        | 3.0        | 1.6        | 2.6        | 1.2        | 2.4        | 2.8        | 4.6        | 3.6        | 6.3        |
| Eastern Cattle Egret      | <i>Bubulcus coromandus</i>    | Y                     | (LC)                   | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.8        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | 0.3        | 0.0        | V          | V          |
| Chinese Pond Heron        | <i>Ardeola bacchus</i>        | Y                     | PRC, (RC)              | 2.0        | 2.8        | 2.3        | 2.8        | 1.2        | 1.8        | 0.6        | 0.8        | 1.8        | 1.3        | 2.8        | 5.4        | 3.3        | 8.2        | 3.6        | 2.0        | 1.8        | 0.6        | 1.2        | 1.6        | 5.3        | 2.6        | 5.6        | 6.3        |
| Yellow Bittern            | <i>Ixobrychus sinensis</i>    | Y                     | (LC)                   | 0.3        | 0.2        | 0.0        | 0.0        | 0.2        | 0.5        | 0.4        | 1.6        | 0.6        | 1.0        | 0.6        | 2.6        | 0.3        | 0.8        | 0.4        | 0.5        | 0.2        | 0.6        | 0.6        | 1.4        | 4.8        | 2.0        | 0.8        | 0.8        |
| Cinnamon Bittern          | <i>Ixobrychus cinnamomeus</i> | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-crowned Night Heron | <i>Nycticorax nycticorax</i>  | Y                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | V          | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.2        | V          | 1.8        | 0.4        | V          | 0.0        |
| Eurasian Spoonbill        | <i>Platalea leucorodia</i>    | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-faced Spoonbill     | <i>Platalea minor</i>         | Y                     | PGC, EN                | 0.0        | V          | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Mandarin Duck             | <i>Aix galericulata</i>       | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Wigeon           | <i>Anas penelope</i>          | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Teal             | <i>Anas crecca</i>            | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Northern Pintail          | <i>Anas acuta</i>             | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Northern Shoveler         | <i>Anas clypeata</i>          | Y                     | RC                     | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.8        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Tufted Duck               | <i>Aythya fuligula</i>        | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Garganey                  | <i>Anas querquedula</i>       | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Western Osprey            | <i>Pandion haliaetus</i>      | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-winged Kite         | <i>Elanus caeruleus</i>       | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black Kite                | <i>Milvus migrans</i>         | Y                     | (RC)                   | 0.0        | 0.4        | 0.0        | 0.3        | 0.4        | 0.5        | 0.2        | 0.2        | 0.0        | 0.0        | 0.2        | 0.4        | 0.3        | 0.8        | 0.2        | 0.5        | 1.0        | 0.2        | V          | 0.2        | V          | 0.4        | 0.0        | 0.0        |

| Common name             | Scientific name                 | Wetland<br>Dependence | Conservation<br>status | Nov-<br>14 | Dec-<br>14 | Jan-<br>15 | Feb-<br>15 | Mar-<br>15 | Apr-<br>15 | May-<br>15 | Jun-<br>15 | Jul-<br>15 | Aug-<br>15 | Sep-<br>15 | Oct-<br>15 | Nov-<br>15 | Dec-<br>15 | Jan-<br>16 | Feb-<br>16 | Mar-<br>16 | Apr-<br>16 | May-<br>16 | Jun-<br>16 | Jul-<br>16 | Aug-<br>16 | Sep-<br>16 | Oct-<br>16 |
|-------------------------|---------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Crested Serpent Eagle   | <i>Spilornis cheela</i>         | N                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Crested Goshawk         | <i>Accipiter trivirgatus</i>    | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Greater Spotted Eagle   | <i>Clanga clanga</i>            | Y                     | GC                     | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Imperial Eagle  | <i>Aquila heliaca</i>           | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Buzzard         | <i>Buteo japonicus</i>          | Y                     | -                      | 0.0        | 0.0        | 0.0        | V          | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Kestrel          | <i>Falco tinnunculus</i>        | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Peregrine Falcon        | <i>Falco peregrinus</i>         | N                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Hobby          | <i>Falco subbuteo</i>           | Y                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Japanese Quail          | <i>Coturnix japonica</i>        | N                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Baillon's Crake         | <i>Porzana pusilla</i>          | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White-breasted Waterhen | <i>Amaurornis phoenicurus</i>   | Y                     | -                      | 0.5        | V          | 0.8        | 1.0        | 0.8        | 0.3        | V          | V          | 0.2        | V          | 0.2        | 0.6        | 0.0        | 0.8        | 0.4        | V          | 0.4        | 0.4        | 0.8        | 0.2        | 0.3        | 0.4        | 0.6        | 0.3        |
| Watercock               | <i>Gallicrex cinerea</i>        | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Moorhen          | <i>Gallinula chloropus</i>      | Y                     | -                      | V          | 0.0        | V          | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.2        | 0.0        | V          | 0.0        | V          | 0.0        | 0.0        |
| Pheasant-tailed Jacana  | <i>Hydrophasianus chirurgus</i> | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Greater Painted-snipe   | <i>Rostratula benghalensis</i>  | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-winged Stilt      | <i>Himantopus himantopus</i>    | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.3        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.8        | 0.0        | V          | V          | 0.0        | 1.6        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 0.3        |
| Pied Avocet             | <i>Recurvirostra avosetta</i>   | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental Pratincole     | <i>Glareola maldivarum</i>      | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Pacific Golden Plover   | <i>Pluvialis fulva</i>          | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Little Ringed Plover    | <i>Charadrius dubius</i>        | Y                     | (LC)                   | 1.8        | 0.2        | 0.8        | 0.5        | 1.6        | 1.8        | 2.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.0        | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        |
| Kentish Plover          | <i>Charadrius alexandrinus</i>  | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Spotted Redshank        | <i>Tringa erythropus</i>        | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |

| Common name               | Scientific name                     | Wetland<br>Dependence | Conservation<br>status | Nov-<br>14 | Dec-<br>14 | Jan-<br>15 | Feb-<br>15 | Mar-<br>15 | Apr-<br>15 | May-<br>15 | Jun-<br>15 | Jul-<br>15 | Aug-<br>15 | Sep-<br>15 | Oct-<br>15 | Nov-<br>15 | Dec-<br>15 | Jan-<br>16 | Feb-<br>16 | Mar-<br>16 | Apr-<br>16 | May-<br>16 | Jun-<br>16 | Jul-<br>16 | Aug-<br>16 | Sep-<br>16 | Oct-<br>16 |
|---------------------------|-------------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Common Redshank           | <i>Tringa totanus</i>               | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Marsh Sandpiper           | <i>Tringa stagnatilis</i>           | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Greenshank         | <i>Tringa nebularia</i>             | Y                     | RC                     | V          | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        |
| Green Sandpiper           | <i>Tringa ochropus</i>              | Y                     | -                      | 0.3        | 0.2        | 0.0        | 0.3        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.8        | 0.4        | 0.2        | V          | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 2.4        | 0.8        |
| Wood Sandpiper            | <i>Tringa glareola</i>              | Y                     | LC                     | 0.0        | 2.2        | V          | V          | V          | 1.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | V          | 0.5        | 0.0        | 0.4        | 0.0        | 0.0        | V          | V          | 0.6        | V          |
| Common Sandpiper          | <i>Actitis hypoleucos</i>           | Y                     | -                      | 0.8        | 1.2        | 3.0        | 2.0        | 2.2        | 0.5        | 0.0        | 0.0        | 0.0        | 0.3        | 1.2        | 0.6        | 0.3        | 1.2        | 1.4        | 0.5        | 0.6        | 1.0        | 1.0        | 0.0        | 0.5        | V          | 0.2        | 1.5        |
| Eurasian Woodcock         | <i>Scolopax rusticola</i>           | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pintail/ Swinhoe's Snipe^ | <i>Gallinago stenura/ G. megala</i> | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Snipe              | <i>Gallinago gallinago</i>          | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        |
| Red-necked Stint          | <i>Calidris ruficollis</i>          | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Temminck's Stint          | <i>Calidris temminckii</i>          | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Long-toed Stint           | <i>Calidris subminuta</i>           | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Whiskered Tern            | <i>Chlidonias hybrida</i>           | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Domestic Pigeon           | <i>Columba livia</i>                | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental Turtle Dove      | <i>Streptopelia orientalis</i>      | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red Turtle Dove           | <i>Streptopelia tranquebarica</i>   | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Spotted Dove              | <i>Spilopelia chinensis</i>         | N                     | -                      | 1.5        | 4.2        | 3.8        | 1.3        | 2.2        | 6.0        | 3.6        | 1.6        | 2.2        | 2.0        | 3.0        | 3.4        | 1.3        | 4.8        | 6.0        | 3.5        | 3.4        | 2.2        | 2.2        | 1.8        | 3.0        | 3.4        | 2.2        | 2.5        |
| Eurasian Collared Dove    | <i>Streptopelia decaocto</i>        | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.2        | 4.6        | 11.0       | 0.2        | 0.0        | 0.4        | 0.0        | 0.0        | 0.6        | 0.4        | 0.5        |
| Asian Koel                | <i>Eudynamys scolopaceus</i>        | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.2        | 0.2        | 0.0        | 0.3        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.2        | 0.2        | 0.3        | 0.2        | V          | 0.0        | 0.0        |
| Greater Coucal#           | <i>Centropus sinensis</i>           | N                     | -                      | V          | 0.2        | 0.3        | 0.3        | 0.6        | 1.0        | 0.4        | 0.2        | 0.2        | V          | V          | 0.0        | 0.5        | 1.0        | 0.0        | 0.8        | V          | 0.2        | 0.6        | 0.6        | 0.8        | 0.4        | 0.2        | 0.3        |
| Eurasian Eagle Owl        | <i>Bubo bubo</i>                    | N                     | RC                     | 0.0        | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Savanna Nightjar          | <i>Caprimulgus affinis</i>          | N                     | -                      | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        |

| Common name               | Scientific name                 | Wetland<br>Dependence | Conservation<br>status | Nov-<br>14 | Dec-<br>14 | Jan-<br>15 | Feb-<br>15 | Mar-<br>15 | Apr-<br>15 | May-<br>15 | Jun-<br>15 | Jul-<br>15 | Aug-<br>15 | Sep-<br>15 | Oct-<br>15 | Nov-<br>15 | Dec-<br>15 | Jan-<br>16 | Feb-<br>16 | Mar-<br>16 | Apr-<br>16 | May-<br>16 | Jun-<br>16 | Jul-<br>16 | Aug-<br>16 | Sep-<br>16 | Oct-<br>16 |
|---------------------------|---------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Pacific Swift             | <i>Apus pacificus</i>           | N                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        |
| House Swift               | <i>Apus nipalensis</i>          | N                     | -                      | 0.0        | 0.0        | 14.5       | 105.8      | 14.4       | 0.8        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pied Kingfisher           | <i>Ceryle rudis</i>             | Y                     | (LC)                   | 0.0        | 0.4        | 0.5        | 0.3        | 0.2        | 0.0        | 0.2        | 0.0        | 0.0        | 0.8        | 0.0        | 0.0        | 0.3        | 0.0        | 0.2        | 0.3        | 0.0        | V          | 0.2        | 0.0        | 0.0        | 0.0        | V          | 0.0        |
| White-throated Kingfisher | <i>Halcyon smyrnensis</i>       | Y                     | (LC)                   | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.4        | 0.3        | 0.4        | 0.4        | 0.3        | 0.0        | 0.2        | V          | V          | 0.5        | 0.2        | 0.4        | V          |
| Common Kingfisher         | <i>Alcedo atthis</i>            | Y                     | -                      | 1.3        | 0.8        | 1.8        | 2.8        | 1.4        | 1.5        | 0.8        | 0.8        | 0.2        | 0.5        | 0.6        | 2.2        | 1.5        | 3.0        | 3.0        | 1.3        | 1.6        | 1.4        | 2.0        | 0.6        | 2.0        | 0.2        | 0.6        | 0.8        |
| Eurasian Hoopoe           | <i>Upupa epops</i>              | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |            |
| Barn Swallow              | <i>Hirundo rustica</i>          | N                     | -                      | 0.5        | 0.0        | 13.0       | 15.3       | 14.4       | 9.8        | 0.2        | 2.2        | 0.8        | V          | 0.8        | V          | 2.0        | V          | 0.0        | V          | 1.6        | 1.6        | V          | 1.4        | V          | V          | 0.2        | 0.0        |
| Red-rumped Swallow        | <i>Hirundo daurica</i>          | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 2.4        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |            |
| Eastern Yellow Wagtail    | <i>Motacilla tschutschensis</i> | Y                     | -                      | 1.8        | 0.4        | 2.0        | 4.3        | 2.0        | 1.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 1.8        | 1.4        | 2.0        | 1.2        | 1.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        |            |
| Grey Wagtail              | <i>Motacilla cinerea</i>        | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.2        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |            |
| White Wagtail             | <i>Motacilla alba</i>           | Y                     | -                      | 4.0        | 5.6        | 6.3        | 9.5        | 4.8        | 3.3        | 1.4        | V          | 0.0        | 0.3        | 0.4        | 0.4        | 0.8        | 3.8        | 4.0        | 2.0        | 1.0        | 1.2        | 0.2        | V          | 0.3        | 0.4        | 0.6        | 1.0        |
| Richard's Pipit           | <i>Anthus richardi</i>          | N                     | -                      | 0.3        | 0.0        | 0.5        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.3        | 0.4        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |            |
| Olive-backed Pipit        | <i>Anthus hodgsoni</i>          | N                     | -                      | 0.3        | 2.2        | 0.3        | 1.5        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | V          | 2.8        | 0.2        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |            |
| Red-throated Pipit        | <i>Anthus cervinus</i>          | N                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |            |
| Buff-bellied Pipit        | <i>Anthus rubescens</i>         | N                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |            |
| Red-whiskered Bulbul      | <i>Pycnonotus jocosus</i>       | N                     | -                      | 0.8        | 3.4        | 7.3        | 1.3        | 0.6        | 0.8        | 1.0        | 2.6        | 5.8        | 4.5        | 1.4        | 1.0        | 5.3        | 11.0       | 20.0       | 6.5        | 1.6        | 4.6        | 2.6        | 4.6        | 1.8        | 4.0        | 4.4        | 8.0        |
| Chinese Bulbul            | <i>Pycnonotus sinensis</i>      | N                     | -                      | 5.3        | 3.0        | 24.8       | 10.0       | 4.8        | 6.3        | 5.6        | 4.6        | 2.6        | 1.8        | 2.6        | 1.4        | 3.0        | 10.2       | 9.0        | 5.8        | 1.0        | 1.8        | 2.2        | 3.0        | 7.8        | 7.8        | 0.4        | 1.5        |
| Sooty-headed Bulbul       | <i>Pycnonotus aurigaster</i>    | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | V          | 0.4        | 2.0        | 0.0        | 0.0        | 0.0        |            |
| Bull-headed Shrike        | <i>Lanius bucephalus</i>        | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |            |
| Brown Shrike              | <i>Lanius cristatus</i>         | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |            |
| Long-tailed Shrike        | <i>Lanius schach</i>            | N                     | -                      | 0.0        | 0.2        | 0.8        | 0.5        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.4        | 0.4        | 0.3        | 0.6        | 0.2        | 0.3        | V          | 0.6        | 0.4        | V          | 0.5        | 0.4        | 0.4        | 0.0        |
| Oriental Magpie Robin     | <i>Copsychus saularis</i>       | N                     | -                      | 0.0        | 0.2        | 0.5        | 0.8        | 0.6        | 0.5        | 0.2        | 1.2        | 0.2        | 0.0        | 0.0        | 0.2        | 0.5        | 0.2        | 0.4        | 0.5        | 1.0        | 0.6        | V          | V          | 1.3        | 1.2        | 0.2        | 0.0        |
| Daurian Redstart          | <i>Phoenicurus aureus</i>       | N                     | -                      | 0.3        | 1.6        | 0.8        | 0.5        | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 1.0        | 0.8        | 0.8        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Stejneger's Stonechat     | <i>Saxicola stejnegeri</i>      | N                     | -                      | 0.3        | 0.2        | 0.3        | 0.8        | 0.8        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 2.2        | 0.5        | 1.0        | 0.6        | 0.5        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | V          |

| Common name                  | Scientific name                  | Wetland<br>Dependence | Conservation<br>status | Nov-<br>14 | Dec-<br>14 | Jan-<br>15 | Feb-<br>15 | Mar-<br>15 | Apr-<br>15 | May-<br>15 | Jun-<br>15 | Jul-<br>15 | Aug-<br>15 | Sep-<br>15 | Oct-<br>15 | Nov-<br>15 | Dec-<br>15 | Jan-<br>16 | Feb-<br>16 | Mar-<br>16 | Apr-<br>16 | May-<br>16 | Jun-<br>16 | Jul-<br>16 | Aug-<br>16 | Sep-<br>16 | Oct-<br>16 |
|------------------------------|----------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Grey-backed thrush           | <i>Turdus hortulorum</i>         | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Masked Laughingthrush        | <i>Garrulax perspicillatus</i>   | N                     | -                      | 0.0        | 1.2        | 0.0        | 1.5        | 1.0        | 1.3        | 1.2        | 0.4        | 2.4        | 3.0        | 1.2        | V          | V          | 2.6        | 2.0        | 2.5        | 2.6        | 1.6        | 2.8        | 1.6        | 0.8        | 1.4        | 0.4        | 0.0        |
| Lanceolated Warbler          | <i>Locustella lanceolata</i>     | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pallas's Grasshopper Warbler | <i>Locustella certhiola</i>      | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental Reed Warbler        | <i>Acrocephalus orientalis</i>   | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.4        | 0.0        |
| Thick-billed Warbler         | <i>Acrocephalus aedon</i>        | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-browed Reed Warbler    | <i>Acrocephalus bistrigiceps</i> | Y                     | -                      | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Tailorbird            | <i>Orthotomus sutorius</i>       | N                     | -                      | 0.5        | 1.2        | 1.0        | 1.5        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.8        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.2        | 0.3        |
| Dusky Warbler                | <i>Phylloscopus fuscatus</i>     | N                     | -                      | 0.0        | 0.0        | 0.0        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.2        | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pallas's Leaf Warbler        | <i>Phylloscopus proregulus</i>   | N                     | -                      | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Yellow-browed warbler        | <i>Phylloscopus inornatus</i>    | N                     | -                      | 0.3        | 0.2        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.8        | 0.0        | 0.0        | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        |
| Zitting Cisticola            | <i>Cisticola juncidis</i>        | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.6        | 0.2        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Yellow-bellied Prinia        | <i>Prinia flaviventris</i>       | N                     | -                      | 0.5        | 0.0        | 0.3        | 0.3        | 2.6        | 0.8        | 2.0        | 1.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.8        | 0.6        | 0.8        | 0.0        | 0.2        | 1.3        | 0.2        | V          | V          |
| Plain Prinia                 | <i>Prinia inornata</i>           | N                     | -                      | 2.8        | 0.2        | 1.3        | 3.5        | 1.6        | 2.8        | 1.2        | 1.0        | 1.6        | 1.5        | 0.6        | 0.6        | 2.3        | 1.0        | 0.6        | 0.8        | 1.0        | 0.6        | 2.8        | 1.8        | 0.8        | 1.0        | 0.2        | 0.5        |
| Asian Brown Flycatcher       | <i>Muscicapa dauurica</i>        | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Chinese Penduline-Tit        | <i>Remiz consobrinus</i>         | Y                     | RC                     | 0.0        | 0.4        | 1.5        | 4.5        | 3.2        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | V          | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Great Tit**                  | <i>Parus major</i>               | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Japanese White-eye           | <i>Zosterops japonica</i>        | N                     | -                      | 0.0        | 1.0        | V          | V          | 0.2        | 0.0        | 0.2        | V          | 3.8        | 4.3        | 0.0        | 0.0        | 0.0        | 0.4        | 3.2        | V          | V          | 0.0        | 1.4        | 0.4        | V          | 0.8        | 0.8        | V          |
| Little Bunting               | <i>Emberiza pusilla</i>          | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-faced Bunting          | <i>Emberiza spodocephala</i>     | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Chinese Grosbeak             | <i>Eophona migratoria</i>        | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |

| Common name               | Scientific name                  | Wetland<br>Dependence | Conservation<br>status | Nov-<br>14 | Dec-<br>14 | Jan-<br>15 | Feb-<br>15 | Mar-<br>15 | Apr-<br>15 | May-<br>15 | Jun-<br>15 | Jul-<br>15 | Aug-<br>15 | Sep-<br>15 | Oct-<br>15 | Nov-<br>15 | Dec-<br>15 | Jan-<br>16 | Feb-<br>16 | Mar-<br>16 | Apr-<br>16 | May-<br>16 | Jun-<br>16 | Jul-<br>16 | Aug-<br>16 | Sep-<br>16 | Oct-<br>16 |
|---------------------------|----------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Scaly-breasted Munia      | <i>Lonchura punctulata</i>       | N                     | -                      | 3.3        | 0.6        | V          | V          | 4.0        | 11.3       | 0.6        | V          | V          | 3.3        | 1.6        | 0.4        | 2.3        | 2.2        | 1.4        | 0.0        | 0.2        | V          | 0.0        | 0.0        | 0.0        | 2.2        | V          | 0.0        |
| Eurasian Tree Sparrow     | <i>Passer montanus</i>           | N                     | -                      | 0.0        | V          | 4.5        | 4.0        | 1.4        | 0.0        | 0.2        | 0.0        | 0.4        | 0.0        | 0.6        | 0.4        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.4        | 1.4        | 0.0        | V          | V          | 0.0        |
| Red-billed Starling       | <i>Spodiopsar sericeus</i>       | Y                     | (RC)*                  | 0.0        | 0.0        | 0.0        | 24.5       | V          | 0.0        | V          | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 2.0        | 8.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White-cheeked Starling    | <i>Spodiopsar cineraceus</i>     | Y                     | PRC                    | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | V          | 0.0        | V          | 0.0        | 0.8        | V          | 1.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-collared Starling   | <i>Gracupica nigricollis</i>     | N                     | -                      | 0.3        | 3.0        | 1.3        | 2.0        | 4.2        | 2.3        | 2.0        | 1.0        | 1.6        | 1.8        | 0.4        | 1.6        | V          | 2.2        | 1.0        | 3.5        | 0.4        | 1.0        | 1.0        | 0.8        | 0.8        | 2.2        | 0.6        | 1.8        |
| White-shouldered Starling | <i>Sturnia sinensis</i>          | Y                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.8        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.2        | V          | 0.0        | V          | 0.0        | V          |
| Common Myna               | <i>Acridotheres tristis</i>      | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.5        | V          | 0.0        | 0.0        |
| Crested Myna              | <i>Acridotheres cristatellus</i> | N                     | -                      | 2.8        | 4.0        | 0.0        | 0.5        | 2.2        | 2.3        | 2.8        | 6.8        | 0.4        | 1.8        | 0.2        | 0.6        | V          | 4.8        | 1.2        | 3.8        | 1.2        | 4.6        | 0.6        | 1.8        | 0.3        | 4.4        | 1.0        | 0.0        |
| Black-naped Oriole        | <i>Oriolus chinensis</i>         | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black Drongo              | <i>Dicrurus macrocercus</i>      | N                     | -                      | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 2.3        | 1.6        | 0.6        | 0.0        | V          | 0.2        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 1.2        | 1.5        |
| Azure-winged Magpie       | <i>Cyanopica cyanus</i>          | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Magpie           | <i>Pica pica</i>                 | N                     | -                      | 0.0        | 0.0        | 0.3        | 0.8        | V          | 0.5        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 1.0        | 0.2        | 0.2        | V          | 0.0        | V          | 0.0        | 0.0        | V          |
| Large-billed Crow         | <i>Corvus macrorhynchos</i>      | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.8        | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Collared Crow             | <i>Corvus torquatus</i>          | Y                     | LC, NT                 | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.2        | 0.0        | 0.0        | 0.0        | 0.6        | 0.4        | 0.0        | V          | 0.4        | 0.0        | V          | 0.2        | 0.0        | V          | V          | V          | 0.4        | 0.0        |

- Notes:
- (1) Conservation Status follows that of Fellows et. al. (2002) and BirdLife International listing (2017). See **Table B1** for the description of the codes. Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and for roosting sites rather than in general occurrence. (Fellowes et al. 2002)
  - (2) Updated species names used in the report include Eurasian Magpie (*Pica serica*) as Oriental Magpie (*Pica pica*), Japanese White-eye (*Zosterops japonica*) as Swinhoe's White-eye (*Zosterops simplex*), Chinese Bulbul (*Pycnonotus sinensis*) as Light-vented Bulbul (*Pycnonotus sinensis*) and Pale Martin (*Riparia diluta*) as Sand Martin (*Riparia riparia*)
- ^ Pintail Snipe and Swinhoe's Snipe cannot be distinguished in field, conservation status refers to Swinhoe's Snipe.
- V Indicates the species is recorded outside regular surveys.
- DS Indicates species recorded during survey.
- # Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected terrestrial wildlife state protection (category II).
- \* Red-billed Starling is considered by Fellows et al (2002) to be of Global Concern. Since publication, however, the global population estimate has been revised and the species is now not considered globally threatened. A listing of Regional Concern (RC) based on the importance of the large roosts present near Deep Bay, is considered to be more appropriate. (Wetland Restoration Plan, Mott, 2008). Red-billed Starling is now listed as Least Concern by IUCN. (IUCN, 2016)
- \*\* The species name is updated as Cinereous Tit, *Parus cinereus*, since June 2017.



**Table B7: Summary of Bird Species Recorded at the WRA and their Respective Monthly Mean between November 2016 and October 2018**

| Common name               | Scientific name               | Wetland<br>Dependence | Conservation<br>status | Nov-<br>16 | Dec-<br>16 | Jan-<br>17 | Feb-<br>17 | Mar-<br>17 | Apr-<br>17 | May-<br>17 | Jun-<br>17 | Jul-<br>17 | Aug-<br>17 | Sep-<br>17 | Oct-<br>17 | Nov-<br>17 | Dec-<br>17 | Jan-<br>18 | Feb-<br>18 | Mar-<br>18 | Apr-<br>18 | May-<br>18 | Jun-<br>18 | Jul-<br>18 | Aug-<br>18 | Sep-<br>18 | Oct-<br>18 |
|---------------------------|-------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Little Grebe              | <i>Tachybaptus ruficollis</i> | Y                     | LC                     | 1.8        | 3.4        | 2.3        | 4.0        | 5.0        | 1.3        | 0.4        | 0.6        | V          | 0.8        | 2.0        | 0.8        | 1.8        | 3.3        | 0.6        | 1.2        | 1.0        | 2.8        | 2.4        | 1.8        | 2.4        | 4.3        | 2.0        | 3.6        |
| Great Cormorant           | <i>Phalacrocorax carbo</i>    | Y                     | PRC                    | 0.8        | 1.8        | 0.3        | 0.4        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.8        | 0.4        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.2        |
| Grey Heron                | <i>Ardea cinerea</i>          | Y                     | PRC                    | 1.4        | 3.4        | 2.3        | 4.2        | 2.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.2        | 2.5        | 2.5        | 1.0        | 0.4        | 1.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 1.8        |
| Purple Heron              | <i>Ardea purpurea</i>         | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Great Egret               | <i>Ardea alba</i>             | Y                     | PRC, (RC)              | 0.8        | 2.2        | 1.5        | 2.4        | 1.2        | 1.3        | 2.2        | 0.8        | 0.8        | 0.6        | 0.2        | 0.8        | 2.5        | 1.0        | 0.8        | 1.6        | 1.0        | 0.3        | 0.6        | 1.5        | V          | 0.3        | 0.8        | 1.8        |
| Intermediate Egret        | <i>Egretta intermedia</i>     | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | 0.0        |
| Little Egret              | <i>Egretta garzetta</i>       | Y                     | PRC, (RC)              | 5.8        | 5.6        | 9.3        | 4.2        | 6.4        | 4.0        | 19.4       | 2.4        | 0.3        | 4.6        | 2.6        | 10.2       | 62.3       | 15.0       | 4.0        | 2.8        | 5.8        | 4.0        | 3.8        | 4.0        | 4.4        | 2.3        | 3.8        | 3.4        |
| Eastern Cattle Egret      | <i>Bubulcus coromandus</i>    | Y                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | V          |
| Chinese Pond Heron        | <i>Ardeola bacchus</i>        | Y                     | PRC, (RC)              | 5.6        | 4.4        | 6.5        | 6.2        | 3.6        | 1.0        | 2.0        | 0.8        | 1.5        | 4.0        | 1.6        | 4.2        | 4.0        | 7.0        | 1.0        | 0.6        | 0.3        | 1.3        | 1.0        | 2.0        | 2.4        | 1.8        | 2.3        | 1.6        |
| Yellow Bittern            | <i>Ixobrychus sinensis</i>    | Y                     | (LC)                   | 0.2        | 0.8        | 0.0        | 0.2        | 0.4        | 0.5        | 0.8        | 2.0        | 0.5        | 1.2        | 0.6        | 0.2        | 0.8        | 0.0        | 0.2        | 0.0        | 0.3        | 0.0        | 0.4        | 0.3        | 0.4        | 0.8        | 0.3        | 0.4        |
| Cinnamon Bittern          | <i>Ixobrychus cinnamomeus</i> | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-crowned Night Heron | <i>Nycticorax nycticorax</i>  | Y                     | (LC)                   | V          | 0.0        | V          | V          | 0.0        | V          | 0.4        | V          | V          | 0.0        | 0.2        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | V          | V          | 0.3        | V          | 0.0        |
| Eurasian Spoonbill        | <i>Platalea leucorodia</i>    | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-faced Spoonbill     | <i>Platalea minor</i>         | Y                     | PGC, EN                | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Mandarin Duck             | <i>Aix galericulata</i>       | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Wigeon           | <i>Anas penelope</i>          | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Teal             | <i>Anas crecca</i>            | Y                     | RC                     | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Northern Pintail          | <i>Anas acuta</i>             | Y                     | RC                     | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Northern Shoveler         | <i>Anas clypeata</i>          | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Tufted Duck               | <i>Aythya fuligula</i>        | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Garganey                  | <i>Anas querquedula</i>       | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Western Osprey            | <i>Pandion haliaetus</i>      | Y                     | RC                     | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Besra                     | <i>Accipiter virgatus</i>     | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        |
| Black-winged Kite         | <i>Elanus caeruleus</i>       | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black Kite                | <i>Milvus migrans</i>         | Y                     | (RC)                   | V          | 0.4        | 0.3        | 1.0        | 0.4        | 0.3        | 0.0        | 0.0        | V          | 0.2        | 0.6        | 0.0        | 1.0        | 0.8        | 0.2        | 0.6        | 0.3        | 0.5        | 0.2        | 0.5        | 0.6        | 0.3        | 0.8        | 0.6        |

| Common name             | Scientific name                 | Wetland<br>Dependence | Conservation<br>status | Nov-<br>16 | Dec-<br>16 | Jan-<br>17 | Feb-<br>17 | Mar-<br>17 | Apr-<br>17 | May-<br>17 | Jun-<br>17 | Jul-<br>17 | Aug-<br>17 | Sep-<br>17 | Oct-<br>17 | Nov-<br>17 | Dec-<br>17 | Jan-<br>18 | Feb-<br>18 | Mar-<br>18 | Apr-<br>18 | May-<br>18 | Jun-<br>18 | Jul-<br>18 | Aug-<br>18 | Sep-<br>18 | Oct-<br>18 |
|-------------------------|---------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Crested Serpent Eagle   | <i>Spilornis cheela</i>         | N                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Crested Goshawk         | <i>Accipiter trivirgatus</i>    | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Greater Spotted Eagle   | <i>Clanga clanga</i>            | Y                     | GC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Imperial Eagle  | <i>Aquila heliaca</i>           | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Buzzard         | <i>Buteo japonicus</i>          | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.4        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Kestrel          | <i>Falco tinnunculus</i>        | N                     | -                      | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Peregrine Falcon        | <i>Falco peregrinus</i>         | N                     | (LC)                   | 0.0        | V          | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Hobby          | <i>Falco subbuteo</i>           | Y                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Japanese Quail          | <i>Coturnix japonica</i>        | N                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Baillon's Crane         | <i>Porzana pusilla</i>          | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White-breasted Waterhen | <i>Amaurornis phoenicurus</i>   | Y                     | -                      | 0.0        | 0.4        | 0.3        | 0.2        | 0.6        | 1.0        | 0.6        | 0.2        | 0.5        | 0.2        | 0.4        | 0.0        | 0.3        | 0.3        | 0.0        | V          | 0.3        | 0.3        | 0.2        | 0.3        | 1.0        | 0.5        | 1.0        | 0.2        |
| Watercock               | <i>Gallicrex cinerea</i>        | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Moorhen          | <i>Gallinula chloropus</i>      | Y                     | -                      | V          | V          | 0.3        | 0.6        | V          | 0.8        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.8        | 0.0        | V          | V          | V          | V          | 0.0        | V          | V          | 3.5        | 1.3        | 1.2        |
| Pheasant-tailed Jacana  | <i>Hydrophasianus chirurgus</i> | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Greater Painted-snipe   | <i>Rostratula benghalensis</i>  | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-winged Stilt      | <i>Himantopus himantopus</i>    | Y                     | RC                     | 0.6        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pied Avocet             | <i>Recurvirostra avosetta</i>   | Y                     | RC                     | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental Pratincole     | <i>Glareola maldivarum</i>      | Y                     | LC                     | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pacific Golden Plover   | <i>Pluvialis fulva</i>          | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Little Ringed Plover    | <i>Charadrius dubius</i>        | Y                     | (LC)                   | 0.0        | 1.4        | V          | 0.8        | 0.8        | 0.3        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 0.0        | V          | 0.0        | 0.0        | 1.2        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        |
| Kentish Plover          | <i>Charadrius alexandrinus</i>  | Y                     | RC                     | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Spotted Redshank        | <i>Tringa erythropus</i>        | Y                     | RC                     | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Redshank         | <i>Tringa totanus</i>           | Y                     | RC                     | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Greenshank       | <i>Tringa nebularia</i>         | Y                     | RC                     | V          | V          | V          | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Marsh Sandpiper         | <i>Tringa stagnatilis</i>       | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 2.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |

| Common name               | Scientific name                     | Wetland<br>Dependence | Conservation<br>status | Nov-<br>16 | Dec-<br>16 | Jan-<br>17 | Feb-<br>17 | Mar-<br>17 | Apr-<br>17 | May-<br>17 | Jun-<br>17 | Jul-<br>17 | Aug-<br>17 | Sep-<br>17 | Oct-<br>17 | Nov-<br>17 | Dec-<br>17 | Jan-<br>18 | Feb-<br>18 | Mar-<br>18 | Apr-<br>18 | May-<br>18 | Jun-<br>18 | Jul-<br>18 | Aug-<br>18 | Sep-<br>18 | Oct-<br>18 |
|---------------------------|-------------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Green Sandpiper           | <i>Tringa ochropus</i>              | Y                     | -                      | 0.6        | 2.0        | 0.8        | 0.8        | 0.4        | 0.8        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.2        | 0.0        | 1.3        | 1.8        | 0.6        | V          | 0.0        | V          | 0.0        | 0.0        |
| Wood Sandpiper            | <i>Tringa glareola</i>              | Y                     | LC                     | 0.6        | 0.2        | V          | 0.2        | 0.2        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.2        | 0.0        | V          | 0.6        | 0.2        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Sandpiper          | <i>Actitis hypoleucos</i>           | Y                     | -                      | 0.4        | 0.4        | 0.8        | 2.2        | 0.6        | 1.0        | 0.0        | 0.0        | V          | 0.0        | 0.2        | 0.6        | 0.8        | 0.3        | 0.8        | 0.4        | 1.5        | 1.3        | 0.2        | 0.0        | 0.4        | V          | 0.0        | 0.6        |
| Eurasian Woodcock         | <i>Scolopax rusticola</i>           | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pintail/ Swinhoe's Snipe^ | <i>Gallinago stenura/ G. megala</i> | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Snipe              | <i>Gallinago gallinago</i>          | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          |
| Red-necked Stint          | <i>Calidris ruficollis</i>          | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Temminck's Stint          | <i>Calidris temminckii</i>          | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Long-toed Stint           | <i>Calidris subminuta</i>           | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-headed Gull         | <i>Chroicocephalus ridibundus</i>   | Y                     | PRC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Whiskered Tern            | <i>Chlidonias hybrida</i>           | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Domestic Pigeon           | <i>Columba livia</i>                | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental Turtle Dove      | <i>Streptopelia orientalis</i>      | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red Turtle Dove           | <i>Streptopelia tranquebarica</i>   | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Spotted Dove              | <i>Spilopelia chinensis</i>         | N                     | -                      | 2.6        | 3.8        | 7.0        | 4.2        | 4.4        | 2.0        | 1.0        | 1.4        | 1.8        | 2.8        | 5.3        | 4.8        | 2.3        | 8.0        | 5.8        | 6.2        | 2.0        | 3.5        | 3.8        | 3.0        | 3.2        | 3.8        | 4.8        | 5.0        |
| Eurasian Collared Dove    | <i>Streptopelia decaocto</i>        | N                     | -                      | 0.2        | 0.6        | 2.8        | 0.8        | 0.2        | 0.3        | 0.4        | 1.0        | V          | 0.4        | 0.8        | 2.0        | V          | 0.5        | 5.8        | 0.8        | 0.8        | 1.5        | 1.6        | 1.8        | 0.4        | 1.0        | 2.0        | 4.2        |
| Asian Koel                | <i>Eudynamys scolopaceus</i>        | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.8        | 0.8        | 1.2        | V          | 0.4        | V          | 0.0        | 0.0        |            |
| Greater Coucal#           | <i>Centropus sinensis</i>           | N                     | -                      | V          | 0.6        | 0.3        | 0.6        | 0.8        | 0.5        | 0.4        | V          | 0.5        | 0.4        | 0.3        | 0.4        | 0.0        | 0.0        | 0.3        | 0.2        | 0.8        | 1.0        | 0.6        | 0.3        | 0.6        | 0.5        | 0.8        | 0.4        |
| Eurasian Eagle Owl        | <i>Bubo bubo</i>                    | N                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Savanna Nightjar          | <i>Caprimulgus affinis</i>          | N                     | -                      | 0.0        | 0.0        | V          | 0.0        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pacific Swift             | <i>Apus pacificus</i>               | N                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| House Swift               | <i>Apus nipalensis</i>              | N                     | -                      | V          | V          | 0.0        | 0.0        | V          | V          | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 7.8        | 3.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pied Kingfisher           | <i>Ceryle rudis</i>                 | Y                     | (LC)                   | 0.2        | 0.6        | 0.5        | V          | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | V          | V          | V          | 0.3        | 0.4        |

| Common name               | Scientific name                 | Wetland<br>Dependence | Conservation<br>status | Nov-<br>16 | Dec-<br>16 | Jan-<br>17 | Feb-<br>17 | Mar-<br>17 | Apr-<br>17 | May-<br>17 | Jun-<br>17 | Jul-<br>17 | Aug-<br>17 | Sep-<br>17 | Oct-<br>17 | Nov-<br>17 | Dec-<br>17 | Jan-<br>18 | Feb-<br>18 | Mar-<br>18 | Apr-<br>18 | May-<br>18 | Jun-<br>18 | Jul-<br>18 | Aug-<br>18 | Sep-<br>18 | Oct-<br>18 |
|---------------------------|---------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Black-capped Kingfisher   | <i>Halcyon pileata</i>          | Y                     | (LC)                   | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White-throated Kingfisher | <i>Halcyon smyrnensis</i>       | Y                     | (LC)                   | 0.2        | 0.4        | V          | 0.4        | 0.2        | V          | 0.2        | 0.2        | 0.3        | 0.0        | 0.0        | 0.2        | 0.3        | 0.5        | 0.2        | V          | 0.0        | 0.0        | 0.0        | 0.3        | 0.4        | 0.3        | V          | 0.2        |
| Common Kingfisher         | <i>Alcedo atthis</i>            | Y                     | -                      | 2.2        | 1.4        | 1.8        | 2.6        | 2.0        | 0.3        | 1.0        | 0.2        | 0.8        | 0.4        | 0.4        | 1.2        | 1.0        | 1.5        | 0.2        | 0.2        | 0.5        | 1.0        | 0.4        | V          | 0.4        | 0.5        | 1.0        | 1.6        |
| Eurasian Hoopoe           | <i>Upupa epops</i>              | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Barn Swallow              | <i>Hirundo rustica</i>          | N                     | -                      | 0.0        | 0.0        | 0.0        | 1.4        | 1.2        | 1.5        | 1.6        | 0.0        | 0.8        | V          | 1.3        | 0.0        | 1.0        | V          | 2.3        | 13.2       | 4.0        | 4.5        | 2.8        | 0.8        | 2.2        | 2.3        | 1.0        | 0.8        |
| Red-rumped Swallow        | <i>Hirundo daurica</i>          | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Yellow Wagtail    | <i>Motacilla tschutschensis</i> | Y                     | -                      | 0.6        | 0.4        | V          | V          | 0.4        | 0.5        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.2        | 1.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Grey Wagtail              | <i>Motacilla cinerea</i>        | Y                     | -                      | 0.0        | V          | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| White Wagtail             | <i>Motacilla alba</i>           | Y                     | -                      | 1.6        | 2.2        | V          | 1.0        | 1.0        | 1.0        | 0.6        | 0.4        | V          | 0.0        | 1.4        | 2.0        | 1.5        | 3.5        | 3.2        | 1.6        | 1.5        | 0.3        | V          | 0.0        | 0.2        | V          | 0.0        | 0.8        |
| Richard's Pipit           | <i>Anthus richardi</i>          | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Olive-backed Pipit        | <i>Anthus hodgsoni</i>          | N                     | -                      | 0.0        | 0.2        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 2.5        | 0.0        | 0.0        | 0.2        | 0.0        | 0.8        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red-throated Pipit        | <i>Anthus cervinus</i>          | N                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Buff-bellied Pipit        | <i>Anthus rubescens</i>         | N                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red-whiskered Bulbul      | <i>Pycnonotus jocosus</i>       | N                     | -                      | 1.8        | 3.2        | 4.3        | 1.8        | 1.8        | 2.0        | 1.4        | 1.2        | 1.5        | 0.0        | 6.0        | 7.4        | V          | 2.0        | 2.0        | 4.4        | 4.3        | 6.8        | 1.6        | 2.0        | 1.4        | 5.0        | 4.5        | 10.8       |
| Chinese Bulbul            | <i>Pycnonotus sinensis</i>      | N                     | -                      | 0.4        | 1.4        | 10.8       | 4.0        | 1.6        | 2.8        | 2.0        | 1.2        | 1.5        | 1.2        | 1.8        | 3.6        | V          | 0.8        | 2.8        | 8.2        | 1.8        | 2.5        | 3.8        | 2.5        | 0.4        | 0.5        | 2.0        | 0.8        |
| Sooty-headed Bulbul       | <i>Pycnonotus aurigaster</i>    | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red-flanked Bluetail      | <i>Tarsiger cyanurus</i>        | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Bull-headed Shrike        | <i>Lanius bucephalus</i>        | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Brown Shrike              | <i>Lanius cristatus</i>         | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Long-tailed Shrike        | <i>Lanius schach</i>            | N                     | -                      | 0.6        | 0.2        | V          | 0.2        | 0.4        | 0.0        | 0.0        | V          | 0.3        | 1.2        | 0.3        | 2.2        | 2.0        | 1.3        | 0.3        | 1.8        | V          | V          | 0.0        | V          | 1.2        | 0.5        | 0.8        | 1.0        |
| Oriental Magpie Robin     | <i>Copsychus saularis</i>       | N                     | -                      | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.8        | 0.6        | 0.8        | 1.3        | 1.2        | 0.0        | 0.0        | 2.0        | V          | 0.0        | 0.0        | 0.5        | 2.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        |
| Daurian Redstart          | <i>Phoenicurus aureus</i>       | N                     | -                      | 0.2        | 0.4        | V          | 0.4        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 2.8        | 2.0        | 0.8        | 0.8        | 0.5        | 0.0        | 0.0        | 0.0        | 2.4        | 0.0        | 0.0        | 0.0        |
| Stejneger's Stonechat     | <i>Saxicola stejnegeri</i>      | N                     | -                      | 0.2        | 0.6        | 0.3        | 0.4        | 0.4        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.3        | 1.8        | 0.3        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        |
| Chinese Blackbird         | <i>Turdus mandarinus</i>        | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Grey-backed thrush        | <i>Turdus hortulorum</i>        | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |

| Common name                  | Scientific name                  | Wetland<br>Dependence | Conservation<br>status | Nov-<br>16 | Dec-<br>16 | Jan-<br>17 | Feb-<br>17 | Mar-<br>17 | Apr-<br>17 | May-<br>17 | Jun-<br>17 | Jul-<br>17 | Aug-<br>17 | Sep-<br>17 | Oct-<br>17 | Nov-<br>17 | Dec-<br>17 | Jan-<br>18 | Feb-<br>18 | Mar-<br>18 | Apr-<br>18 | May-<br>18 | Jun-<br>18 | Jul-<br>18 | Aug-<br>18 | Sep-<br>18 | Oct-<br>18 |
|------------------------------|----------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Masked Laughingthrush        | <i>Garrulax perspicillatus</i>   | N                     | -                      | 0.2        | 0.6        | 1.5        | 0.8        | V          | 0.8        | 1.2        | 1.0        | 0.5        | 0.2        | 0.0        | 0.4        | 2.3        | 2.0        | 1.3        | 1.2        | 1.5        | 6.5        | 3.2        | 0.3        | 3.0        | 0.5        | 0.0        | V          |
| Lanceolated Warbler          | <i>Locustella lanceolata</i>     | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pallas's Grasshopper Warbler | <i>Locustella certhiola</i>      | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental Reed Warbler        | <i>Acrocephalus orientalis</i>   | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        |
| Thick-billed Warbler         | <i>Acrocephalus aedon</i>        | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-browed Reed Warbler    | <i>Acrocephalus bistrigiceps</i> | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Common Tailorbird            | <i>Orthotomus sutorius</i>       | N                     | -                      | V          | 0.0        | 0.3        | 0.2        | 0.6        | 0.5        | 0.0        | V          | V          | V          | 0.0        | 1.4        | 1.8        | 0.0        | 1.8        | 0.8        | V          | 6.3        | 2.0        | 0.8        | V          | V          | V          | 0.0        |
| Dusky Warbler                | <i>Phylloscopus fuscatus</i>     | N                     | -                      | V          | V          | V          | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 0.0        | V          | V          | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Pallas's Leaf Warbler        | <i>Phylloscopus proregulus</i>   | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Yellow-browed warbler        | <i>Phylloscopus inornatus</i>    | N                     | -                      | 0.0        | V          | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Bluethroat                   | <i>Luscinia svecica</i>          | N                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Zitting Cisticola            | <i>Cisticola juncidis</i>        | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Yellow-bellied Prinia        | <i>Prinia flaviventris</i>       | N                     | -                      | 0.6        | 0.0        | 0.0        | 1.4        | 1.0        | 1.0        | 1.8        | V          | 0.0        | 0.0        | 0.0        | 0.2        | 0.3        | 0.0        | 0.5        | 0.0        | V          | 0.5        | 0.6        | 1.3        | 0.0        | 0.0        | 0.0        | 0.8        |
| Plain Prinia                 | <i>Prinia inornata</i>           | N                     | -                      | 0.4        | 0.2        | 1.0        | 0.8        | 0.2        | 0.5        | 0.6        | 0.8        | 0.3        | 0.2        | V          | 0.0        | 0.8        | 0.3        | 1.0        | 0.6        | 0.8        | 0.0        | 0.0        | 0.8        | 0.0        | V          | 0.0        | 0.0        |
| Asian Brown Flycatcher       | <i>Muscicapa dauurica</i>        | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Chinese Penduline-Tit        | <i>Remiz consobrinus</i>         | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Cinereous Tit**              | <i>Parus cinereus</i>            | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Japanese White-eye           | <i>Zosterops japonica</i>        | N                     | -                      | 0.0        | 1.6        | V          | 0.0        | 0.4        | 0.0        | 0.2        | 0.4        | V          | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          |
| Little Bunting               | <i>Emberiza pusilla</i>          | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-faced Bunting          | <i>Emberiza spodocephala</i>     | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Chinese Grosbeak             | <i>Eophona migratoria</i>        | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Scaly-breasted Munia         | <i>Lonchura punctulata</i>       | N                     | -                      | 0.8        | 0.0        | V          | 0.0        | 0.0        | 2.8        | 0.0        | V          | 1.5        | 0.0        | 4.5        | 1.2        | 0.0        | 4.0        | 3.3        | V          | V          | 2.8        | 3.6        | 3.5        | 5.0        | 0.8        | 1.0        | 0.0        |
| Eurasian Tree Sparrow        | <i>Passer montanus</i>           | N                     | -                      | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.6        | 2.0        | 1.4        | V          | 1.0        | 3.3        | 0.2        | 0.0        | 1.8        | 0.0        | 2.3        | 1.6        | 4.8        | 5.8        | 4.0        |

| Common name               | Scientific name                  | Wetland<br>Dependence | Conservation<br>status | Nov-<br>16 | Dec-<br>16 | Jan-<br>17 | Feb-<br>17 | Mar-<br>17 | Apr-<br>17 | May-<br>17 | Jun-<br>17 | Jul-<br>17 | Aug-<br>17 | Sep-<br>17 | Oct-<br>17 | Nov-<br>17 | Dec-<br>17 | Jan-<br>18 | Feb-<br>18 | Mar-<br>18 | Apr-<br>18 | May-<br>18 | Jun-<br>18 | Jul-<br>18 | Aug-<br>18 | Sep-<br>18 | Oct-<br>18 |
|---------------------------|----------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Red-billed Starling       | <i>Spodiopsar sericeus</i>       | Y                     | (RC)*                  | V          | V          | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 5.0        | 0.8        | 8.4        | V          | V          | 0.0        | 0.0        | 0.3        | 0.2        | V          | 0.0        | 0.0        |
| White-cheeked Starling    | <i>Spodiopsar cineraceus</i>     | Y                     | PRC                    | 0.0        | 0.0        | V          | 0.6        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-collared Starling   | <i>Gracupica nigricollis</i>     | N                     | -                      | 0.2        | 0.2        | 0.3        | 0.6        | 0.4        | 0.5        | 0.4        | 0.4        | 1.0        | 1.4        | 1.0        | 2.2        | 0.8        | 2.5        | 3.0        | 1.2        | 0.8        | 0.3        | 0.2        | 0.8        | 3.2        | 0.8        | 0.3        | 11.4       |
| White-shouldered Starling | <i>Sturnia sinensis</i>          | Y                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.2        | 1.8        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Myna               | <i>Acridotheres tristis</i>      | N                     | -                      | 0.0        | V          | 0.0        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          |
| Crested Myna              | <i>Acridotheres cristatellus</i> | N                     | -                      | 6.2        | 1.8        | 5.8        | 0.4        | 0.6        | 1.5        | 0.2        | 2.6        | V          | 2.0        | 4.0        | 3.2        | 9.8        | 1.5        | 4.3        | 2.4        | 3.0        | 2.3        | 1.6        | 2.8        | 4.0        | 0.5        | 1.5        | 6.6        |
| Black-naped Oriole        | <i>Oriolus chinensis</i>         | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black Drongo              | <i>Dicrurus macrocercus</i>      | N                     | -                      | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.3        | 1.0        | V          | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.8        |
| Azure-winged Magpie       | <i>Cyanopica cyanus</i>          | N                     | -                      | 0.0        | 0.0        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 1.0        | 0.4        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | 0.0        | 0.0        |
| Eurasian Magpie           | <i>Pica pica</i>                 | N                     | -                      | 0.0        | 0.2        | V          | 0.4        | 0.2        | V          | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 1.4        | 0.8        | 0.5        | 1.0        | V          | 0.5        | 0.3        | 0.6        | 0.0        | 0.0        | 0.5        | 0.8        | 0.6        |
| Large-billed Crow         | <i>Corvus macrorhynchos</i>      | N                     | -                      | 0.0        | 0.0        | 0.0        | V          | 0.2        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        |
| Collared Crow             | <i>Corvus torquatus</i>          | Y                     | LC, NT                 | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | V          | 0.0        | 1.2        | 0.3        | V          | 0.2        | 0.0        | V          | 0.0        | 0.8        | 0.8        |

- Notes:
- (1) Conservation Status follows that of Fellows et. al. (2002) and BirdLife International listing (2017). See **Table B1** for the description of the codes. Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and for roosting sites rather than in general occurrence. (Fellowes et al. 2002)
  - (2) Updated species names used in the report include Eurasian Magpie (*Pica serica*) as Oriental Magpie (*Pica pica*), Japanese White-eye (*Zosterops japonica*) as Swinhoe's White-eye (*Zosterops simplex*), Chinese Bulbul (*Pycnonotus sinensis*) as Light-vented Bulbul (*Pycnonotus sinensis*) and Pale Martin (*Riparia diluta*) as Sand Martin (*Riparia riparia*)
- ^ Pintail Snipe and Swinhoe's Snipe cannot be distinguished in field, conservation status refers to Swinhoe's Snipe.
- V Indicates the species is recorded outside regular surveys.
- DS Indicates species recorded during survey.
- # Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected terrestrial wildlife state protection (category II).
- \* Red-billed Starling is considered by Fellows et al (2002) to be of Global Concern. Since publication, however, the global population estimate has been revised and the species is now not considered globally threatened. A listing of Regional Concern (RC) based on the importance of the large roosts present near Deep Bay, is considered to be more appropriate. (Wetland Restoration Plan, Mott, 2008). Red-billed Starling is now listed as Least Concern by IUCN. (IUCN, 2016)
- \*\* The species name is updated as Cinereous Tit, *Parus cinereus*, since June 2017.

**Table B8: Summary of Bird Species Recorded at the WRA and their Respective Monthly Mean between November 2018 and October 2020**

| Common name               | Scientific name               | Wetland<br>Dependence | Conservation<br>status | Nov-<br>18 | Dec-<br>18 | Jan-<br>19 | Feb-<br>19 | Mar-<br>19 | Apr-<br>19 | May-<br>19 | Jun-<br>19 | Jul-<br>19 | Aug-<br>19 | Sep-<br>19 | Oct-<br>19 | Nov-<br>19 | Dec-<br>19 | Jan-<br>20 | Feb-<br>20 | Mar-<br>20 | Apr-<br>20 | May-<br>20 | Jun-<br>20 | Jul-<br>20 | Aug-<br>20 | Sep-<br>20 | Oct-<br>20 |
|---------------------------|-------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Little Grebe              | <i>Tachybaptus ruficollis</i> | Y                     | LC                     | 3.8        | 3.5        | 1.5        | 1.0        | 1.4        | 2.0        | 1.6        | 1.0        | 1.6        | 1.2        | 2.5        | 2.4        | 2.2        | 1.4        | 0.2        | 1.0        | 1.3        | 0.8        | 0.0        | 0.0        | 0.8        | 1.3        | 1.8        | 2.0        |
| Great Cormorant           | <i>Phalacrocorax carbo</i>    | Y                     | PRC                    | V          | 1.8        | 6.3        | 0.8        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 0.6        | 0.8        | 0.8        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.3        |
| Grey Heron                | <i>Ardea cinerea</i>          | Y                     | PRC                    | 2.0        | 5.5        | 2.8        | 2.8        | 0.8        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 1.3        | 1.2        | 5.4        | 1.2        | 1.8        | 2.0        | 0.3        | V          | 0.0        | 0.2        | V          | 0.0        | 1.0        | 0.5        |
| Purple Heron              | <i>Ardea purpurea</i>         | Y                     | RC                     | 0.5        | V          | V          | 0.5        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Great Egret               | <i>Ardea alba</i>             | Y                     | PRC, (RC)              | 1.3        | 3.8        | 2.3        | 2.5        | 0.6        | 1.8        | 1.0        | 2.0        | 0.6        | 1.2        | 0.5        | 1.4        | 1.8        | 1.4        | 3.4        | 3.5        | 0.8        | 0.2        | 1.0        | 0.2        | 0.3        | 1.0        | 1.5        | 1.5        |
| Intermediate Egret        | <i>Egretta intermedia</i>     | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.5        |
| Little Egret              | <i>Egretta garzetta</i>       | Y                     | PRC, (RC)              | 3.3        | 7.8        | 7.3        | 8.3        | 3.4        | 5.3        | 3.6        | 7.0        | 6.6        | 5.8        | 5.5        | 4.0        | 6.0        | 4.8        | 16.4       | 7.3        | 11.0       | 5.2        | 2.3        | 1.8        | 2.0        | 1.5        | 1.3        | 2.3        |
| Eastern Cattle Egret      | <i>Bubulcus coromandus</i>    | Y                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 1.5        | 0.5        |
| Chinese Pond Heron        | <i>Ardeola bacchus</i>        | Y                     | PRC, (RC)              | 1.8        | 4.3        | 4.5        | 2.0        | 1.4        | 1.5        | 1.8        | 5.0        | 3.6        | 2.8        | 2.3        | 2.8        | 5.6        | 5.2        | 3.4        | 2.3        | 2.8        | 1.4        | 0.3        | 0.2        | 1.0        | 7.5        | 3.0        | 7.8        |
| Yellow Bittern            | <i>Ixobrychus sinensis</i>    | Y                     | (LC)                   | 0.3        | V          | V          | V          | 0.2        | 0.5        | 0.4        | 1.0        | 1.0        | 0.6        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.2        | 0.3        | 1.8        | 2.3        | 0.8        |
| Cinnamon Bittern          | <i>Ixobrychus cinnamomeus</i> | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-crowned Night Heron | <i>Nycticorax nycticorax</i>  | Y                     | (LC)                   | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | 0.2        | 0.2        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.2        | V          | 2.8        | 5.8        | 2.3        |
| Black Stork               | <i>Ciconia nigra</i>          | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        |
| Eurasian Spoonbill        | <i>Platalea leucorodia</i>    | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-faced Spoonbill     | <i>Platalea minor</i>         | Y                     | PGC, EN                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Mandarin Duck             | <i>Aix galericulata</i>       | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Wigeon           | <i>Anas penelope</i>          | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Teal             | <i>Anas crecca</i>            | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Northern Pintail          | <i>Anas acuta</i>             | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Northern Shoveler         | <i>Anas clypeata</i>          | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Tufted Duck               | <i>Aythya fuligula</i>        | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Garganey                  | <i>Anas querquedula</i>       | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Western Osprey            | <i>Pandion haliaetus</i>      | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Besra                     | <i>Accipiter virgatus</i>     | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        |
| Black-winged Kite         | <i>Elanus caeruleus</i>       | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.0        | V          |
| Black Kite                | <i>Milvus migrans</i>         | Y                     | (RC)                   | 0.5        | 0.3        | 0.0        | 0.3        | 0.2        | 0.5        | 0.2        | 0.0        | 0.2        | 0.2        | 0.3        | 0.4        | 0.2        | 0.0        | V          | V          | V          | V          | 0.3        | 0.4        | 0.5        | 0.3        | 0.5        | 2.0        |

| Common name             | Scientific name                 | Wetland<br>Dependence | Conservation<br>status | Nov-<br>18 | Dec-<br>18 | Jan-<br>19 | Feb-<br>19 | Mar-<br>19 | Apr-<br>19 | May-<br>19 | Jun-<br>19 | Jul-<br>19 | Aug-<br>19 | Sep-<br>19 | Oct-<br>19 | Nov-<br>19 | Dec-<br>19 | Jan-<br>20 | Feb-<br>20 | Mar-<br>20 | Apr-<br>20 | May-<br>20 | Jun-<br>20 | Jul-<br>20 | Aug-<br>20 | Sep-<br>20 | Oct-<br>20 |
|-------------------------|---------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Crested Serpent Eagle   | <i>Spilornis cheela</i>         | N                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        |
| Crested Goshawk         | <i>Accipiter trivirgatus</i>    | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.3        |
| Greater Spotted Eagle   | <i>Clanga clanga</i>            | Y                     | GC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Imperial Eagle  | <i>Aquila heliaca</i>           | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Buzzard         | <i>Buteo japonicus</i>          | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Kestrel          | <i>Falco tinnunculus</i>        | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Peregrine Falcon        | <i>Falco peregrinus</i>         | N                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        |
| Asian Barred Owlet      | <i>Glaucidium cuculoides</i>    | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.5        |
| Eurasian Hobby          | <i>Falco subbuteo</i>           | Y                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | V          | 0.0        |
| Japanese Quail          | <i>Coturnix japonica</i>        | N                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Baillon's Crake         | <i>Porzana pusilla</i>          | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White-breasted Waterhen | <i>Amaurornis phoenicurus</i>   | Y                     | -                      | V          | V          | 0.0        | 0.3        | 0.6        | 0.8        | 1.0        | V          | V          | 0.6        | V          | 0.2        | 0.2        | 0.2        | 0.4        | 0.3        | 0.3        | 1.8        | 0.3        | V          | 0.3        | 2.0        | 1.8        | 1.0        |
| Watercock               | <i>Gallicrex cinerea</i>        | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Coot           | <i>Fulica atra</i>              | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Moorhen          | <i>Gallinula chloropus</i>      | Y                     | -                      | 1.5        | V          | V          | 0.3        | V          | 0.3        | 0.2        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | V          | 0.0        | V          | 0.3        | 0.2        | 0.0        | 0.0        | 0.0        | 0.5        | 0.5        | 0.0        |
| Pheasant-tailed Jacana  | <i>Hydrophasianus chirurgus</i> | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        |
| Greater Painted-snipe   | <i>Rostratula benghalensis</i>  | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-winged Stilt      | <i>Himantopus himantopus</i>    | Y                     | RC                     | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 1.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        |
| Pied Avocet             | <i>Recurvirostra avosetta</i>   | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental Pratincole     | <i>Glareola maldivarum</i>      | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 4.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        |
| Pacific Golden Plover   | <i>Pluvialis fulva</i>          | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Little Ringed Plover    | <i>Charadrius dubius</i>        | Y                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.3        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        |
| Kentish Plover          | <i>Charadrius alexandrinus</i>  | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Spotted Redshank        | <i>Tringa erythropus</i>        | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Redshank         | <i>Tringa totanus</i>           | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |



| Common name               | Scientific name                     | Wetland<br>Dependence | Conservation<br>status | Nov-<br>18 | Dec-<br>18 | Jan-<br>19 | Feb-<br>19 | Mar-<br>19 | Apr-<br>19 | May-<br>19 | Jun-<br>19 | Jul-<br>19 | Aug-<br>19 | Sep-<br>19 | Oct-<br>19 | Nov-<br>19 | Dec-<br>19 | Jan-<br>20 | Feb-<br>20 | Mar-<br>20 | Apr-<br>20 | May-<br>20 | Jun-<br>20 | Jul-<br>20 | Aug-<br>20 | Sep-<br>20 | Oct-<br>20 |
|---------------------------|-------------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Common Greenshank         | <i>Tringa nebularia</i>             | Y                     | RC                     | 0.0        | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Marsh Sandpiper           | <i>Tringa stagnatilis</i>           | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Green Sandpiper           | <i>Tringa ochropus</i>              | Y                     | -                      | 0.0        | 0.0        | 0.3        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.2        | V          | 0.5        | 1.0        | V          | 0.0        | 0.0        | 0.0        | 0.5        | 0.3        | 0.0        |
| Wood Sandpiper            | <i>Tringa glareola</i>              | Y                     | LC                     | 0.0        | V          | 1.3        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 2.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Sandpiper          | <i>Actitis hypoleucos</i>           | Y                     | -                      | V          | V          | 0.3        | 0.8        | 0.4        | 0.5        | 0.2        | V          | 0.0        | 0.2        | 1.3        | 0.0        | V          | 0.4        | V          | 0.8        | 1.5        | 1.2        | 0.5        | 0.0        | 0.0        | 0.5        | 0.3        | 0.3        |
| Eurasian Woodcock         | <i>Scolopax rusticola</i>           | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pintail/ Swinhoe's Snipe^ | <i>Gallinago stenura/ G. megala</i> | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        |
| Common Snipe              | <i>Gallinago gallinago</i>          | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.5        | 0.5        |
| Red-necked Stint          | <i>Calidris ruficollis</i>          | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Temminck's Stint          | <i>Calidris temminckii</i>          | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Long-toed Stint           | <i>Calidris subminuta</i>           | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-headed Gull         | <i>Chroicocephalus ridibundus</i>   | Y                     | PRC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Whiskered Tern            | <i>Chlidonias hybrida</i>           | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Domestic Pigeon           | <i>Columba livia</i>                | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental Turtle Dove      | <i>Streptopelia orientalis</i>      | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red Turtle Dove           | <i>Streptopelia tranquebarica</i>   | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Spotted Dove              | <i>Spilopelia chinensis</i>         | N                     | -                      | 6.3        | 7.0        | 4.8        | 5.0        | 2.2        | 3.0        | 2.6        | 3.5        | 3.2        | 4.0        | 3.5        | 2.8        | 4.2        | 2.4        | 1.2        | 1.0        | 2.3        | 3.2        | 3.3        | 1.4        | 2.3        | 4.3        | 5.0        | 6.5        |
| Eurasian Collared Dove    | <i>Streptopelia decaocto</i>        | N                     | -                      | 3.0        | 2.3        | V          | 1.3        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.4        | 0.3        | 0.4        | V          | V          | 0.4        | V          | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.5        | 1.0        | 1.0        |
| Emerald Dove              | <i>Chalcophaps indica indica</i>    | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        |
| Asian Koel                | <i>Eudynamys scolopaceus</i>        | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.8        | 0.4        | 0.8        | 0.0        | 0.0        | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.2        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.8        |
| Plaintive Cuckoo          | <i>Cacomantis merulinus</i>         | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        |
| Greater Coucal#           | <i>Centropus sinensis</i>           | N                     | -                      | 0.5        | 0.3        | 0.0        | 0.0        | 0.4        | V          | V          | 1.0        | 0.2        | 0.2        | 0.5        | 0.6        | 0.6        | 0.0        | 0.6        | V          | 0.5        | 0.8        | 1.0        | 0.6        | 0.0        | 1.0        | 0.0        | 0.0        |
| Eurasian Eagle Owl        | <i>Bubo bubo</i>                    | N                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Savanna Nightjar          | <i>Caprimulgus affinis</i>          | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Himalayan Swiftlet        | <i>Aerodramus brevirostris</i>      | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        |
| Pacific Swift             | <i>Apus pacificus</i>               | N                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |

| Common name               | Scientific name                 | Wetland<br>Dependence | Conservation<br>status | Nov-<br>18 | Dec-<br>18 | Jan-<br>19 | Feb-<br>19 | Mar-<br>19 | Apr-<br>19 | May-<br>19 | Jun-<br>19 | Jul-<br>19 | Aug-<br>19 | Sep-<br>19 | Oct-<br>19 | Nov-<br>19 | Dec-<br>19 | Jan-<br>20 | Feb-<br>20 | Mar-<br>20 | Apr-<br>20 | May-<br>20 | Jun-<br>20 | Jul-<br>20 | Aug-<br>20 | Sep-<br>20 | Oct-<br>20 |
|---------------------------|---------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| House Swift               | <i>Apus nipalensis</i>          | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 1.3        | 1.4        | V          | 2.2        | V          | 0.0        | 1.5        | 0.0        |
| Pied Kingfisher           | <i>Ceryle rudis</i>             | Y                     | (LC)                   | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.6        | V          | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        |
| Black-capped Kingfisher   | <i>Halcyon pileata</i>          | Y                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White-throated Kingfisher | <i>Halcyon smyrnensis</i>       | Y                     | (LC)                   | 0.3        | 0.3        | V          | 0.3        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | V          | 0.0        | V          | V          | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Kingfisher         | <i>Alcedo atthis</i>            | Y                     | -                      | 0.5        | 0.3        | 0.8        | 0.5        | 0.6        | 0.5        | 0.2        | 0.8        | 0.2        | 0.4        | 0.5        | 0.8        | 1.2        | 1.2        | 0.8        | 0.5        | 0.3        | 0.2        | 0.0        | 0.0        | 0.0        | 1.3        | 1.0        | 0.5        |
| Blue-tailed Bee-eater     | <i>Merops philippinus</i>       | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Hoopoe           | <i>Upupa epops</i>              | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Sand Martin               | <i>Riparia riparia</i>          | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.8        |
| Barn Swallow              | <i>Hirundo rustica</i>          | N                     | -                      | 0.0        | 1.8        | V          | 2.5        | 4.8        | 3.8        | 1.8        | 3.5        | 1.2        | 1.8        | V          | 0.0        | 0.0        | 0.0        | 2.0        | V          | 3.0        | 6.6        | 5.5        | 1.0        | 0.8        | 5.0        | 2.3        | 8.3        |
| Red-rumped Swallow        | <i>Hirundo daurica</i>          | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 4.8        |
| Eastern Yellow Wagtail    | <i>Motacilla tschutschensis</i> | Y                     | -                      | 0.0        | V          | V          | V          | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | V          | 1.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.5        |
| Grey Wagtail              | <i>Motacilla cinerea</i>        | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White Wagtail             | <i>Motacilla alba</i>           | Y                     | -                      | 1.8        | 0.8        | 0.8        | 3.0        | V          | 1.3        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.4        | 0.6        | 0.8        | 1.2        | 1.0        | 0.3        | 1.8        | V          | 0.4        | 0.0        | 0.8        | 2.5        | 2.8        |
| Richard's Pipit           | <i>Anthus richardi</i>          | N                     | -                      | 0.0        | 0.0        | 0.3        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | V          | 0.5        | 0.3        | 0.8        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Olive-backed Pipit        | <i>Anthus hodgsoni</i>          | N                     | -                      | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.3        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red-throated Pipit        | <i>Anthus cervinus</i>          | N                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Buff-bellied Pipit        | <i>Anthus rubescens</i>         | N                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red-whiskered Bulbul      | <i>Pycnonotus jocosus</i>       | N                     | -                      | 2.0        | 4.5        | 0.5        | 0.8        | 1.2        | V          | 1.8        | 1.0        | 0.0        | 3.2        | 1.5        | 0.6        | V          | 4.4        | 3.4        | 2.5        | 2.8        | 1.2        | 1.8        | 2.6        | 0.0        | 5.5        | 1.8        | 4.5        |
| Chinese Bulbul            | <i>Pycnonotus sinensis</i>      | N                     | -                      | V          | 0.5        | 1.8        | 3.8        | 2.0        | 3.5        | 1.0        | 1.3        | 3.4        | 0.6        | 0.5        | 4.0        | 2.8        | 1.6        | 3.4        | 2.3        | 3.5        | 2.0        | 2.8        | 2.0        | 1.0        | 1.5        | 0.8        | 1.8        |
| Sooty-headed Bulbul       | <i>Pycnonotus aurigaster</i>    | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-winged Cuckooshrike | <i>Lalage melaschistos</i>      | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        |
| Red-flanked Bluetail      | <i>Tarsiger cyanurus</i>        | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Bull-headed Shrike        | <i>Lanius bucephalus</i>        | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Brown Shrike              | <i>Lanius cristatus</i>         | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        |
| Long-tailed Shrike        | <i>Lanius schach</i>            | N                     | -                      | 0.8        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 0.3        | 0.3        |
| Oriental Magpie Robin     | <i>Copsychus saularis</i>       | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.0        | V          | V          | 0.5        | 1.0        | 0.0        | 0.0        | 0.5        | 1.3        | 1.0        | 0.5        |

| Common name                  | Scientific name                  | Wetland<br>Dependence | Conservation<br>status | Nov-<br>18 | Dec-<br>18 | Jan-<br>19 | Feb-<br>19 | Mar-<br>19 | Apr-<br>19 | May-<br>19 | Jun-<br>19 | Jul-<br>19 | Aug-<br>19 | Sep-<br>19 | Oct-<br>19 | Nov-<br>19 | Dec-<br>19 | Jan-<br>20 | Feb-<br>20 | Mar-<br>20 | Apr-<br>20 | May-<br>20 | Jun-<br>20 | Jul-<br>20 | Aug-<br>20 | Sep-<br>20 | Oct-<br>20 |
|------------------------------|----------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Daurian Redstart             | <i>Phoenicurus aureus</i>        | N                     | -                      | 0.5        | 2.8        | 1.5        | 0.8        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.8        | 0.4        | V          | 0.5        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        |
| Stejneger's Stonechat        | <i>Saxicola stejnegeri</i>       | N                     | -                      | 0.8        | 2.8        | 0.3        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.2        | V          | 0.0        | V          | V          | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.3        |
| Chinese Blackbird            | <i>Turdus mandarinus</i>         | N                     | -                      | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.8        | 0.0        |
| Grey-backed thrush           | <i>Turdus hortulorum</i>         | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Masked Laughingthrush        | <i>Garrulax perspicillatus</i>   | N                     | -                      | 2.0        | 0.0        | 1.0        | 0.3        | V          | 1.3        | 1.0        | 1.3        | 1.8        | 4.4        | V          | 0.0        | V          | V          | 0.8        | 0.5        | 1.0        | 0.4        | 1.8        | 1.2        | 0.0        | 4.5        | 3.5        | 3.8        |
| Lanceolated Warbler          | <i>Locustella lanceolata</i>     | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pallas's Grasshopper Warbler | <i>Locustella certhiola</i>      | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental Reed Warbler        | <i>Acrocephalus orientalis</i>   | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        |
| Thick-billed Warbler         | <i>Acrocephalus aedon</i>        | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-browed Reed Warbler    | <i>Acrocephalus bistrigiceps</i> | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.3        |
| Common Tailorbird            | <i>Orthotomus sutorius</i>       | N                     | -                      | 0.0        | 0.3        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 1.5        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | V          | 0.0        | V          | V          | 0.2        | 0.0        | 0.4        | 0.0        | 1.0        | 1.3        | 1.3        |
| Dusky Warbler                | <i>Phylloscopus fuscatus</i>     | N                     | -                      | 0.3        | 4.3        | 3.0        | 2.8        | V          | V          | 0.0        | 0.5        | 0.2        | 1.0        | 0.8        | 0.2        | V          | 0.0        | V          | V          | 1.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 4.0        |
| Pallas's Leaf Warbler        | <i>Phylloscopus proregulus</i>   | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |            |
| Yellow-browed warbler        | <i>Phylloscopus inornatus</i>    | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |            |
| Pale-legged Leaf Warbler     | <i>Phylloscopus tenellipes</i>   | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        |
| Sakhalin Leaf Warbler        | <i>Phylloscopus borealoides</i>  | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        |
| Bluethroat                   | <i>Luscinia svecica</i>          | N                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Zitting Cisticola            | <i>Cisticola juncidis</i>        | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        |
| Yellow-bellied Prinia        | <i>Prinia flaviventris</i>       | N                     | -                      | 0.3        | 3.0        | 2.3        | 1.8        | 0.8        | 0.0        | 0.0        | 0.5        | 0.0        | V          | 0.0        | 0.6        | 0.6        | 0.0        | V          | V          | 1.5        | 1.6        | 1.3        | 0.0        | 0.0        | 1.8        | 1.5        | 1.5        |
| Plain Prinia                 | <i>Prinia inornata</i>           | N                     | -                      | 0.3        | 0.0        | V          | V          | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.5        | 0.2        | V          | V          | V          | V          | V          | 0.2        | 0.5        | 0.0        | 0.3        | 2.5        | 2.0        | 0.5        |
| Asian Brown Flycatcher       | <i>Muscicapa dauurica</i>        | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.5        |
| Amur Paradise Flycatcher     | <i>Terpsiphone incei</i>         | N                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        |

| Common name                        | Scientific name                           | Wetland<br>Dependence | Conservation<br>status | Nov-<br>18 | Dec-<br>18 | Jan-<br>19 | Feb-<br>19 | Mar-<br>19 | Apr-<br>19 | May-<br>19 | Jun-<br>19 | Jul-<br>19 | Aug-<br>19 | Sep-<br>19 | Oct-<br>19 | Nov-<br>19 | Dec-<br>19 | Jan-<br>20 | Feb-<br>20 | Mar-<br>20 | Apr-<br>20 | May-<br>20 | Jun-<br>20 | Jul-<br>20 | Aug-<br>20 | Sep-<br>20 | Oct-<br>20 |
|------------------------------------|-------------------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Japanese<br>Paradise<br>Flycatcher | <i>Terpsiphone<br/>atrocaudata</i>        | N                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        |
| Chinese<br>Penduline-Tit           | <i>Remiz consobrinus</i>                  | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Cinereous Tit**                    | <i>Parus cinereus</i>                     | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 0.3        | 1.0        |
| Japanese Tit                       | <i>Parus minor</i>                        | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Japanese White-<br>eye             | <i>Zosterops japonica</i>                 | N                     | -                      | 1.3        | 0.0        | 0.0        | 6.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.0        | 0.0        | 1.0        | 0.0        | 0.0        | V          | V          | V          | 0.0        | 0.0        | 0.0        | V          | 2.3        | 4.0        | 2.3        |
| Little Bunting                     | <i>Emberiza pusilla</i>                   | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-faced<br>Bunting             | <i>Emberiza<br/>spodocephala</i>          | N                     | -                      | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Chinese Grosbeak                   | <i>Eophona migratoria</i>                 | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Scaly-breasted<br>Munia            | <i>Lonchura<br/>punctulata</i>            | N                     | -                      | V          | 5.3        | 2.8        | 0.0        | 1.6        | 0.0        | 1.6        | 0.0        | 1.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.6        | 3.0        | 1.8        | 2.3        | 2.0        | 0.0        | 0.0        | 0.0        | 10.5       | 11.0       | 6.0        |
| Eurasian Tree<br>Sparrow           | <i>Passer montanus</i>                    | N                     | -                      | 7.3        | 6.5        | 3.0        | 4.0        | V          | 1.5        | 0.0        | 1.0        | 0.0        | 0.8        | 0.0        | 1.6        | 2.4        | 1.0        | 0.0        | 0.0        | 0.3        | 0.2        | 0.0        | 0.6        | 0.5        | 0.0        | 0.0        | 0.0        |
| Yellow-fronted<br>Canary           | <i>Crithagra<br/>mozambica</i>            | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        |
| Red-billed<br>Starling*            | <i>Spodiopsar<br/>sericeus</i>            | Y                     | (RC)*                  | 0.0        | V          | V          | 0.0        | 0.0        | 1.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White-cheeked<br>Starling          | <i>Spodiopsar<br/>cineraceus</i>          | Y                     | PRC                    | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-collared<br>Starling         | <i>Gracupica nigricollis</i>              | N                     | -                      | 4.3        | 3.8        | 1.5        | 2.3        | V          | 0.3        | 0.2        | 0.5        | 0.0        | 1.6        | 0.0        | 1.0        | 0.0        | V          | V          | V          | 1.0        | 0.8        | 1.5        | 0.8        | 0.3        | 1.3        | 0.8        | 4.0        |
| White-shouldered<br>Starling       | <i>Sturnia sinensis</i>                   | Y                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 1.5        | 1.5        | 0.0        |
| Common Myna                        | <i>Acridotheres tristis</i>               | N                     | -                      | 0.5        | 0.5        | 0.5        | 0.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        |
| Crested Myna                       | <i>Acridotheres<br/>crystallocephalus</i> | N                     | -                      | 2.3        | 5.5        | 0.8        | 4.8        | 1.6        | 0.8        | 1.4        | 1.5        | 0.6        | 0.4        | 2.5        | 0.6        | 1.0        | 0.8        | 1.2        | 0.0        | 0.3        | 4.0        | 1.3        | 0.8        | 0.3        | 2.3        | 7.8        | 4.5        |
| Black-naped<br>Oriole              | <i>Oriolus chinensis</i>                  | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black Drongo                       | <i>Dicrurus<br/>macrocerus</i>            | N                     | -                      | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | V          | 0.2        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.3        | 2.3        |
| Hair-crested<br>Drongo             | <i>Dicrurus<br/>hottentottus</i>          | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Azure-winged<br>Magpie             | <i>Cyanopica cyanus</i>                   | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | V          | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.5        | 0.0        |
| Eurasian Magpie                    | <i>Pica pica</i>                          | N                     | -                      | 1.3        | V          | 0.0        | V          | 0.8        | 0.3        | 0.2        | 0.5        | 0.0        | 0.4        | 0.0        | 0.4        | 0.0        | 0.4        | 0.6        | 0.5        | 0.3        | 0.0        | 0.0        | 0.0        | V          | 0.3        | 0.5        | 0.3        |
| Red-billed Blue<br>Magpie          | <i>Urocissa<br/>erythrorhyncha</i>        | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |

| Common name       | Scientific name             | Wetland<br>Dependence | Conservation<br>status | Nov-<br>18 | Dec-<br>18 | Jan-<br>19 | Feb-<br>19 | Mar-<br>19 | Apr-<br>19 | May-<br>19 | Jun-<br>19 | Jul-<br>19 | Aug-<br>19 | Sep-<br>19 | Oct-<br>19 | Nov-<br>19 | Dec-<br>19 | Jan-<br>20 | Feb-<br>20 | Mar-<br>20 | Apr-<br>20 | May-<br>20 | Jun-<br>20 | Jul-<br>20 | Aug-<br>20 | Sep-<br>20 | Oct-<br>20 |
|-------------------|-----------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Large-billed Crow | <i>Corvus macrorhynchos</i> | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Collared Crow     | <i>Corvus torquatus</i>     | Y                     | LC, NT                 | 0.0        | 0.0        | 0.8        | 1.0        | 0.2        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 1.0        | 0.5        | 0.0        |

- Notes:
- (1) Conservation Status follows that of Fellows et. al. (2002) and BirdLife International listing (2017). See **Table B1** for the description of the codes. Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and for roosting sites rather than in general occurrence. (Fellowes et al. 2002)
- (2) Updated species names used in the report include Eurasian Magpie (*Pica serica*) as Oriental Magpie (*Pica pica*), Japanese White-eye (*Zosterops japonica*) as Swinhoe's White-eye (*Zosterops simplex*), Chinese Bulbul (*Pycnonotus sinensis*) as Light-vented Bulbul (*Pycnonotus sinensis*) and Pale Martin (*Riparia diluta*) as Sand Martin (*Riparia riparia*)
- ^ Pintail Snipe and Swinhoe's Snipe cannot be distinguished in field, conservation status refers to Swinhoe's Snipe.
- V Indicates the species is recorded outside regular surveys.
- DS Indicates species recorded during survey.
- # Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected terrestrial wildlife state protection (category II).
- \* Red-billed Starling is considered by Fellows *et al* (2002) to be of Global Concern. Since publication, however, the global population estimate has been revised and the species is now not considered globally threatened. A listing of Regional Concern (RC) based on the importance of the large roosts present near Deep Bay, is considered to be more appropriate. (Wetland Restoration Plan, Mott, 2008). Red-billed Starling is now listed as Least Concern by IUCN. (IUCN, 2016)
- \*\* The species name is updated as Cinereous Tit, *Parus cinereus*, since June 2017.

**Table B9: Summary of Bird Species Recorded at the WRA and their Respective Monthly Mean between November 2020 and October 2021**

| Common name               | Scientific name               | Wetland<br>Dependence | Conservation<br>status | Nov-<br>20 | Dec-<br>20 | Jan-<br>21 | Feb-<br>21 | Mar-<br>21 | Apr-<br>21 | May-<br>21 | Jun-<br>21 | Jul-<br>21 | Aug-<br>21 | Sep-<br>21 | Oct-<br>21 |
|---------------------------|-------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Little Grebe              | <i>Tachybaptus ruficollis</i> | Y                     | LC                     | 1.5        | 0.4        | 1.5        | 0.3        | 0.2        | 0.0        | 0.0        | 0.0        | 0.3        | 0.5        | 1.4        | 2.0        |
| Great Cormorant           | <i>Phalacrocorax carbo</i>    | Y                     | PRC                    | 0.8        | 1.8        | 0.0        | 0.8        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.2        | 1.3        |
| Grey Heron                | <i>Ardea cinerea</i>          | Y                     | PRC                    | 2.3        | 1.6        | 2.5        | 1.5        | 0.2        | 0.0        | 0.3        | 0.4        | 0.0        | 0.5        | 1.0        | 0.5        |
| Purple Heron              | <i>Ardea purpurea</i>         | Y                     | RC                     | 0.0        | 0.0        | 0.3        | 0.3        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Great Egret               | <i>Ardea alba</i>             | Y                     | PRC, (RC)              | 0.8        | 1.8        | 1.8        | 1.5        | 2.2        | 0.8        | 0.8        | 1.8        | 0.8        | 1.3        | 1.8        | 1.5        |
| Intermediate Egret        | <i>Egretta intermedia</i>     | Y                     | RC                     | 0.0        | 0.4        | 0.3        | 0.0        | 0.0        | 0.3        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        |
| Little Egret              | <i>Egretta garzetta</i>       | Y                     | PRC, (RC)              | 0.5        | 0.8        | 1.5        | 1.3        | 1.6        | 4.0        | 4.5        | 0.6        | 0.8        | 3.0        | 2.0        | 2.3        |
| Eastern Cattle Egret      | <i>Bubulcus coromandus</i>    | Y                     | (LC)                   | 0.0        | 0.6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 1.0        | 0.5        |
| Chinese Pond Heron        | <i>Ardeola bacchus</i>        | Y                     | PRC, (RC)              | 2.5        | 2.8        | 2.3        | 2.3        | 1.0        | V          | 2.0        | 2.4        | 2.3        | 5.5        | 2.6        | 7.8        |
| Yellow Bittern            | <i>Ixobrychus sinensis</i>    | Y                     | (LC)                   | 0.3        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 1.0        | 1.6        | 0.8        |
| Cinnamon Bittern          | <i>Ixobrychus cinnamomeus</i> | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Great Bittern             | <i>Botaurus stellaris</i>     | Y                     | RC                     | 0.0        | V          | 0.0        | 0.0        | 0.2        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-crowned Night Heron | <i>Nycticorax nycticorax</i>  | Y                     | (LC)                   | 1.0        | 1.0        | 0.0        | 0.0        | V          | 0.3        | 1.8        | 5.0        | 2.8        | 4.5        | 6.0        | 2.3        |
| Black Stork               | <i>Ciconia nigra</i>          | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Spoonbill        | <i>Platalea leucorodia</i>    | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-faced Spoonbill     | <i>Platalea minor</i>         | Y                     | PGC, EN                | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Mandarin Duck             | <i>Aix galericulata</i>       | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Wigeon           | <i>Anas penelope</i>          | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Teal             | <i>Anas crecca</i>            | Y                     | RC                     | 0.0        | 0.0        | 0.3        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Northern Pintail          | <i>Anas acuta</i>             | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Northern Shoveler         | <i>Anas clypeata</i>          | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Tufted Duck               | <i>Aythya fuligula</i>        | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Western Osprey            | <i>Pandion haliaetus</i>      | Y                     | RC                     | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Besra                     | <i>Accipiter virgatus</i>     | N                     | -                      | 0.0        | 0.0        | 0.3        | 0.0        | 0.4        | V          | V          | 0.0        | 0.5        | 0.0        | 0.0        | 0.0        |
| Black-winged Kite         | <i>Elanus caeruleus</i>       | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 0.0        | 0.0        | V          |
| Black Kite                | <i>Milvus migrans</i>         | Y                     | (RC)                   | 0.8        | 0.8        | 0.8        | 0.5        | 0.6        | 0.5        | 0.3        | 0.6        | 0.5        | 0.5        | 0.8        | 2.0        |
| Crested Serpent Eagle     | <i>Spilornis cheela</i>       | N                     | (LC)                   | 0.0        | 0.0        | 0.0        | V          | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Crested Goshawk           | <i>Accipiter trivirgatus</i>  | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |

| Common name             | Scientific name                 | Wetland<br>Dependence | Conservation<br>status | Nov-<br>20 | Dec-<br>20 | Jan-<br>21 | Feb-<br>21 | Mar-<br>21 | Apr-<br>21 | May-<br>21 | Jun-<br>21 | Jul-<br>21 | Aug-<br>21 | Sep-<br>21 | Oct-<br>21 |
|-------------------------|---------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Greater Spotted Eagle   | <i>Clanga clanga</i>            | Y                     | GC                     | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Imperial Eagle  | <i>Aquila heliaca</i>           | Y                     | -                      | 0.0        | V          | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Buzzard         | <i>Buteo japonicus</i>          | Y                     | -                      | 0.5        | 0.0        | 0.3        | 0.0        | 0.2        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        |
| Common Kestrel          | <i>Falco tinnunculus</i>        | N                     | -                      | 0.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          |
| Peregrine Falcon        | <i>Falco peregrinus</i>         | N                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Hobby          | <i>Falco subbuteo</i>           | Y                     | (LC)                   | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        |
| Japanese Quail          | <i>Coturnix japonica</i>        | N                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Baillon's Crane         | <i>Porzana pusilla</i>          | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White-breasted Waterhen | <i>Amaurornis phoenicurus</i>   | Y                     | -                      | 2.0        | 0.8        | 0.0        | 0.3        | 2.2        | 1.0        | 2.0        | 1.4        | 1.8        | 0.0        | 1.2        | 1.0        |
| Watercock               | <i>Gallicrex cinerea</i>        | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Moorhen          | <i>Gallinula chloropus</i>      | Y                     | -                      | 2.5        | 1.6        | 3.0        | 2.0        | 2.0        | 2.0        | 0.3        | 0.4        | 0.5        | 2.0        | 0.8        | 0.0        |
| Pheasant-tailed Jacana  | <i>Hydrophasianus chirurgus</i> | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Greater Painted-snipe   | <i>Rostratula benghalensis</i>  | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-winged Stilt      | <i>Himantopus himantopus</i>    | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pied Avocet             | <i>Recurvirostra avosetta</i>   | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Grey-headed Lapwing     | <i>Vanellus cinereus</i>        | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental Pratincole     | <i>Glareola maldivarum</i>      | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        |
| Pacific Golden Plover   | <i>Pluvialis fulva</i>          | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Little Ringed Plover    | <i>Charadrius dubius</i>        | Y                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.8        |
| Kentish Plover          | <i>Charadrius alexandrinus</i>  | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Spotted Redshank        | <i>Tringa erythropus</i>        | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Redshank         | <i>Tringa totanus</i>           | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Greenshank       | <i>Tringa nebularia</i>         | Y                     | RC                     | 0.0        | 0.0        | 0.5        | 0.0        | 0.0        | 2.5        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Marsh Sandpiper         | <i>Tringa stagnatilis</i>       | Y                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Green Sandpiper         | <i>Tringa ochropus</i>          | Y                     | -                      | 0.5        | 1.8        | 2.8        | 0.8        | 1.6        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        |

| Common name              | Scientific name                    | Wetland<br>Dependence | Conservation<br>status | Nov-<br>20 | Dec-<br>20 | Jan-<br>21 | Feb-<br>21 | Mar-<br>21 | Apr-<br>21 | May-<br>21 | Jun-<br>21 | Jul-<br>21 | Aug-<br>21 | Sep-<br>21 | Oct-<br>21 |
|--------------------------|------------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Wood Sandpiper           | <i>Tringa glareola</i>             | Y                     | LC                     | 0.0        | 0.0        | 5.0        | 1.3        | 2.0        | 1.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Sandpiper         | <i>Actitis hypoleucos</i>          | Y                     | -                      | 0.0        | 0.8        | 0.5        | 0.0        | 0.4        | 3.5        | 0.3        | 0.0        | 0.3        | 1.0        | 0.6        | 0.3        |
| Pintail/Swinhoe's Snipe^ | <i>Gallinago stenura/G. megala</i> | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Snipe             | <i>Gallinago gallinago</i>         | Y                     | -                      | 0.3        | 0.2        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.3        |
| Red-necked Stint         | <i>Calidris ruficollis</i>         | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Temminck's Stint         | <i>Calidris temminckii</i>         | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Long-toed Stint          | <i>Calidris subminuta</i>          | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-headed Gull        | <i>Chroicocephalus ridibundus</i>  | Y                     | PRC                    | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Whiskered Tern           | <i>Chlidonias hybrida</i>          | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Domestic Pigeon          | <i>Columba livia</i>               | N                     | -                      | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental Turtle Dove     | <i>Streptopelia orientalis</i>     | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red Turtle Dove          | <i>Streptopelia tranquebarica</i>  | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Spotted Dove             | <i>Spilopelia chinensis</i>        | N                     | -                      | 2.3        | 5.0        | 3.3        | 1.5        | 2.4        | 2.8        | 2.0        | 3.8        | 3.5        | 2.0        | 4.4        | 6.5        |
| Eurasian Collared Dove   | <i>Streptopelia decaocto</i>       | N                     | -                      | 0.8        | 0.2        | 0.8        | 0.3        | 0.0        | 0.3        | 1.0        | 0.8        | 0.3        | 1.0        | 0.8        | 1.0        |
| Emerald Dove             | <i>Chalcophaps indica indica</i>   | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Asian Koel               | <i>Eudynamys scolopaceus</i>       | N                     | -                      | 0.0        | 0.0        | 0.3        | 0.0        | 0.8        | 0.5        | 0.5        | 0.8        | 0.8        | 1.0        | 0.0        | 0.8        |
| Greater Coucal#          | <i>Centropus sinensis</i>          | N                     | -                      | 1.0        | 0.0        | 0.3        | 1.5        | 1.2        | 2.3        | 1.3        | 1.8        | 1.5        | 0.5        | 0.0        | 0.0        |
| Indian Cuckoo            | <i>Cuculus Micropterus</i>         | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        |
| Large Hawk-Cuckoo        | <i>Hierococcyx sparveroides</i>    | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Plaintive Cuckoo         | <i>Cacomantis merulinus</i>        | N                     | -                      | 0.0        | 0.0        | 0.0        | V          | 0.4        | 0.5        | 0.3        | 0.6        | 0.0        | 0.0        | 0.2        | 0.0        |
| Asian Barred Owlet       | <i>Glaucidium cuculoides</i>       | N                     | -                      | 0.0        | 0.0        | 0.0        | V          | 0.4        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        |
| Eurasian Eagle Owl       | <i>Bubo bubo</i>                   | N                     | RC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Savanna Nightjar         | <i>Caprimulgus affinis</i>         | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | V          | 0.5        | 0.8        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        |
| Himalayan Swiftlet       | <i>Aerodramus brevirostris</i>     | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        |
| Pacific Swift            | <i>Apus pacificus</i>              | N                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| House Swift              | <i>Apus nipalensis</i>             | N                     | -                      | 0.0        | 1.6        | 0.0        | 0.5        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 1.2        | 0.0        |



| Common name               | Scientific name                 | Wetland<br>Dependence | Conservation<br>status | Nov-<br>20 | Dec-<br>20 | Jan-<br>21 | Feb-<br>21 | Mar-<br>21 | Apr-<br>21 | May-<br>21 | Jun-<br>21 | Jul-<br>21 | Aug-<br>21 | Sep-<br>21 | Oct-<br>21 |
|---------------------------|---------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Pied Kingfisher           | <i>Ceryle rudis</i>             | Y                     | (LC)                   | 0.0        | 0.0        | 0.5        | 1.3        | 1.2        | 0.0        | 0.3        | 0.2        | 0.3        | 0.5        | 0.4        | 0.3        |
| Black-capped Kingfisher   | <i>Halcyon pileata</i>          | Y                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White-throated Kingfisher | <i>Halcyon smyrnensis</i>       | Y                     | (LC)                   | 0.0        | V          | 1.0        | 0.5        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        |
| Common Kingfisher         | <i>Alcedo atthis</i>            | Y                     | -                      | 0.3        | 1.8        | 1.3        | 0.8        | 1.0        | 0.8        | 0.3        | 1.2        | 1.5        | 1.0        | 1.0        | 0.5        |
| Eurasian Hoopoe           | <i>Upupa epops</i>              | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Barn Swallow              | <i>Hirundo rustica</i>          | N                     | -                      | 10.0       | 12.2       | 2.0        | 20.3       | 10.6       | 8.5        | 4.5        | 6.4        | 1.3        | 5.8        | 2.4        | 8.3        |
| Red-rumped Swallow        | <i>Hirundo daurica</i>          | N                     | -                      | 0.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 2.8        |
| Sand Martin               | <i>Riparia riparia</i>          | Y                     | -                      | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Yellow Wagtail    | <i>Motacilla tschutschensis</i> | Y                     | -                      | 0.0        | 1.2        | 2.5        | 1.8        | 3.2        | 5.0        | 0.8        | 0.0        | 0.0        | 0.0        | 0.2        | 0.5        |
| Grey Wagtail              | <i>Motacilla cinerea</i>        | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White Wagtail             | <i>Motacilla alba</i>           | Y                     | -                      | 2.0        | 2.4        | 11.5       | 2.3        | 2.6        | 1.0        | 1.3        | 0.4        | 1.8        | 0.5        | 2.4        | 2.8        |
| Richard's Pipit           | <i>Anthus richardi</i>          | N                     | -                      | 0.8        | 0.4        | 0.8        | 0.5        | 1.4        | 1.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        |
| Olive-backed Pipit        | <i>Anthus hodgsoni</i>          | N                     | -                      | 0.3        | 1.0        | 0.5        | 0.5        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red-throated Pipit        | <i>Anthus cervinus</i>          | N                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Buff-bellied Pipit        | <i>Anthus rubescens</i>         | N                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Red-whiskered Bulbul      | <i>Pycnonotus jocosus</i>       | N                     | -                      | 1.0        | 6.6        | 14.8       | 7.3        | 6.2        | 8.8        | 6.3        | 3.8        | 11.5       | 5.3        | 3.2        | 4.5        |
| Light-vented Bulbul       | <i>Pycnonotus sinensis</i>      | N                     | -                      | 3.0        | 6.0        | 26.3       | 16.0       | 17.8       | 6.3        | 4.8        | 7.2        | 6.5        | 3.8        | 2.4        | 1.8        |
| Sooty-headed Bulbul       | <i>Pycnonotus aurigaster</i>    | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 0.0        | 0.0        |
| Black-winged Cuckooshrike | <i>Lalage melaschistos</i>      | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Bull-headed Shrike        | <i>Lanius bucephalus</i>        | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Brown Shrike              | <i>Lanius cristatus</i>         | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        |
| Long-tailed Shrike        | <i>Lanius schach</i>            | N                     | -                      | 0.0        | 0.8        | 0.0        | 1.3        | 1.2        | 0.5        | 0.3        | 0.2        | 1.3        | 0.8        | 0.4        | 0.5        |
| Oriental Magpie Robin     | <i>Copsychus saularis</i>       | N                     | -                      | 1.3        | 0.8        | 0.8        | 0.3        | 1.2        | 2.3        | 0.8        | 2.6        | 2.3        | 1.0        | 1.0        | 0.5        |
| Red-flanked Bluetail      | <i>Tarsiger cyanurus</i>        | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Daurian Redstart          | <i>Phoenicurus aureus</i>       | N                     | -                      | 1.5        | 2.2        | 0.5        | 0.3        | 0.8        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        |
| Stejneger's Stonechat     | <i>Saxicola stejnegeri</i>      | N                     | -                      | 1.8        | 2.8        | 0.5        | 1.8        | 0.4        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.3        |

| Common name                   | Scientific name                  | Wetland<br>Dependence | Conservation<br>status | Nov-<br>20 | Dec-<br>20 | Jan-<br>21 | Feb-<br>21 | Mar-<br>21 | Apr-<br>21 | May-<br>21 | Jun-<br>21 | Jul-<br>21 | Aug-<br>21 | Sep-<br>21 | Oct-<br>21 |
|-------------------------------|----------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Chinese Blackbird             | <i>Turdus mandarinus</i>         | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.3        | 0.0        | 0.0        | 0.0        | 0.6        | 0.0        |
| Grey-backed thrush            | <i>Turdus hortulorum</i>         | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Masked Laughingthrush         | <i>Garrulax perspicillatus</i>   | N                     | -                      | 4.8        | 5.0        | 1.8        | 6.0        | 4.4        | 4.5        | 4.0        | 6.2        | 6.3        | 4.3        | 5.0        | 3.8        |
| Lanceolated Warbler           | <i>Locustella lanceolata</i>     | Y                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pallas's Grasshopper Warbler  | <i>Locustella certhiola</i>      | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Oriental Reed Warbler         | <i>Acrocephalus orientalis</i>   | Y                     | -                      | 0.5        | 0.0        | 0.0        | 0.3        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        |
| Thick-billed Warbler          | <i>Acrocephalus aedon</i>        | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-browed Reed Warbler     | <i>Acrocephalus bistrigiceps</i> | Y                     | -                      | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.3        |
| Manchurian Bush Warbler       | <i>Horornis canturians</i>       | N                     | -                      | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Common Tailorbird             | <i>Orthotomus sutorius</i>       | N                     | -                      | 1.5        | 0.4        | 1.5        | 1.3        | 1.2        | 1.5        | 1.3        | 0.8        | 2.5        | 1.8        | 1.4        | 1.3        |
| Dusky Warbler                 | <i>Phylloscopus fuscatus</i>     | N                     | -                      | 8.0        | 7.4        | 5.5        | 7.0        | 5.4        | 4.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 4.0        |
| Pallas's Leaf Warbler         | <i>Phylloscopus proregulus</i>   | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Yellow-browed warbler         | <i>Phylloscopus inornatus</i>    | N                     | -                      | 0.8        | 1.0        | 2.0        | 0.8        | 1.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Sakhalin Leaf Warbler         | <i>Phylloscopus borealoides</i>  | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eastern Crowned Warbler       | <i>Phylloscopus coronatus</i>    | N                     | -                      | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Pale-legged Leaf Warbler      | <i>Phylloscopus tenellipes</i>   | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        |
| Zitting Cisticola             | <i>Cisticola juncidis</i>        | Y                     | LC                     | 0.8        | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        |
| Yellow-bellied Prinia         | <i>Prinia flaviventris</i>       | N                     | -                      | 2.5        | 3.2        | 1.5        | 5.0        | 3.8        | 7.3        | 6.8        | 6.0        | 4.5        | 3.5        | 2.8        | 1.5        |
| Plain Prinia                  | <i>Prinia inornata</i>           | N                     | -                      | 1.3        | 1.0        | 1.5        | 1.8        | 2.4        | 3.3        | 3.3        | 3.8        | 2.3        | 3.5        | 2.2        | 0.5        |
| Bluethroat                    | <i>Luscinia svecica</i>          | N                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Asian Brown Flycatcher        | <i>Muscicapa dauurica</i>        | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.5        |
| Grey-headed Canary-Flycatcher | <i>Culicicapa ceylonensis</i>    | N                     | LC                     | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |

| Common name                  | Scientific name                  | Wetland<br>Dependence | Conservation<br>status | Nov-<br>20 | Dec-<br>20 | Jan-<br>21 | Feb-<br>21 | Mar-<br>21 | Apr-<br>21 | May-<br>21 | Jun-<br>21 | Jul-<br>21 | Aug-<br>21 | Sep-<br>21 | Oct-<br>21 |
|------------------------------|----------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Amur Paradise Flycatcher     | <i>Terpsiphone incei</i>         | N                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Japanese Paradise Flycatcher | <i>Terpsiphone atrocaudata</i>   | N                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Chinese Penduline-Tit        | <i>Remiz consobrinus</i>         | Y                     | RC                     | 1.8        | 0.0        | 0.0        | 0.0        | 2.8        | 2.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Cinereous Tit                | <i>Parus cinereus</i>            | N                     | -                      | 1.3        | 1.4        | 1.0        | 2.5        | 1.0        | 29.5       | 1.0        | 1.4        | 1.8        | 2.0        | 0.6        | 1.0        |
| Japanese Tit                 | <i>Parus minor</i>               | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Swinhoe's White-eye          | <i>Zosterops simplex</i>         | N                     | -                      | 2.0        | 2.6        | 4.5        | 5.0        | 5.0        | 5.0        | 5.0        | 8.0        | 6.8        | 6.8        | 4.4        | 2.3        |
| Fork-tailed Sunbird          | <i>Aethopyga christinae</i>      | N                     | -                      | 0.0        | 0.6        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Little Bunting               | <i>Emberiza pusilla</i>          | N                     | -                      | V          | 0.6        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-faced Bunting          | <i>Emberiza spodocephala</i>     | N                     | -                      | 0.3        | 0.4        | 0.8        | 0.8        | 1.6        | 0.3        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Chinese Grosbeak             | <i>Eophona migratoria</i>        | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Scaly-breasted Munia         | <i>Lonchura punctulata</i>       | N                     | -                      | 2.3        | 3.8        | 4.3        | 0.0        | 0.6        | 0.5        | 2.5        | 8.0        | 14.0       | 2.5        | 10.0       | 6.0        |
| White-headed Munia           | <i>Lonchura maja</i>             | N                     | -                      | V          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Eurasian Tree Sparrow        | <i>Passer montanus</i>           | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Yellow-fronted Canary        | <i>Crithagra mozambica</i>       | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.4        | 0.0        | 0.3        | 0.2        | 0.0        |
| Red-billed Starling          | <i>Spodiopsar sericeus</i>       | Y                     | (RC)*                  | 1.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| White-cheeked Starling       | <i>Spodiopsar cineraceus</i>     | Y                     | PRC                    | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-collared Starling      | <i>Gracupica nigricollis</i>     | N                     | -                      | 3.0        | 4.8        | 2.5        | 0.8        | 2.4        | 3.8        | 3.8        | 3.8        | 4.8        | 1.3        | 1.2        | 4.0        |
| White-shouldered Starling    | <i>Sturnia sinensis</i>          | Y                     | (LC)                   | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.8        | 0.0        | 1.6        | 2.5        | 0.0        | 1.2        | 0.0        |
| Common Myna                  | <i>Acridotheres tristis</i>      | N                     | -                      | 0.5        | 0.0        | 0.0        | 0.0        | 0.2        | 0.0        | 0.3        | 0.2        | 0.0        | 0.0        | 0.0        | 0.3        |
| Crested Myna                 | <i>Acridotheres cristatellus</i> | N                     | -                      | 2.3        | 2.6        | 1.8        | 1.0        | 4.2        | 2.0        | 5.5        | 4.2        | 4.3        | 1.5        | 6.6        | 4.5        |
| Great Myna                   | <i>Acridotheres grandis</i>      | N                     | -                      | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black-naped Oriole           | <i>Oriolus chinensis</i>         | Y                     | LC                     | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Black Drongo                 | <i>Dicrurus macrocercus</i>      | N                     | -                      | 0.0        | 0.0        | 0.3        | 0.0        | 0.0        | 0.3        | 0.0        | 0.2        | 0.0        | 0.5        | 0.2        | 2.3        |

| Common name            | Scientific name                | Wetland<br>Dependence | Conservation<br>status | Nov-<br>20 | Dec-<br>20 | Jan-<br>21 | Feb-<br>21 | Mar-<br>21 | Apr-<br>21 | May-<br>21 | Jun-<br>21 | Jul-<br>21 | Aug-<br>21 | Sep-<br>21 | Oct-<br>21 |
|------------------------|--------------------------------|-----------------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Hair-crested Drongo    | <i>Dicrurus hottentottus</i>   | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Azure-winged Magpie    | <i>Cyanopica cyanus</i>        | N                     | -                      | 0.5        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.2        | 0.0        |
| Oriental Magpie        | <i>Pica serica</i>             | N                     | -                      | 0.0        | 0.4        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.3        | 0.0        | 0.2        | 0.3        |
| Red-billed Blue Magpie | <i>Urocissa erythrorhyncha</i> | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 1.0        | 0.0        | 0.0        | 0.4        | 0.0        |
| Large-billed Crow      | <i>Corvus macrorhynchos</i>    | N                     | -                      | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.2        | 0.3        | 0.0        | 0.0        | 0.0        |
| Collared Crow          | <i>Corvus torquatus</i>        | Y                     | LC, NT                 | 1.3        | 0.2        | 0.0        | 0.3        | 0.4        | 0.0        | 0.0        | 0.0        | 1.3        | 0.5        | 0.4        | 0.0        |

- Notes:
- (1) Conservation Status follows that of Fellows et. al. (2002) and BirdLife International listing (2017). See **Table B1** for the description of the codes. Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and for roosting sites rather than in general occurrence. (Fellowes et al. 2002)
- (2) Updated species names used in the report include Eurasian Magpie (*Pica serica*) as Oriental Magpie (*Pica pica*), Japanese White-eye (*Zosterops japonica*) as Swinhoe's White-eye (*Zosterops simplex*), Chinese Bulbul (*Pycnonotus sinensis*) as Light-vented Bulbul (*Pycnonotus sinensis*) and Pale Martin (*Riparia diluta*) as Sand Martin (*Riparia riparia*)
- ^ Pintail Snipe and Swinhoe's Snipe cannot be distinguished in field, conservation status refers to Swinhoe's Snipe.
- V Indicates the species is recorded outside regular surveys.
- DS Indicates species recorded during survey.
- # Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected terrestrial wildlife state protection (category II).
- \* Red-billed Starling is considered by Fellows et al (2002) to be of Global Concern. Since publication, however, the global population estimate has been revised and the species is now not considered globally threatened. A listing of Regional Concern (RC) based on the importance of the large roosts present near Deep Bay, is considered to be more appropriate. (Wetland Restoration Plan, Mott, 2008). Red-billed Starling is now listed as Least Concern by IUCN. (IUCN, 2016)
- \*\* The species name is updated as Cinereous Tit, *Parus cinereus*, since June 2017.