


## **F. Graphical Plots of the Monitoring Results**




## Air Quality



### 1-hour TSP Level at ASR1




### 1-hour TSP Level at ASR2A



## Air Quality




## Air Quality




## Air Quality

24-hour TSP Level at ASR3




24-hour TSP Level at ASR4




## Noise



Noise Level for 30 min, dB(A), at NSR1




Noise Level for 30 min, dB(A), at NSR3




## Noise









## Water Quality









## Water Quality



## Water Quality



## Water Quality



**CERTIFICATE OF ANALYSIS**

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: <b>HK1810210</b>
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: 2242 1020	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK/5895/2015	<i>Date received</i>	: 02-Jan-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 08-Jan-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory, ALS Technichem (HK) Pty Ltd (Reg. No. HOKLAS 066) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.

This document has been signed by those names that appear on this report and are the authorised signatories.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:</i>
Fung Lim Chee, Richard	General Manager	Inorganics

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1810210 supersedes any previous reports with this reference. Testing period is from 02-Jan-2018 to 08-Jan-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

### Specific Comments for Work Order HK1810210 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.

### Analytical Results

Sub-Matrix: WATER			Compound <i>LOR Unit</i>	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
Client sample ID	Client sampling date / time	Laboratory sample <i>ID</i>		2 mg/L	2 mg/L	---	---	---
MP3-1	[02-Jan-2018]	HK1810210-001	39	29	---	---	---	---
MP3-2	[02-Jan-2018]	HK1810210-002	40	26	---	---	---	---
MP4-1	[02-Jan-2018]	HK1810210-003	22	6	---	---	---	---
MP4-2	[02-Jan-2018]	HK1810210-004	23	5	---	---	---	---
MP5-1	[02-Jan-2018]	HK1810210-005	27	9	---	---	---	---
MP5-2	[02-Jan-2018]	HK1810210-006	28	8	---	---	---	---
MP6-1	[02-Jan-2018]	HK1810210-007	31	11	---	---	---	---
MP6-2	[02-Jan-2018]	HK1810210-008	30	12	---	---	---	---

### Laboratory Duplicate (DUP) Report

Laboratory Duplicate (DUP) Report									
Matrix: WATER	Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1352573)</b>									
HK1810118-001	Anonymous	EA025: Suspended Solids (SS)		---	2	mg/L	<2	<2	0.00
HK1810217-001	Anonymous	EA025: Suspended Solids (SS)		---	2	mg/L	<2	<2	0.00

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER	Method Blank (MB) Report				Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
	Method: Compound	CAS Number	LOR	Unit	Result	Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						Concentration	LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1352573)</b>												
EA025: Suspended Solids (SS)		---	2	mg/L	<2	10 mg/L	101	---	81	117	---	---
<b>EP: Aggregate Organics (QC Lot: 1350928)</b>												
EP030: Biochemical Oxygen Demand		---	---	mg/L	---	198 mg/L	106	---	81	115	---	---

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

**CERTIFICATE OF ANALYSIS**

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: <b>HK1810580</b>
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: 2242 1020	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK/5895/2015	<i>Date received</i>	: 04-Jan-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 09-Jan-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory, ALS Technichem (HK) Pty Ltd (Reg. No. HOKLAS 066) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.

This document has been signed by those names that appear on this report and are the authorised signatories.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:</i>
Fung Lim Chee, Richard	General Manager	Inorganics

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1810580 supersedes any previous reports with this reference. Testing period is from 04-Jan-2018 to 09-Jan-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

### Specific Comments for Work Order HK1810580 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.

### Analytical Results

Sub-Matrix: WATER			Compound <i>LOR Unit</i>	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
Client sample ID	Client sampling date / time	Laboratory sample <i>ID</i>		2 mg/L	2 mg/L	---	---	---
MP3-1	[04-Jan-2018]	HK1810580-001	47	28	---	---	---	---
MP3-2	[04-Jan-2018]	HK1810580-002	47	30	---	---	---	---
MP4-1	[04-Jan-2018]	HK1810580-003	16	4	---	---	---	---
MP4-2	[04-Jan-2018]	HK1810580-004	14	4	---	---	---	---
MP5-1	[04-Jan-2018]	HK1810580-005	13	2	---	---	---	---
MP5-2	[04-Jan-2018]	HK1810580-006	15	3	---	---	---	---
MP6-1	[04-Jan-2018]	HK1810580-007	14	<2	---	---	---	---
MP6-2	[04-Jan-2018]	HK1810580-008	16	3	---	---	---	---

### Laboratory Duplicate (DUP) Report

Laboratory Duplicate (DUP) Report									
Matrix: WATER	Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1354560)</b>									
HK1810578-004	Anonymous	EA025: Suspended Solids (SS)		---	2	mg/L	5	6	0.00
HK1810583-001	Anonymous	EA025: Suspended Solids (SS)		---	2	mg/L	10	8	19.1

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER	Method Blank (MB) Report				Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
	Method: Compound	CAS Number	LOR	Unit	Result	Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						Concentration	LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1354560)</b>												
EA025: Suspended Solids (SS)		---	2	mg/L	<2	10 mg/L	97.0	---	81	117	---	---
<b>EP: Aggregate Organics (QC Lot: 1353575)</b>												
EP030: Biochemical Oxygen Demand		---	---	mg/L	---	198 mg/L	104	---	81	115	---	---

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

**CERTIFICATE OF ANALYSIS**

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: <b>HK1810960</b>
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: 2242 1020	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK/5895/2015	<i>Date received</i>	: 06-Jan-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 11-Jan-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory, ALS Technichem (HK) Pty Ltd (Reg. No. HOKLAS 066) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.

This document has been signed by those names that appear on this report and are the authorised signatories.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:</i>
Fung Lim Chee, Richard	General Manager	Inorganics

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1810960 supersedes any previous reports with this reference. Testing period is from 06-Jan-2018 to 11-Jan-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

### Specific Comments for Work Order HK1810960 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.

### Analytical Results

Sub-Matrix: WATER			Compound <i>LOR Unit</i>	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
Client sample ID	Client sampling date / time	Laboratory sample <i>ID</i>		2 mg/L	2 mg/L	---	---	---
MP3-1	[06-Jan-2018]	HK1810960-001	17	13	---	---	---	---
MP3-2	[06-Jan-2018]	HK1810960-002	19	13	---	---	---	---
MP4-1	[06-Jan-2018]	HK1810960-003	21	9	---	---	---	---
MP4-2	[06-Jan-2018]	HK1810960-004	19	9	---	---	---	---
MP5-1	[06-Jan-2018]	HK1810960-005	14	4	---	---	---	---
MP5-2	[06-Jan-2018]	HK1810960-006	13	4	---	---	---	---
MP6-1	[06-Jan-2018]	HK1810960-007	13	4	---	---	---	---
MP6-2	[06-Jan-2018]	HK1810960-008	11	4	---	---	---	---

### Laboratory Duplicate (DUP) Report

Laboratory Duplicate (DUP) Report									
Matrix: WATER	Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1356883)</b>									
HK1810979-001	Anonymous	EA025: Suspended Solids (SS)		----	2	mg/L	3	4	0.00

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER	Method Blank (MB) Report				Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report															
	Method: Compound	CAS Number	LOR	Unit	Result	Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)									
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1356883)</b>																				
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	90.0	----	81	117	----	----									
<b>EP: Aggregate Organics (QC Lot: 1356123)</b>																				
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	105	----	81	115	----	----									

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

**CERTIFICATE OF ANALYSIS**

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: <b>HK1811100</b>
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK/5895/2015	<i>Date received</i>	: 08-Jan-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 15-Jan-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory, ALS Technichem (HK) Pty Ltd (Reg. No. HOKLAS 066) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.

This document has been signed by those names that appear on this report and are the authorised signatories.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:</i>
Fung Lim Chee, Richard	General Manager	Inorganics

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1811100 supersedes any previous reports with this reference. Testing period is from 08-Jan-2018 to 15-Jan-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

### Specific Comments for Work Order HK1811100 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.

### Analytical Results

Sub-Matrix: WATER			Compound <i>LOR Unit</i>	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
Client sample ID	Client sampling date / time	Laboratory sample <i>ID</i>		2 mg/L	2 mg/L	---	---	---
MP3-1	[08-Jan-2018]	HK1811100-001	22	10	---	---	---	---
MP3-2	[08-Jan-2018]	HK1811100-002	24	10	---	---	---	---
MP4-1	[08-Jan-2018]	HK1811100-003	13	4	---	---	---	---
MP4-2	[08-Jan-2018]	HK1811100-004	13	5	---	---	---	---
MP5-1	[08-Jan-2018]	HK1811100-005	12	5	---	---	---	---
MP5-2	[08-Jan-2018]	HK1811100-006	14	5	---	---	---	---
MP6-1	[08-Jan-2018]	HK1811100-007	26	10	---	---	---	---
MP6-2	[08-Jan-2018]	HK1811100-008	25	9	---	---	---	---

### Laboratory Duplicate (DUP) Report

Laboratory Duplicate (DUP) Report									
Matrix: WATER	Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1358874)</b>									
HK1811086-003	Anonymous		EA025: Suspended Solids (SS)	---	2	mg/L	3	2	0.00
HK1811091-003	Anonymous		EA025: Suspended Solids (SS)	---	2	mg/L	25	25	0.00
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1358875)</b>									
HK1811154-001	Anonymous		EA025: Suspended Solids (SS)	---	2	mg/L	8	8	0.00
HK1811154-002	Anonymous		EA025: Suspended Solids (SS)	---	2	mg/L	<2	<2	0.00

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER	Method Blank (MB) Report				Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
	Method: Compound	CAS Number	LOR	Unit	Result	Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						Concentration	LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1358874)</b>												
EA025: Suspended Solids (SS)	---	---	2	mg/L	<2	10 mg/L	89.0	---	81	117	---	---
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1358875)</b>												
EA025: Suspended Solids (SS)	---	---	2	mg/L	<2	10 mg/L	86.0	---	81	117	---	---
<b>EP: Aggregate Organics (QC Lot: 1359320)</b>												
EP030: Biochemical Oxygen Demand	---	---	---	mg/L	---	198 mg/L	106	---	81	115	---	---
<b>EP: Aggregate Organics (QC Lot: 1359321)</b>												
EP030: Biochemical Oxygen Demand	---	---	---	mg/L	---	198 mg/L	107	---	81	115	---	---

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

**CERTIFICATE OF ANALYSIS**

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: <b>HK1811692</b>
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: 2242 1020	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK/5895/2015	<i>Date received</i>	: 10-Jan-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 17-Jan-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory, ALS Technichem (HK) Pty Ltd (Reg. No. HOKLAS 066) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.

This document has been signed by those names that appear on this report and are the authorised signatories.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:</i>
Fung Lim Chee, Richard	General Manager	Inorganics

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1811692 supersedes any previous reports with this reference. Testing period is from 10-Jan-2018 to 16-Jan-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

### Specific Comments for Work Order HK1811692 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.

### Analytical Results

Sub-Matrix: WATER			Compound <i>LOR Unit</i>	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
Client sample ID	Client sampling date / time	Laboratory sample <i>ID</i>		2 mg/L	2 mg/L	---	---	---
MP3-1	[10-Jan-2018]	HK1811692-001	15	12	---	---	---	---
MP3-2	[10-Jan-2018]	HK1811692-002	16	11	---	---	---	---
MP4-1	[10-Jan-2018]	HK1811692-003	27	<2	---	---	---	---
MP4-2	[10-Jan-2018]	HK1811692-004	25	<2	---	---	---	---
MP5-1	[10-Jan-2018]	HK1811692-005	13	<2	---	---	---	---
MP5-2	[10-Jan-2018]	HK1811692-006	14	<2	---	---	---	---
MP6-1	[10-Jan-2018]	HK1811692-007	22	7	---	---	---	---
MP6-2	[10-Jan-2018]	HK1811692-008	22	5	---	---	---	---

### Laboratory Duplicate (DUP) Report

Laboratory Duplicate (DUP) Report									
Matrix: WATER	Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1365982)</b>									
HK1811496-026	Anonymous	EA025: Suspended Solids (SS)	---	2	mg/L	241	227	6.06	
HK1811575-008	Anonymous	EA025: Suspended Solids (SS)	---	2	mg/L	123	116	5.43	

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER	Method Blank (MB) Report				Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
	Method: Compound	CAS Number	LOR	Unit	Result	Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						Concentration	LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1365982)</b>												
EA025: Suspended Solids (SS)	---	2	mg/L	<2	10 mg/L	89.5	---	---	81	117	---	---
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1365983)</b>												
EA025: Suspended Solids (SS)	---	2	mg/L	<2	10 mg/L	90.0	---	---	81	117	---	---
<b>EP: Aggregate Organics (QC Lot: 1363762)</b>												
EP030: Biochemical Oxygen Demand	---	---	mg/L	---	198 mg/L	91.7	---	---	81	121	---	---

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

**CERTIFICATE OF ANALYSIS**

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: <b>HK1812229</b>
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: 2242 1020	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK/5895/2015	<i>Date received</i>	: 12-Jan-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 19-Jan-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory, ALS Technichem (HK) Pty Ltd (Reg. No. HOKLAS 066) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.

This document has been signed by those names that appear on this report and are the authorised signatories.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:</i>
Fung Lim Chee, Richard	General Manager	Inorganics

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1812229 supersedes any previous reports with this reference. Testing period is from 12-Jan-2018 to 18-Jan-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

### Specific Comments for Work Order HK1812229 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.

### Analytical Results

Sub-Matrix: WATER			Compound <i>LOR Unit</i>	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
Client sample ID	Client sampling date / time	Laboratory sample <i>ID</i>		2 mg/L	2 mg/L	---	---	---
MP3-1	[12-Jan-2018]	HK1812229-001	37	20	---	---	---	---
MP3-2	[12-Jan-2018]	HK1812229-002	38	21	---	---	---	---
MP4-1	[12-Jan-2018]	HK1812229-003	44	7	---	---	---	---
MP4-2	[12-Jan-2018]	HK1812229-004	46	7	---	---	---	---
MP5-1	[12-Jan-2018]	HK1812229-005	21	7	---	---	---	---
MP5-2	[12-Jan-2018]	HK1812229-006	23	7	---	---	---	---
MP6-1	[12-Jan-2018]	HK1812229-007	26	10	---	---	---	---
MP6-2	[12-Jan-2018]	HK1812229-008	28	9	---	---	---	---

### Laboratory Duplicate (DUP) Report

Laboratory Duplicate (DUP) Report									
Matrix: WATER	Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1368771)</b>									
HK1812221-008	Anonymous	EA025: Suspended Solids (SS)		---	2	mg/L	122	125	3.08
HK1812232-004	Anonymous	EA025: Suspended Solids (SS)		---	2	mg/L	<2	<2	0.00

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER	Method Blank (MB) Report				Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
	Method: Compound	CAS Number	LOR	Unit	Result	Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						Concentration	LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1368771)</b>												
EA025: Suspended Solids (SS)		---	2	mg/L	<2	10 mg/L	108	---	81	117	---	---
<b>EP: Aggregate Organics (QC Lot: 1367710)</b>												
EP030: Biochemical Oxygen Demand		---	---	mg/L	---	198 mg/L	95.6	---	81	121	---	---

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

**CERTIFICATE OF ANALYSIS**

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: <b>HK1812448</b>
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK/5895/2015	<i>Date received</i>	: 15-Jan-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 22-Jan-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory, ALS Technichem (HK) Pty Ltd (Reg. No. HOKLAS 066) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.

This document has been signed by those names that appear on this report and are the authorised signatories.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:</i>
Fung Lim Chee, Richard	General Manager	Inorganics

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1812448 supersedes any previous reports with this reference. Testing period is from 15-Jan-2018 to 22-Jan-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

### Specific Comments for Work Order HK1812448 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.

### Analytical Results

Sub-Matrix: WATER			Compound <i>LOR Unit</i>	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
Client sample ID	Client sampling date / time	Laboratory sample <i>ID</i>		2 mg/L	2 mg/L	---	---	---
MP3-1	[15-Jan-2018]	HK1812448-001	29	18	---	---	---	---
MP3-2	[15-Jan-2018]	HK1812448-002	30	18	---	---	---	---
MP4-1	[15-Jan-2018]	HK1812448-003	13	7	---	---	---	---
MP4-2	[15-Jan-2018]	HK1812448-004	14	6	---	---	---	---
MP5-1	[15-Jan-2018]	HK1812448-005	16	7	---	---	---	---
MP5-2	[15-Jan-2018]	HK1812448-006	18	6	---	---	---	---
MP6-1	[15-Jan-2018]	HK1812448-007	33	18	---	---	---	---
MP6-2	[15-Jan-2018]	HK1812448-008	37	18	---	---	---	---

### Laboratory Duplicate (DUP) Report

Laboratory Duplicate (DUP) Report									
Matrix: WATER	Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1371194)</b>									
HK1812405-002	Anonymous		EA025: Suspended Solids (SS)	---	2	mg/L	5	5	0.00
HK1812406-002	Anonymous		EA025: Suspended Solids (SS)	---	2	mg/L	8	9	13.5
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1371195)</b>									
HK1812477-004	Anonymous		EA025: Suspended Solids (SS)	---	2	mg/L	<2	<2	0.00
HK1812514-001	Anonymous		EA025: Suspended Solids (SS)	---	2	mg/L	10	8	21.0

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER	Method Blank (MB) Report				Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report								
	Method: Compound	CAS Number	LOR	Unit	Result	Spike		Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						Concentration	LCS	DCS	Low	High	Value	Control Limit	
EA/ED: Physical and Aggregate Properties (QC Lot: 1371194)													
EA025: Suspended Solids (SS)	---	2	mg/L	<2	10 mg/L	100	---	81	117	---	---	---	
EA/ED: Physical and Aggregate Properties (QC Lot: 1371195)													
EA025: Suspended Solids (SS)	---	2	mg/L	<2	10 mg/L	92.5	---	81	117	---	---	---	
EP: Aggregate Organics (QC Lot: 1369929)													
EP030: Biochemical Oxygen Demand	---	---	mg/L	---	198 mg/L	103	---	81	121	---	---	---	

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

**CERTIFICATE OF ANALYSIS**

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: <b>HK1812908</b>
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK/5895/2015	<i>Date received</i>	: 17-Jan-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 24-Jan-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory, ALS Technichem (HK) Pty Ltd (Reg. No. HOKLAS 066) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.

This document has been signed by those names that appear on this report and are the authorised signatories.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:</i>
Fung Lim Chee, Richard	General Manager	Inorganics

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1812908 supersedes any previous reports with this reference. Testing period is from 17-Jan-2018 to 24-Jan-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

### Specific Comments for Work Order HK1812908 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.

### Analytical Results

Sub-Matrix: WATER			Compound <i>LOR Unit</i>	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
Client sample ID	Client sampling date / time	Laboratory sample ID		2 mg/L	2 mg/L	---	---	---
MP3-1	[17-Jan-2018]	HK1812908-001	10	10	---	---	---	---
MP3-2	[17-Jan-2018]	HK1812908-002	11	10	---	---	---	---
MP4-1	[17-Jan-2018]	HK1812908-003	30	4	---	---	---	---
MP4-2	[17-Jan-2018]	HK1812908-004	33	2	---	---	---	---
MP5-1	[17-Jan-2018]	HK1812908-005	18	<2	---	---	---	---
MP5-2	[17-Jan-2018]	HK1812908-006	17	<2	---	---	---	---
MP6-1	[17-Jan-2018]	HK1812908-007	11	8	---	---	---	---
MP6-2	[17-Jan-2018]	HK1812908-008	13	9	---	---	---	---

### Laboratory Duplicate (DUP) Report

Laboratory Duplicate (DUP) Report									
Matrix: WATER	Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1376482)</b>									
HK1812898-009	Anonymous		EA025: Suspended Solids (SS)	---	2	mg/L	22	20	7.59
HK1812898-019	Anonymous		EA025: Suspended Solids (SS)	---	2	mg/L	88	95	7.57
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1376483)</b>									
HK1812913-001	Anonymous		EA025: Suspended Solids (SS)	---	2	mg/L	4	3	33.2
HK1812930-001	Anonymous		EA025: Suspended Solids (SS)	---	2	mg/L	220	225	2.02

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER	Method Blank (MB) Report				Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report								
	Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
								LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QC Lot: 1376482)	EA025: Suspended Solids (SS)	---	2	mg/L	<2	10 mg/L	114	---	81	117	---	---	
EA/ED: Physical and Aggregate Properties (QC Lot: 1376483)	EA025: Suspended Solids (SS)	---	2	mg/L	<2	10 mg/L	114	---	81	117	---	---	
EP: Aggregate Organics (QC Lot: 1374826)	EP030: Biochemical Oxygen Demand	---	---	mg/L	---	198 mg/L	97.0	---	81	121	---	---	

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

**CERTIFICATE OF ANALYSIS**

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: <b>HK1813348</b>
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Faxsimile</i>	: ----	<i>Faxsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK5393b/2016	<i>Date received</i>	: 19-Jan-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 24-Jan-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory, ALS Technichem (HK) Pty Ltd (Reg. No. HOKLAS 066) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.

This document has been signed by those names that appear on this report and are the authorised signatories.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:</i>
Fung Lim Chee, Richard	General Manager	Inorganics

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1813348 supersedes any previous reports with this reference. Testing period is from 19-Jan-2018 to 24-Jan-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

### Specific Comments for Work Order HK1813348 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on an as received basis.

### Analytical Results

Sub-Matrix: WATER			Compound <i>LOR Unit</i>	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
Client sample ID	Client sampling date / time	Laboratory sample <i>ID</i>		2 mg/L	2 mg/L	---	---	---
MP3-1	19-Jan-2018	HK1813348-001	39	20	---	---	---	---
MP3-2	19-Jan-2018	HK1813348-002	41	22	---	---	---	---
MP4-1	19-Jan-2018	HK1813348-003	32	9	---	---	---	---
MP4-2	19-Jan-2018	HK1813348-004	33	10	---	---	---	---
MP5-1	19-Jan-2018	HK1813348-005	28	11	---	---	---	---
MP5-2	19-Jan-2018	HK1813348-006	28	11	---	---	---	---
MP6-1	19-Jan-2018	HK1813348-007	34	14	---	---	---	---
MP6-2	19-Jan-2018	HK1813348-008	36	12	---	---	---	---

### Laboratory Duplicate (DUP) Report

Laboratory Duplicate (DUP) Report									
Matrix: WATER	Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1382215)</b>									
HK1813357-001	Anonymous	EA025: Suspended Solids (SS)		---	2	mg/L	2	2	0.00
HK1813358-001	Anonymous	EA025: Suspended Solids (SS)		---	2	mg/L	2	2	0.00

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER	Method Blank (MB) Report				Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
	Method: Compound	CAS Number	LOR	Unit	Result	Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						Concentration	LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1382215)</b>												
EA025: Suspended Solids (SS)		---	2	mg/L	<2	10 mg/L	110	---	81	117	---	---
<b>EP: Aggregate Organics (QC Lot: 1379463)</b>												
EP030: Biochemical Oxygen Demand		---	---	mg/L	---	198 mg/L	108	---	81	121	---	---
<b>EP: Aggregate Organics (QC Lot: 1379840)</b>												
EP030: Biochemical Oxygen Demand		---	---	mg/L	---	198 mg/L	101	---	81	121	---	---

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

**CERTIFICATE OF ANALYSIS**

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: <b>HK1813734</b>
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK/5895/2015	<i>Date received</i>	: 22-Jan-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 29-Jan-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory, ALS Technichem (HK) Pty Ltd (Reg. No. HOKLAS 066) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.

This document has been signed by those names that appear on this report and are the authorised signatories.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:</i>
Fung Lim Chee, Richard	General Manager	Inorganics

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1813734 supersedes any previous reports with this reference. Testing period is from 22-Jan-2018 to 29-Jan-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

### Specific Comments for Work Order HK1813734 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.

### Analytical Results

Sub-Matrix: WATER			Compound <i>LOR Unit</i>	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
Client sample ID	Client sampling date / time	Laboratory sample <i>ID</i>		2 mg/L	2 mg/L	---	---	---
MP3-1	[22-Jan-2018]	HK1813734-001	33	30	---	---	---	---
MP3-2	[22-Jan-2018]	HK1813734-002	34	30	---	---	---	---
MP4-1	[22-Jan-2018]	HK1813734-003	35	5	---	---	---	---
MP4-2	[22-Jan-2018]	HK1813734-004	34	6	---	---	---	---
MP5-1	[22-Jan-2018]	HK1813734-005	35	8	---	---	---	---
MP5-2	[22-Jan-2018]	HK1813734-006	34	10	---	---	---	---
MP6-1	[22-Jan-2018]	HK1813734-007	38	10	---	---	---	---
MP6-2	[22-Jan-2018]	HK1813734-008	37	12	---	---	---	---

### Laboratory Duplicate (DUP) Report

Laboratory Duplicate (DUP) Report									
Matrix: WATER	Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1388239)</b>									
HK1813619-020	Anonymous		EA025: Suspended Solids (SS)	---	2	mg/L	1170	1280	8.91
HK1813697-001	Anonymous		EA025: Suspended Solids (SS)	---	2	mg/L	11	11	0.00
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1388240)</b>									
HK1813774-001	Anonymous		EA025: Suspended Solids (SS)	---	2	mg/L	<2	<2	0.00
HK1813776-004	Anonymous		EA025: Suspended Solids (SS)	---	2	mg/L	88	94	6.80

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER	Method Blank (MB) Report				Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report								
	Method: Compound	CAS Number	LOR	Unit	Result	Spike		Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						Concentration	LCS	DCS	Low	High	Value	Control Limit	
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1388239)</b>													
EA025: Suspended Solids (SS)	---	2	mg/L	<2	10 mg/L	89.0	---	81	117	---	---	---	
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1388240)</b>													
EA025: Suspended Solids (SS)	---	2	mg/L	<2	10 mg/L	87.0	---	81	117	---	---	---	
<b>EP: Aggregate Organics (QC Lot: 1385992)</b>													
EP030: Biochemical Oxygen Demand	---	---	mg/L	---	198 mg/L	109	---	81	121	---	---	---	

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

**CERTIFICATE OF ANALYSIS**

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: <b>HK1814081</b>
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Faxsimile</i>	: ----	<i>Faxsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK/5895/2015	<i>Date received</i>	: 24-Jan-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 29-Jan-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory, ALS Technichem (HK) Pty Ltd (Reg. No. HOKLAS 066) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.

This document has been signed by those names that appear on this report and are the authorised signatories.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:</i>
Fung Lim Chee, Richard	General Manager	Inorganics

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1814081 supersedes any previous reports with this reference. Testing period is from 24-Jan-2018 to 29-Jan-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

### Specific Comments for Work Order HK1814081 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.

### Analytical Results

Sub-Matrix: WATER			Compound <i>LOR Unit</i>	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
Client sample ID	Client sampling date / time	Laboratory sample <i>ID</i>		2 mg/L	2 mg/L	---	---	---
MP3-1	[24-Jan-2018]	HK1814081-001	30	4	---	---	---	---
MP3-2	[24-Jan-2018]	HK1814081-002	30	5	---	---	---	---
MP4-1	[24-Jan-2018]	HK1814081-003	29	3	---	---	---	---
MP4-2	[24-Jan-2018]	HK1814081-004	27	<2	---	---	---	---
MP5-1	[24-Jan-2018]	HK1814081-005	17	2	---	---	---	---
MP5-2	[24-Jan-2018]	HK1814081-006	17	<2	---	---	---	---
MP6-1	[24-Jan-2018]	HK1814081-007	28	4	---	---	---	---
MP6-2	[24-Jan-2018]	HK1814081-008	26	4	---	---	---	---

### Laboratory Duplicate (DUP) Report

Laboratory Duplicate (DUP) Report									
Matrix: WATER	Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1391116)</b>									
HK1814066-001	Anonymous		EA025: Suspended Solids (SS)	---	2	mg/L	7	7	0.00
HK1814066-011	Anonymous		EA025: Suspended Solids (SS)	---	2	mg/L	4	4	0.00
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1391117)</b>									
HK1814098-006	Anonymous		EA025: Suspended Solids (SS)	---	2	mg/L	<2	<2	0.00
HK1814116-001	Anonymous		EA025: Suspended Solids (SS)	---	2	mg/L	<2	<2	0.00

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER	Method Blank (MB) Report				Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike		Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
	Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1391116)</b>												
EA025: Suspended Solids (SS)	---	2	mg/L	<2	10 mg/L	101	---	---	81	117	---	---
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1391117)</b>												
EA025: Suspended Solids (SS)	---	2	mg/L	<2	10 mg/L	86.5	---	---	81	117	---	---
<b>EP: Aggregate Organics (QC Lot: 1389653)</b>												
EP030: Biochemical Oxygen Demand	---	---	mg/L	---	198 mg/L	101	---	---	81	121	---	---

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

**CERTIFICATE OF ANALYSIS**

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: <b>HK1814369</b>
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK/5895/2015	<i>Date received</i>	: 26-Jan-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 01-Feb-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory, ALS Technichem (HK) Pty Ltd (Reg. No. HOKLAS 066) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.

This document has been signed by those names that appear on this report and are the authorised signatories.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:</i>
Fung Lim Chee, Richard	General Manager	Inorganics

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1814369 supersedes any previous reports with this reference. Testing period is from 26-Jan-2018 to 01-Feb-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

### Specific Comments for Work Order HK1814369 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.

### Analytical Results

Sub-Matrix: WATER			Compound <i>LOR Unit</i>	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
Client sample ID	Client sampling date / time	Laboratory sample <i>ID</i>		2 mg/L	2 mg/L	---	---	---
MP3-1	[26-Jan-2018]	HK1814369-001	29	13	---	---	---	---
MP3-2	[26-Jan-2018]	HK1814369-002	31	14	---	---	---	---
MP4-1	[26-Jan-2018]	HK1814369-003	40	11	---	---	---	---
MP4-2	[26-Jan-2018]	HK1814369-004	39	11	---	---	---	---
MP5-1	[26-Jan-2018]	HK1814369-005	49	12	---	---	---	---
MP5-2	[26-Jan-2018]	HK1814369-006	46	13	---	---	---	---
MP6-1	[26-Jan-2018]	HK1814369-007	47	7	---	---	---	---
MP6-2	[26-Jan-2018]	HK1814369-008	46	7	---	---	---	---

### Laboratory Duplicate (DUP) Report

Laboratory Duplicate (DUP) Report									
Matrix: WATER	Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1395955)</b>									
HK1814358-002	Anonymous	EA025: Suspended Solids (SS)	---	2	mg/L	90	90	0.00	
HK1814378-009	Anonymous	EA025: Suspended Solids (SS)	---	2	mg/L	<2	<2	0.00	

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER	Method Blank (MB) Report				Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
	Method: Compound	CAS Number	LOR	Unit	Result	Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						Concentration	LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1395955)</b>												
EA025: Suspended Solids (SS)	---	2	mg/L	<2	10 mg/L	110	---	---	81	117	---	---
<b>EP: Aggregate Organics (QC Lot: 1393779)</b>												
EP030: Biochemical Oxygen Demand	---	---	mg/L	---	198 mg/L	109	---	---	81	121	---	---
<b>EP: Aggregate Organics (QC Lot: 1393899)</b>												
EP030: Biochemical Oxygen Demand	---	---	mg/L	---	198 mg/L	111	---	---	81	121	---	---

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

**CERTIFICATE OF ANALYSIS**

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: <b>HK1814523</b>
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Faxsimile</i>	: ----	<i>Faxsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HK/5895/2015	<i>Date received</i>	: 29-Jan-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 05-Feb-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory, ALS Technichem (HK) Pty Ltd (Reg. No. HOKLAS 066) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.

This document has been signed by those names that appear on this report and are the authorised signatories.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:</i>
Fung Lim Chee, Richard	General Manager	Inorganics

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1814523 supersedes any previous reports with this reference. Testing period is from 29-Jan-2018 to 05-Feb-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

### Specific Comments for Work Order HK1814523 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.

### Analytical Results

Sub-Matrix: WATER			Compound <i>LOR Unit</i>	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
Client sample ID	Client sampling date / time	Laboratory sample ID		2 mg/L	2 mg/L	---	---	---
MP3-1	[29-Jan-2018]	HK1814523-001	26	8	---	---	---	---
MP3-2	[29-Jan-2018]	HK1814523-002	24	6	---	---	---	---
MP4-1	[29-Jan-2018]	HK1814523-003	16	3	---	---	---	---
MP4-2	[29-Jan-2018]	HK1814523-004	18	<2	---	---	---	---
MP5-1	[29-Jan-2018]	HK1814523-005	21	<2	---	---	---	---
MP5-2	[29-Jan-2018]	HK1814523-006	21	<2	---	---	---	---
MP6-1	[29-Jan-2018]	HK1814523-007	5	3	---	---	---	---
MP6-2	[29-Jan-2018]	HK1814523-008	5	<2	---	---	---	---

### Laboratory Duplicate (DUP) Report

Laboratory Duplicate (DUP) Report									
Matrix: WATER	Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1398911)</b>									
HK1814488-001	Anonymous	EA025: Suspended Solids (SS)		---	2	mg/L	<2	<2	0.00
HK1814511-001	Anonymous	EA025: Suspended Solids (SS)		---	2	mg/L	<2	<2	0.00

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER	Method Blank (MB) Report				Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
	Method: Compound	CAS Number	LOR	Unit	Result	Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						Concentration	LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1398911)</b>												
EA025: Suspended Solids (SS)		---	2	mg/L	<2	10 mg/L	89.5	---	81	117	---	---
<b>EP: Aggregate Organics (QC Lot: 1396624)</b>												
EP030: Biochemical Oxygen Demand		---	---	mg/L	---	198 mg/L	96.1	---	81	121	---	---

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

**CERTIFICATE OF ANALYSIS**

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: <b>HK1814897</b>
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: 2242 1020	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HKE/2894/2017	<i>Date received</i>	: 31-Jan-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 06-Feb-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory, ALS Technichem (HK) Pty Ltd (Reg. No. HOKLAS 066) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.

This document has been signed by those names that appear on this report and are the authorised signatories.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:</i>
Fung Lim Chee, Richard	General Manager	Inorganics

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1814897 supersedes any previous reports with this reference. Testing period is from 31-Jan-2018 to 06-Feb-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

### Specific Comments for Work Order HK1814897 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.

### Analytical Results

Sub-Matrix: WATER			Compound <i>LOR Unit</i>	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	---	---	---
Client sample ID	Client sampling date / time	Laboratory sample <i>ID</i>		2 mg/L	2 mg/L	---	---	---
MP3-1	31-Jan-2018	HK1814897-001	20	6	---	---	---	---
MP3-2	31-Jan-2018	HK1814897-002	21	5	---	---	---	---
MP4-1	31-Jan-2018	HK1814897-003	9	3	---	---	---	---
MP4-2	31-Jan-2018	HK1814897-004	8	2	---	---	---	---
MP5-1	31-Jan-2018	HK1814897-005	11	2	---	---	---	---
MP5-2	31-Jan-2018	HK1814897-006	13	<2	---	---	---	---
MP6-1	31-Jan-2018	HK1814897-007	20	5	---	---	---	---
MP6-2	31-Jan-2018	HK1814897-008	21	6	---	---	---	---

### Laboratory Duplicate (DUP) Report

Laboratory Duplicate (DUP) Report									
Matrix: WATER	Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1407651)</b>									
HK1814530-001	Anonymous	EA025: Suspended Solids (SS)		---	2	mg/L	6	6	0.00
HK1814896-001	Anonymous	EA025: Suspended Solids (SS)		---	2	mg/L	3	3	0.00

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER	Method Blank (MB) Report				Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
	Method: Compound	CAS Number	LOR	Unit	Result	Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						Concentration	LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 1407651)</b>												
EA025: Suspended Solids (SS)		---	2	mg/L	<2	10 mg/L	96.0	---	81	117	---	---
<b>EP: Aggregate Organics (QC Lot: 1408016)</b>												
EP030: Biochemical Oxygen Demand		---	---	mg/L	---	198 mg/L	101	---	81	121	---	---

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.