




F. Graphical Plots of the Monitoring Results

Air Quality




Air Quality

1-hour TSP Level at ASR3




1-hour TSP Level at ASR4




Air Quality

24-hour TSP Level at ASR1




24-hour TSP Level at ASR2A




Air Quality

24-hour TSP Level at ASR3




24-hour TSP Level at ASR4




Noise

Noise Level for 30 min, dB(A), at NSR1









Noise Level for 30 min, dB(A), at NSR3









Noise









Water Quality









Water Quality



Water Quality



Water Quality





CERTIFICATE OF ANALYSIS

Client : ENOVATIVE ENVIRONMENTAL SERVICE LTD
Contact : MR THOMAS WONG
Address : FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN,
N.T. HONG KONG
E-mail : Thomas.Wong@eno.com.hk
Telephone : ----
Facsimile : ----
Project : PROPOSED COMPREHENSIVE
DEVELOPMENT AT WO SHANG WAI
YUEN LONG
Order number : —
C-O-C number : —
Site : —

Laboratory : ALS Technichem (HK) Pty Ltd
Contact : Richard Fung
Address : 11/F., Chung Shun Knitting Centre, 1 - 3
Wing Yip Street, Kwai Chung, N.T.,
Hong Kong
E-mail : richard.fung@alsglobal.com
Telephone : +852 2610 1044
Facsimile : +852 2610 2021
Quote number : HKE/2894/2017

Page : 1 of 4
Work Order : **HK1819156**

Date received : 02-Mar-2018

Date of issue : 07-Mar-2018

No. of samples - *Received* : 8
- *Analysed* : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

General Manager

Authorised results for:

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1819156 supersedes any previous reports with this reference. Testing period is from 02-Mar-2018 to 07-Mar-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1819156 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	02-Mar-2018	HK1819156-001	66	11	----	----	----	----
MP3-2	02-Mar-2018	HK1819156-002	62	13	----	----	----	----
MP4-1	02-Mar-2018	HK1819156-003	37	3	----	----	----	----
MP4-2	02-Mar-2018	HK1819156-004	40	3	----	----	----	----
MP5-1	02-Mar-2018	HK1819156-005	54	4	----	----	----	----
MP5-2	02-Mar-2018	HK1819156-006	51	4	----	----	----	----
MP6-1	02-Mar-2018	HK1819156-007	46	4	----	----	----	----
MP6-2	02-Mar-2018	HK1819156-008	48	4	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 1471843)								
HK1819099-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	6720	6920	2.86
HK1819100-008	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 1471843)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	111	----	81	117	----	----
EP: Aggregate Organics (QCLot: 1469306)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	108	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1819563
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HKE/2894/2017	<i>Date received</i>	: 05-Mar-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 13-Mar-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:</i>
Fung Lim Chee, Richard	General Manager	Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1819563 supersedes any previous reports with this reference. Testing period is from 05-Mar-2018 to 12-Mar-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1819563 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	05-Mar-2018	HK1819563-001	46	14	----	----	----	----
MP3-2	05-Mar-2018	HK1819563-002	48	14	----	----	----	----
MP4-1	05-Mar-2018	HK1819563-003	52	6	----	----	----	----
MP4-2	05-Mar-2018	HK1819563-004	56	6	----	----	----	----
MP5-1	05-Mar-2018	HK1819563-005	16	2	----	----	----	----
MP5-2	05-Mar-2018	HK1819563-006	17	2	----	----	----	----
MP6-1	05-Mar-2018	HK1819563-007	30	2	----	----	----	----
MP6-2	05-Mar-2018	HK1819563-008	33	3	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 1477925)								
HK1817612-007	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	27	26	0.00
HK1819539-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	4	4	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
		Method: Compound	CAS Number	LOR		Unit	Result	LCS	DCS	Low	High	Value
EA/ED: Physical and Aggregate Properties (QCLot: 1477925)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	103	----	81	117	----	----
EP: Aggregate Organics (QCLot: 1476342)												
EP030: Biochemical Oxygen Demand		----	----	mg/L	----	198 mg/L	107	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

Client : ENOVATIVE ENVIRONMENTAL SERVICE LTD
Contact : MR THOMAS WONG
Address : FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN,
N.T. HONG KONG
E-mail : Thomas.Wong@eno.com.hk
Telephone : ----
Facsimile : ----
Project : PROPOSED COMPREHENSIVE
DEVELOPMENT AT WO SHANG WAI
YUEN LONG
Order number : —
C-O-C number : —
Site : —

Laboratory : ALS Technichem (HK) Pty Ltd
Contact : Richard Fung
Address : 11/F., Chung Shun Knitting Centre, 1 - 3
Wing Yip Street, Kwai Chung, N.T.,
Hong Kong
E-mail : richard.fung@alsglobal.com
Telephone : +852 2610 1044
Facsimile : +852 2610 2021
Quote number : HKE/2894/2017

Page : 1 of 4
Work Order : **HK1819954**

Date received : 07-Mar-2018

Date of issue : 13-Mar-2018

No. of samples - *Received* : 8
- *Analysed* : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

General Manager

Authorised results for:

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1819954 supersedes any previous reports with this reference. Testing period is from 07-Mar-2018 to 12-Mar-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1819954 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	07-Mar-2018	HK1819954-001	74	10	----	----	----	----
MP3-2	07-Mar-2018	HK1819954-002	74	12	----	----	----	----
MP4-1	07-Mar-2018	HK1819954-003	40	4	----	----	----	----
MP4-2	07-Mar-2018	HK1819954-004	38	5	----	----	----	----
MP5-1	07-Mar-2018	HK1819954-005	21	4	----	----	----	----
MP5-2	07-Mar-2018	HK1819954-006	20	4	----	----	----	----
MP6-1	07-Mar-2018	HK1819954-007	24	3	----	----	----	----
MP6-2	07-Mar-2018	HK1819954-008	22	3	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 1481175)								
HK1817618-011	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	19	18	0.00
HK1819846-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	57	54	4.51
EA/ED: Physical and Aggregate Properties (QC Lot: 1481176)								
HK1819960-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	14	14	0.00
HK1819977-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<5	<5	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
		Method: Compound	CAS Number	LOR		Unit	Result	LCS	DCS	Low	High	Value
EA/ED: Physical and Aggregate Properties (QCLot: 1481175)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	98.0	----	81	117	----	----
EA/ED: Physical and Aggregate Properties (QCLot: 1481176)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	88.0	----	81	117	----	----
EP: Aggregate Organics (QCLot: 1479460)												
EP030: Biochemical Oxygen Demand		----	----	mg/L	----	198 mg/L	113	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

Client : ENOVATIVE ENVIRONMENTAL SERVICE LTD
Contact : MR THOMAS WONG
Address : FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN,
N.T. HONG KONG
E-mail : Thomas.Wong@eno.com.hk
Telephone : ----
Facsimile : ----
Project : PROPOSED COMPREHENSIVE
DEVELOPMENT AT WO SHANG WAI
YUEN LONG
Order number : —
C-O-C number : —
Site : —

Laboratory : ALS Technichem (HK) Pty Ltd
Contact : Richard Fung
Address : 11/F., Chung Shun Knitting Centre, 1 - 3
Wing Yip Street, Kwai Chung, N.T.,
Hong Kong
E-mail : richard.fung@alsglobal.com
Telephone : +852 2610 1044
Facsimile : +852 2610 2021
Quote number : HKE/2894/2017

Page : 1 of 4
Work Order : HK1820426

Date received : 09-Mar-2018

Date of issue : 15-Mar-2018

No. of samples :
- *Received* : 8
- *Analysed* : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

General Manager

Authorised results for:

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1820426 supersedes any previous reports with this reference. Testing period is from 09-Mar-2018 to 15-Mar-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1820426 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	09-Mar-2018	HK1820426-001	55	8	----	----	----	----
MP3-2	09-Mar-2018	HK1820426-002	52	8	----	----	----	----
MP4-1	09-Mar-2018	HK1820426-003	38	<2	----	----	----	----
MP4-2	09-Mar-2018	HK1820426-004	38	<2	----	----	----	----
MP5-1	09-Mar-2018	HK1820426-005	12	<2	----	----	----	----
MP5-2	09-Mar-2018	HK1820426-006	13	3	----	----	----	----
MP6-1	09-Mar-2018	HK1820426-007	13	<2	----	----	----	----
MP6-2	09-Mar-2018	HK1820426-008	14	3	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 1488040)								
HK1820409-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	7	7	0.00
HK1820412-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	6	7	22.2

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
		Method: Compound	CAS Number	LOR		Unit	Result	LCS	DCS	Low	High	Value
EA/ED: Physical and Aggregate Properties (QCLot: 1488040)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	88.5	----	81	117	----	----
EP: Aggregate Organics (QCLot: 1486950)												
EP030: Biochemical Oxygen Demand		----	----	mg/L	----	198 mg/L	108	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

Client : ENOVATIVE ENVIRONMENTAL SERVICE LTD
Contact : MR THOMAS WONG
Address : FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN,
N.T. HONG KONG
E-mail : Thomas.Wong@eno.com.hk
Telephone : ----
Facsimile : ----
Project : PROPOSED COMPREHENSIVE
DEVELOPMENT AT WO SHANG WAI
YUEN LONG
Order number :
C-O-C number : —
Site : —

Laboratory : ALS Technichem (HK) Pty Ltd
Contact : Richard Fung
Address : 11/F., Chung Shun Knitting Centre, 1 - 3
Wing Yip Street, Kwai Chung, N.T.,
Hong Kong
E-mail : richard.fung@alsglobal.com
Telephone : +852 2610 1044
Facsimile : +852 2610 2021
Quote number : HKE/2894/2017

Page : 1 of 4
Work Order : HK1820666

Date received : 12-Mar-2018

Date of issue : 19-Mar-2018

No. of samples - *Received* : 8
- *Analysed* : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

General Manager

Authorised results for:

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1820666 supersedes any previous reports with this reference. Testing period is from 12-Mar-2018 to 19-Mar-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1820666 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: **WATER**

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	12-Mar-2018	HK1820666-001	68	10	----	----	----	----
MP3-2	12-Mar-2018	HK1820666-002	66	10	----	----	----	----
MP4-1	12-Mar-2018	HK1820666-003	28	<2	----	----	----	----
MP4-2	12-Mar-2018	HK1820666-004	26	<2	----	----	----	----
MP5-1	12-Mar-2018	HK1820666-005	23	<2	----	----	----	----
MP5-2	12-Mar-2018	HK1820666-006	22	<2	----	----	----	----
MP6-1	12-Mar-2018	HK1820666-007	32	2	----	----	----	----
MP6-2	12-Mar-2018	HK1820666-008	31	3	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 1491177)								
HK1820644-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	23	24	0.00
HK1820696-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	26	27	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 1491177)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	100	----	81	117	----	----
EP: Aggregate Organics (QCLot: 1492818)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	101	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1821037
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HKE/2894/2017	<i>Date received</i>	: 14-Mar-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 20-Mar-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

General Manager

Authorised results for:

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1821037 supersedes any previous reports with this reference. Testing period is from 14-Mar-2018 to 19-Mar-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1821037 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: **WATER**

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	14-Mar-2018	HK1821037-001	16	4	----	----	----	----
MP3-2	14-Mar-2018	HK1821037-002	18	4	----	----	----	----
MP4-1	14-Mar-2018	HK1821037-003	28	<2	----	----	----	----
MP4-2	14-Mar-2018	HK1821037-004	30	2	----	----	----	----
MP5-1	14-Mar-2018	HK1821037-005	36	10	----	----	----	----
MP5-2	14-Mar-2018	HK1821037-006	38	8	----	----	----	----
MP6-1	14-Mar-2018	HK1821037-007	34	6	----	----	----	----
MP6-2	14-Mar-2018	HK1821037-008	35	8	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 1497848)								
HK1821001-010	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	10	10	0.00
HK1821039-006	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	3	4	30.9

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
		Method: Compound	CAS Number	LOR		Unit	Result	LCS	DCS	Low	High	Value
EA/ED: Physical and Aggregate Properties (QCLot: 1497848)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	97.5	----	81	117	----	----
EP: Aggregate Organics (QCLot: 1494608)												
EP030: Biochemical Oxygen Demand		----	----	mg/L	----	198 mg/L	112	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1821433
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HKE/2894/2017	<i>Date received</i>	: 16-Mar-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 21-Mar-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- <i>Received</i> : 8
<i>Site</i>	: —				- <i>Analysed</i> : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

General Manager

Authorised results for:

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1821433 supersedes any previous reports with this reference. Testing period is from 16-Mar-2018 to 21-Mar-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1821433 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: **WATER**

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	16-Mar-2018	HK1821433-001	38	2	----	----	----	----
MP3-2	16-Mar-2018	HK1821433-002	38	2	----	----	----	----
MP4-1	16-Mar-2018	HK1821433-003	40	<2	----	----	----	----
MP4-2	16-Mar-2018	HK1821433-004	42	<2	----	----	----	----
MP5-1	16-Mar-2018	HK1821433-005	31	<2	----	----	----	----
MP5-2	16-Mar-2018	HK1821433-006	33	<2	----	----	----	----
MP6-1	16-Mar-2018	HK1821433-007	50	5	----	----	----	----
MP6-2	16-Mar-2018	HK1821433-008	48	5	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 1505047)								
HK1821420-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00
HK1821425-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 1505047)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	102	----	81	117	----	----
EP: Aggregate Organics (QCLot: 1501212)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	107	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

Client : ENOVATIVE ENVIRONMENTAL SERVICE LTD
Contact : MR THOMAS WONG
Address : FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN,
N.T. HONG KONG
E-mail : Thomas.Wong@eno.com.hk
Telephone : ----
Facsimile : ----
Project : PROPOSED COMPREHENSIVE
DEVELOPMENT AT WO SHANG WAI
YUEN LONG
Order number :
C-O-C number : —
Site : —

Laboratory : ALS Technichem (HK) Pty Ltd
Contact : Richard Fung
Address : 11/F., Chung Shun Knitting Centre, 1 - 3
Wing Yip Street, Kwai Chung, N.T.,
Hong Kong
E-mail : richard.fung@alsglobal.com
Telephone : +852 2610 1044
Facsimile : +852 2610 2021
Quote number : HKE/2894/2017

Page : 1 of 4
Work Order : **HK1821891**

Date received : 19-Mar-2018

Date of issue : 27-Mar-2018

No. of samples - *Received* : 8
- *Analysed* : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

General Manager

Authorised results for:

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1821891 supersedes any previous reports with this reference. Testing period is from 19-Mar-2018 to 26-Mar-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1821891 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	19-Mar-2018	HK1821891-001	42	8	----	----	----	----
MP3-2	19-Mar-2018	HK1821891-002	39	8	----	----	----	----
MP4-1	19-Mar-2018	HK1821891-003	27	3	----	----	----	----
MP4-2	19-Mar-2018	HK1821891-004	29	2	----	----	----	----
MP5-1	19-Mar-2018	HK1821891-005	40	3	----	----	----	----
MP5-2	19-Mar-2018	HK1821891-006	41	<2	----	----	----	----
MP6-1	19-Mar-2018	HK1821891-007	40	2	----	----	----	----
MP6-2	19-Mar-2018	HK1821891-008	43	2	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 1511602)								
HK1821849-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00
HK1821924-004	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	14	15	9.85

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 1511602)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	108	----	81	117	----	----
EP: Aggregate Organics (QCLot: 1512238)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	91.2	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

Client : ENOVATIVE ENVIRONMENTAL SERVICE LTD
Contact : MR THOMAS WONG
Address : FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN,
N.T. HONG KONG
E-mail : Thomas.Wong@eno.com.hk
Telephone : ----
Facsimile : ----
Project : PROPOSED COMPREHENSIVE
DEVELOPMENT AT WO SHANG WAI
YUEN LONG
Order number : —
C-O-C number : —
Site : —

Laboratory : ALS Technichem (HK) Pty Ltd
Contact : Richard Fung
Address : 11/F., Chung Shun Knitting Centre, 1 - 3
Wing Yip Street, Kwai Chung, N.T.,
Hong Kong
E-mail : richard.fung@alsglobal.com
Telephone : +852 2610 1044
Facsimile : +852 2610 2021
Quote number : HKE/2894/2017

Page : 1 of 4
Work Order : **HK1822241**

Date received : 21-Mar-2018

Date of issue : 28-Mar-2018

No. of samples :
- *Received* : 8
- *Analysed* : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

General Manager

Authorised results for:

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1822241 supersedes any previous reports with this reference. Testing period is from 21-Mar-2018 to 27-Mar-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1822241 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	21-Mar-2018	HK1822241-001	35	5	----	----	----	----
MP3-2	21-Mar-2018	HK1822241-002	37	5	----	----	----	----
MP4-1	21-Mar-2018	HK1822241-003	35	<2	----	----	----	----
MP4-2	21-Mar-2018	HK1822241-004	35	<2	----	----	----	----
MP5-1	21-Mar-2018	HK1822241-005	34	2	----	----	----	----
MP5-2	21-Mar-2018	HK1822241-006	37	2	----	----	----	----
MP6-1	21-Mar-2018	HK1822241-007	39	2	----	----	----	----
MP6-2	21-Mar-2018	HK1822241-008	42	3	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 1518699)								
HK1822241-001	MP3-1	EA025: Suspended Solids (SS)	----	2	mg/L	35	36	0.00
HK1822319-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	25	26	3.96

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 1518699)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	108	----	81	117	----	----
EP: Aggregate Organics (QCLot: 1515674)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	99.4	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1822521
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HKE/2894/2017	<i>Date received</i>	: 23-Mar-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 03-Apr-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

General Manager

Authorised results for:

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1822521 supersedes any previous reports with this reference. Testing period is from 23-Mar-2018 to 28-Mar-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1822521 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	23-Mar-2018	HK1822521-001	30	3	----	----	----	----
MP3-2	23-Mar-2018	HK1822521-002	29	4	----	----	----	----
MP4-1	23-Mar-2018	HK1822521-003	47	2	----	----	----	----
MP4-2	23-Mar-2018	HK1822521-004	48	4	----	----	----	----
MP5-1	23-Mar-2018	HK1822521-005	34	4	----	----	----	----
MP5-2	23-Mar-2018	HK1822521-006	32	5	----	----	----	----
MP6-1	23-Mar-2018	HK1822521-007	39	5	----	----	----	----
MP6-2	23-Mar-2018	HK1822521-008	36	6	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 1522506)								
HK1822501-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00
HK1822519-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 1522506)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	99.0	----	81	117	----	----
EP: Aggregate Organics (QCLot: 1519808)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	96.8	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem (HK) Pty Ltd	<i>Page</i>	: 1 of 4
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Richard Fung	<i>Work Order</i>	: HK1822786
<i>Address</i>	: FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN, N.T. HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.Wong@eno.com.hk	<i>E-mail</i>	: richard.fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: PROPOSED COMPREHENSIVE DEVELOPMENT AT WO SHANG WAI YUEN LONG	<i>Quote number</i>	: HKE/2894/2017	<i>Date received</i>	: 26-Mar-2018
<i>Order number</i>	: —			<i>Date of issue</i>	: 03-Apr-2018
<i>C-O-C number</i>	: —			<i>No. of samples</i>	- Received : 8
<i>Site</i>	: —				- Analysed : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

General Manager

Authorised results for:

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1822786 supersedes any previous reports with this reference. Testing period is from 26-Mar-2018 to 03-Apr-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1822786 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	26-Mar-2018	HK1822786-001	44	8	----	----	----	----
MP3-2	26-Mar-2018	HK1822786-002	41	8	----	----	----	----
MP4-1	26-Mar-2018	HK1822786-003	27	4	----	----	----	----
MP4-2	26-Mar-2018	HK1822786-004	27	3	----	----	----	----
MP5-1	26-Mar-2018	HK1822786-005	47	7	----	----	----	----
MP5-2	26-Mar-2018	HK1822786-006	44	6	----	----	----	----
MP6-1	26-Mar-2018	HK1822786-007	44	6	----	----	----	----
MP6-2	26-Mar-2018	HK1822786-008	46	7	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 1529262)								
HK1822711-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	26	26	0.00
HK1822805-004	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	11	11	0.00

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 1529262)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	95.0	----	81	117	----	----
EP: Aggregate Organics (QCLot: 1527543)											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	103	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

Client : ENOVATIVE ENVIRONMENTAL SERVICE LTD
Contact : MR THOMAS WONG
Address : FLAT 2207, YU FUN HSE, YU CHUI COURT, SHATIN,
N.T. HONG KONG
E-mail : Thomas.Wong@eno.com.hk
Telephone : ----
Facsimile : ----
Project : PROPOSED COMPREHENSIVE
DEVELOPMENT AT WO SHANG WAI
YUEN LONG
Order number :
C-O-C number : —
Site : —

Laboratory : ALS Technichem (HK) Pty Ltd
Contact : Richard Fung
Address : 11/F., Chung Shun Knitting Centre, 1 - 3
Wing Yip Street, Kwai Chung, N.T.,
Hong Kong
E-mail : richard.fung@alsglobal.com
Telephone : +852 2610 1044
Facsimile : +852 2610 2021
Quote number : HKE/2894/2017

Page : 1 of 4
Work Order : **HK1823210**

Date received : 28-Mar-2018

Date of issue : 03-Apr-2018

No. of samples - *Received* : 8
- *Analysed* : 8

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

Signatory

Fung Lim Chee, Richard

Position

General Manager

Authorised results for:

Inorganics



Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1823210 supersedes any previous reports with this reference. Testing period is from 28-Mar-2018 to 03-Apr-2018. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific Comments for Work Order HK1823210 :

Sample(s) were received in chilled condition.

Water sample(s) analysed and reported on as received basis.



Analytical Results

Sub-Matrix: WATER

			Compound	EA025: Suspended Solids (SS)	EP030: Biochemical Oxygen Demand	----	----	----
			LOR Unit	2 mg/L	2 mg/L	----	----	----
Client sample ID	Client sampling date / time	Laboratory sample ID	EA/ED: Physical and Aggregate Properties	EP: Aggregate Organics	----	----	----	----
MP3-1	28-Mar-2018	HK1823210-001	47	12	----	----	----	----
MP3-2	28-Mar-2018	HK1823210-002	46	12	----	----	----	----
MP4-1	28-Mar-2018	HK1823210-003	39	<2	----	----	----	----
MP4-2	28-Mar-2018	HK1823210-004	43	<2	----	----	----	----
MP5-1	28-Mar-2018	HK1823210-005	47	4	----	----	----	----
MP5-2	28-Mar-2018	HK1823210-006	46	3	----	----	----	----
MP6-1	28-Mar-2018	HK1823210-007	47	2	----	----	----	----
MP6-2	28-Mar-2018	HK1823210-008	47	2	----	----	----	----



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 1533426)								
HK1823061-004	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	6.5	5.5	16.6
HK1823102-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	791	813	2.74
EA/ED: Physical and Aggregate Properties (QC Lot: 1533427)								
HK1823216-002	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	14	15	6.96
HK1823217-004	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	33	31	7.82

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
		Method: Compound	CAS Number	LOR		Unit	Result	LCS	DCS	Low	High	Value
EA/ED: Physical and Aggregate Properties (QCLot: 1533426)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	95.5	----	81	117	----	----
EA/ED: Physical and Aggregate Properties (QCLot: 1533427)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	114	----	81	117	----	----
EP: Aggregate Organics (QCLot: 1533163)												
EP030: Biochemical Oxygen Demand		----	----	mg/L	----	198 mg/L	106	----	81	121	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.